Awning

Transom Venting

Transom Fixed

Casement Single

Casement Fixed

Picture

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.
Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 01/10/22

A-Series
Casement and Awning

A 2 Head
Operating

B 2 Jamb
Operating

C 2 Sill
Operating

D 2 Sill
Operating

Scale: 3" (76) = 1' (305)

Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.
Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 01/10/22

A-Series
Casement and Awning

A 3 Head Stationary

D 3 Head Fixed

B 3 Jamb Stationary

E 3 Jamb Fixed

C 3 Sill Stationary

F 3 Sill Fixed

G 3 Sill Fixed

Scale: 3" (76) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 01/10/22

A-Series
Casement and Awning

A/4 Extension Jamb

B/4 3 ¾" Exterior Mull Cover
Used in Conjunction With Trim System Only

C/4 Drip Cap

D/4 2" Brick Mould

E/4 3 ½" Flat Casing

F/4 4 ½" Flat Casing

G/4 Sill Nose

H/4 Decorative Drip Cap

J/4 2" Cornice

K/4 3 ⅝" Cornice

Scale: 3" (76) = 1' (305)

Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.
Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 01/10/22

A-Series
Casement and Awning

A 5 ¾" Full Divided Light

E 5 ⅞" Full Divided Light

J 5 1 ⅛" Full Divided Light

N 5 ¾" Finelight

B 5 ¾" Simulated Divided Light
Removable interior is available

F 5 ⅞" Simulated Divided Light
Removable interior is available

K 5 1 ⅛" Simulated Divided Light
Removable interior is available

P 5 1" Finelight

C 5 ¾" Removable Interior Grille

G 5 ⅞" Removable Interior Grille

L 5 1 ⅛" Removable Interior Grille

D 5 2 ¼" Full Divided Light
Simulated check rail

H 5 2 ¼" Simulated Divided Light
Simulated check rail

M 5 Triple Pane Glass

Scale: 6" (152) = 1' (305)

Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.
Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 01/10/22