



**Gliding Patio Door  
Handing Options**



Scale: 1/8" (3) = 1' (305)

**Notes:**  
 \*Unit Dimension\* always refers to outside frame to frame dimension.  
 \*Rough Opening\* dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.  
 Dimensions in parentheses are in millimeters.  
 \*Add 1/2" (6) to the "Rough Opening" height dimension for four-panel doors.


Andersen Windows, Inc. reserves the right to change drawing specifications without notice.



Scale: 1/8" (3) = 1' (305)

**Notes:**

- \*"Unit Dimension" always refers to outside frame to frame dimension.
- \*"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- Dimensions in parentheses are in millimeters.
- \*Add 1/2" (6) to the "Rough Opening" height dimension for four-panel doors.



Scale: 1/8" (3) = 1' (305)

**Notes:**

- \*"Unit Dimension" always refers to outside frame to frame dimension.
- \*"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- Dimensions in parentheses are in millimeters.
- \*Add 1/2" (6) to the "Rough Opening" height dimension for four-panel doors.