









Big Doors

Weiland™ 90° Corner Pocket Liftslide
Aluminum Wood - With Screens







Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 7/11/18
Scale: None

Big Doors

Weiland™ 90° Corner Pocket Liftslide
Aluminum Wood - With Screens



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 7/11/18
Scale: None

Chart 3.0		Two Panel - 90° Outside Corner										
Frame Depth = 7 1/8", Pocket Depth = 8 7/8"												
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width							
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.		
			Rated				Not Rated					
Without Intermediate Stile								With Intermediate Stile				
Contact local Andersen supplier												
< 6'-6"												
6'-6"	6'-10 3/4"	6'-8 7/16"	2'-5 5/8"	2'-7 1/8"	7'-3 5/8"	7'-5 1/8"	12'-3 5/8"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier		
7'-0"	7'-4 3/4"	7'-2 7/16"	2'-7 5/8"	2'-9 1/8"								
7'-6"	7'-10 3/4"	7'-8 7/16"	2'-9 5/8"	2'-11 1/8"								
8'-0"	8'-4 3/4"	8'-2 7/16"	2'-11 5/8"	3'-1 1/8"								
8'-6"	8'-10 3/4"	8'-8 7/16"	3'-1 5/8"	3'-3 1/8"								
9'-0"	9'-4 3/4"	9'-2 7/16"	3'-3 5/8"	3'-5 1/8"	6'-9 5/8"	6'-11 1/8"	7'-3 5/8"	7'-5 1/8"				
9'-6"	9'-10 3/4"	9'-8 7/16"	3'-5 5/8"	3'-7 1/8"	6'-5 5/8"	6'-7 1/8"						
10'-0"	10'-4 3/4"	10'-2 7/16"	3'-7 5/8"	3'-9 1/8"	6'-3 5/8"	6'-5 1/8"						
10'-6"	10'-10 3/4"	10'-8 7/16"	3'-9 5/8"	3'-11 1/8"	5'-11 5/8"	6'-1 1/8"						
11'-0"	11'-4 3/4"	11'-2 7/16"	3'-11 5/8"	4'-1 1/8"	5'-8 5/8"	5'-10 1/8"						
11'-6"	11'-10 3/4"	11'-8 7/16"	4'-1 5/8"	4'-3 1/8"	5'-5 5/8"	5'-7 1/8"						
12'-0"	12'-4 3/4"	12'-2 7/16"	4'-3 5/8"	4'-5 1/8"	5'-3 5/8"	5'-5 1/8"						
> 12'-0"												
Contact local Andersen supplier												






Chart 3.1		Four Panel - 90° Outside Corner														
Frame Depth = 1'-0 ¹¹ / ₁₆ " , Pocket Depth = 1'-2 ⁷ / ₁₆ "																
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width											
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.						
			Rated				Not Rated									
			Without Intermediate Stile						With Intermediate Stile							
< 6'-6"		Contact local Andersen supplier														
6'-6"	6'-10 ³ / ₄ "	6'-8 ⁷ / ₁₆ "	4'-4 ¹ / ₈ "	2'-7 ¹ / ₈ "	14'-0 ¹ / ₈ "	7'-5 ¹ / ₈ "	24'-0 ¹ / ₈ "	12'-5 ¹ / ₈ "	Contact local Andersen supplier	Contact local Andersen supplier						
7'-0"	7'-4 ³ / ₄ "	7'-2 ⁷ / ₁₆ "	4'-8 ¹ / ₈ "	2'-9 ¹ / ₈ "			14'-0 ¹ / ₈ "	7'-5 ¹ / ₈ "								
7'-6"	7'-10 ³ / ₄ "	7'-8 ⁷ / ₁₆ "	5'-0 ¹ / ₈ "	2'-11 ¹ / ₈ "												
8'-0"	8'-4 ³ / ₄ "	8'-2 ⁷ / ₁₆ "	5'-4 ¹ / ₈ "	3'-1 ¹ / ₈ "												
8'-6"	8'-10 ³ / ₄ "	8'-8 ⁷ / ₁₆ "	5'-8 ¹ / ₈ "	3'-3 ¹ / ₈ "												
9'-0"	9'-4 ³ / ₄ "	9'-2 ⁷ / ₁₆ "	6'-0 ¹ / ₈ "	3'-5 ¹ / ₈ "	13'-0 ¹ / ₈ "	6'-11 ¹ / ₈ "	14'-0 ¹ / ₈ "	7'-5 ¹ / ₈ "								
9'-6"	9'-10 ³ / ₄ "	9'-8 ⁷ / ₁₆ "	6'-4 ¹ / ₈ "	3'-7 ¹ / ₈ "	12'-4 ¹ / ₈ "	6'-7 ¹ / ₈ "										
10'-0"	10'-4 ³ / ₄ "	10'-2 ⁷ / ₁₆ "	6'-8 ¹ / ₈ "	3'-9 ¹ / ₈ "	12'-0 ¹ / ₈ "	6'-5 ¹ / ₈ "										
10'-6"	10'-10 ³ / ₄ "	10'-8 ⁷ / ₁₆ "	7'-0 ¹ / ₈ "	3'-11 ¹ / ₈ "	11'-4 ¹ / ₈ "	6'-1 ¹ / ₈ "										
11'-0"	11'-4 ³ / ₄ "	11'-2 ⁷ / ₁₆ "	7'-4 ¹ / ₈ "	4'-1 ¹ / ₈ "	10'-10 ¹ / ₈ "	5'-10 ¹ / ₈ "										
11'-6"	11'-10 ³ / ₄ "	11'-8 ⁷ / ₁₆ "	7'-8 ¹ / ₈ "	4'-3 ¹ / ₈ "	10'-4 ¹ / ₈ "	5'-7 ¹ / ₈ "										
12'-0"	12'-4 ³ / ₄ "	12'-2 ⁷ / ₁₆ "	8'-0 ¹ / ₈ "	4'-5 ¹ / ₈ "	10'-0 ¹ / ₈ "	5'-5 ¹ / ₈ "										
> 12'-0"		Contact local Andersen supplier														

Chart 3.2		Six Panel - 90° Outside Corner														
Frame Depth = 1'-6 3⁄16", Pocket Depth = 1'-7 15⁄16"																
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width											
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.						
			Rated				Not Rated									
			Without Intermediate Stile						With Intermediate Stile							
< 6'-6"		Contact local Andersen supplier														
6'-6"	6'-10 3⁄4"	6'-8 7⁄16"	6'-2 5⁄8"	2'-7 1⁄8"	20'-8 5⁄8"	7'-5 1⁄8"	35'-8 5⁄8"	12'-5 1⁄8"	Contact local Andersen supplier	Contact local Andersen supplier						
7'-0"	7'-4 3⁄4"	7'-2 7⁄16"	6'-8 5⁄8"	2'-9 1⁄8"			20'-8 5⁄8"	7'-5 1⁄8"								
7'-6"	7'-10 3⁄4"	7'-8 7⁄16"	7'-2 5⁄8"	2'-11 1⁄8"												
8'-0"	8'-4 3⁄4"	8'-2 7⁄16"	7'-8 5⁄8"	3'-1 1⁄8"												
8'-6"	8'-10 3⁄4"	8'-8 7⁄16"	8'-2 5⁄8"	3'-3 1⁄8"												
9'-0"	9'-4 3⁄4"	9'-2 7⁄16"	8'-8 5⁄8"	3'-5 1⁄8"	19'-2 5⁄8"	6'-11 1⁄8"	20'-8 5⁄8"	7'-5 1⁄8"								
9'-6"	9'-10 3⁄4"	9'-8 7⁄16"	9'-2 5⁄8"	3'-7 1⁄8"	18'-2 5⁄8"	6'-7 1⁄8"										
10'-0"	10'-4 3⁄4"	10'-2 7⁄16"	9'-8 5⁄8"	3'-9 1⁄8"	17'-8 5⁄8"	6'-5 1⁄8"										
10'-6"	10'-10 3⁄4"	10'-8 7⁄16"	10'-2 5⁄8"	3'-11 1⁄8"	16'-8 5⁄8"	6'-1 1⁄8"										
11'-0"	11'-4 3⁄4"	11'-2 7⁄16"	10'-8 5⁄8"	4'-1 1⁄8"	15'-11 5⁄8"	5'-10 1⁄8"										
11'-6"	11'-10 3⁄4"	11'-8 7⁄16"	11'-2 5⁄8"	4'-3 1⁄8"	15'-2 5⁄8"	5'-7 1⁄8"										
12'-0"	12'-4 3⁄4"	12'-2 7⁄16"	11'-8 5⁄8"	4'-5 1⁄8"	14'-8 5⁄8"	5'-5 1⁄8"										
> 12'-0"		Contact local Andersen supplier														

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 7/11/18
Scale: None

Chart 4.0		Eight Panel - 90° Outside Corner									
Frame Depth = 1'-11 ¹¹ / ₁₆ ", Pocket Depth = 2'-1 ⁷ / ₁₆ "											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated			Not Rated					
Without Intermediate Stile							With Intermediate Stile				
< 6'-6"	Contact local Andersen supplier										
6'-6"	6'-10 ³ / ₄ "	6'-8 ⁷ / ₁₆ "	8'-1 ¹ / ₈ "	2'-7 ¹ / ₈ "	27'-5 ¹ / ₈ "	7'-5 ¹ / ₈ "	47'-3 ¹ / ₈ "	12'-5 ¹ / ₈ "	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 ³ / ₄ "	7'-2 ⁷ / ₁₆ "	8'-9 ¹ / ₈ "	2'-9 ¹ / ₈ "							
7'-6"	7'-10 ³ / ₄ "	7'-8 ⁷ / ₁₆ "	9'-5 ¹ / ₈ "	2'-11 ¹ / ₈ "							
8'-0"	8'-4 ³ / ₄ "	8'-2 ⁷ / ₁₆ "	10'-1 ¹ / ₈ "	3'-1 ¹ / ₈ "							
8'-6"	8'-10 ³ / ₄ "	8'-8 ⁷ / ₁₆ "	10'-9 ¹ / ₈ "	3'-3 ¹ / ₈ "							
9'-0"	9'-4 ³ / ₄ "	9'-2 ⁷ / ₁₆ "	11'-5 ¹ / ₈ "	3'-5 ¹ / ₈ "	25'-5 ¹ / ₈ "	6'-11 ¹ / ₈ "	27'-5 ¹ / ₈ "	7'-5 ¹ / ₈ "			
9'-6"	9'-10 ³ / ₄ "	9'-8 ⁷ / ₁₆ "	12'-1 ¹ / ₈ "	3'-7 ¹ / ₈ "	24'-1 ¹ / ₈ "	6'-7 ¹ / ₈ "					
10'-0"	10'-4 ³ / ₄ "	10'-2 ⁷ / ₁₆ "	12'-9 ¹ / ₈ "	3'-9 ¹ / ₈ "	23'-5 ¹ / ₈ "	6'-5 ¹ / ₈ "					
10'-6"	10'-10 ³ / ₄ "	10'-8 ⁷ / ₁₆ "	13'-5 ¹ / ₈ "	3'-11 ¹ / ₈ "	22'-1 ¹ / ₈ "	6'-1 ¹ / ₈ "					
11'-0"	11'-4 ³ / ₄ "	11'-2 ⁷ / ₁₆ "	14'-1 ¹ / ₈ "	4'-1 ¹ / ₈ "	21'-1 ¹ / ₈ "	5'-10 ¹ / ₈ "					
11'-6"	11'-10 ³ / ₄ "	11'-8 ⁷ / ₁₆ "	14'-9 ¹ / ₈ "	4'-3 ¹ / ₈ "	20'-1 ¹ / ₈ "	5'-7 ¹ / ₈ "					
12'-0"	12'-4 ³ / ₄ "	12'-2 ⁷ / ₁₆ "	15'-5 ¹ / ₈ "	4'-5 ¹ / ₈ "	19'-3 ¹ / ₈ "	5'-5 ¹ / ₈ "					
> 12'-0"	Contact local Andersen supplier										






Chart 4.1			Ten Panel - 90° Outside Corner								
Frame Depth = 2'5 ¼", Pocket Depth = 2'7"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated			Not Rated					
			Without Intermediate Stile						With Intermediate Stile		
< 6'-6"	Contact local Andersen supplier										
6'-6"	6'-10 ¾"	6'-8 7/16"	9'-11 5/8"	2'-7 1/8"	34'-1 5/8"	7'-5 1/8"	59'-1 5/8"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 ¾"	7'-2 7/16"	10'-9 5/8"	2'-9 1/8"							
7'-6"	7'-10 ¾"	7'-8 7/16"	11'-7 5/8"	2'-11 1/8"							
8'-0"	8'-4 ¾"	8'-2 7/16"	12'-5 5/8"	3'-1 1/8"							
8'-6"	8'-10 ¾"	8'-8 7/16"	13'-3 5/8"	3'-3 1/8"							
9'-0"	9'-4 ¾"	9'-2 7/16"	14'-1 5/8"	3'-5 1/8"	31'-7 5/8"	6'-11 1/8"	34'-1 5/8"	7'-5 1/8"			
9'-6"	9'-10 ¾"	9'-8 7/16"	14'-11 5/8"	3'-7 1/8"	29'-11 5/8"	6'-7 1/8"					
10'-0"	10'-4 ¾"	10'-2 7/16"	15'-9 5/8"	3'-9 1/8"	29'-1 5/8"	6'-5 1/8"					
10'-6"	10'-10 ¾"	10'-8 7/16"	16'-7 5/8"	3'-11 1/8"	27'-5 5/8"	6'-1 1/8"					
11'-0"	11'-4 ¾"	11'-2 7/16"	17'-5 5/8"	4'-1 1/8"	26'-2 5/8"	5'-10 1/8"					
11'-6"	11'-10 ¾"	11'-8 7/16"	18'-3 5/8"	4'-3 1/8"	24'-11 5/8"	5'-7 1/8"					
12'-0"	12'-4 ¾"	12'-2 7/16"	19'-1 5/8"	4'-5 1/8"	24'-1 5/8"	5'-5 1/8"					
> 12'-0"	Contact local Andersen supplier										

Chart 4.2			Twelve Panel - 90° Outside Corner								
Frame Depth = 2'-10 ¾", Pocket Depth = 3'-0 ½"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
< 6'-6"	Contact local Andersen supplier										
6'-6"	6'-10 ¾"	6'-8 ⅞"	11'-10 ⅛"	2'-7 ⅛"	40'-10 ⅛"	7'-5 ⅛"	70'-10 ⅛"	12'-5 ⅛"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 ¾"	7'-2 ⅞"	12'-10 ⅛"	2'-9 ⅛"							
7'-6"	7'-10 ¾"	7'-8 ⅞"	13'-10 ⅛"	2'-11 ⅛"							
8'-0"	8'-4 ¾"	8'-2 ⅞"	14'-10 ⅛"	3'-1 ⅛"							
8'-6"	8'-10 ¾"	8'-8 ⅞"	15'-10 ⅛"	3'-3 ⅛"							
9'-0"	9'-4 ¾"	9'-2 ⅞"	16'-10 ⅛"	3'-5 ⅛"	37'-10 ⅛"	6'-11 ⅛"	40'-10 ⅛"	7'-5 ⅛"			
9'-6"	9'-10 ¾"	9'-8 ⅞"	17'-10 ⅛"	3'-7 ⅛"	35'-10 ⅛"	6'-7 ⅛"					
10'-0"	10'-4 ¾"	10'-2 ⅞"	18'-10 ⅛"	3'-9 ⅛"	34'-10 ⅛"	6'-5 ⅛"					
10'-6"	10'-10 ¾"	10'-8 ⅞"	19'-10 ⅛"	3'-11 ⅛"	32'-10 ⅛"	6'-1 ⅛"					
11'-0"	11'-4 ¾"	11'-2 ⅞"	20'-10 ⅛"	4'-1 ⅛"	31'-4 ⅛"	5'-10 ⅛"					
11'-6"	11'-10 ¾"	11'-8 ⅞"	21'-10 ⅛"	4'-3 ⅛"	29'-10 ⅛"	5'-7 ⅛"					
12'-0"	12'-4 ¾"	12'-2 ⅞"	22'-10 ⅛"	4'-5 ⅛"	28'-10 ⅛"	5'-5 ⅛"					
> 12'-0"	Contact local Andersen supplier										

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 7/11/18
Scale: None

Chart 5.0			Two Panel - 90° Inside Corner							
Frame Depth = 7 7/8", Pocket Depth = 8 7/8"										
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width					
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.
			Rated			Not Rated				
			Without Intermediate Stile						With Intermediate Stile	
Contact local Andersen supplier										
< 6'-6"										
6'-6"	6'-10 3/4"	6'-8 7/16"	4'-7 7/16"	2'-7 1/8"	14'-3 7/16"	7'-5 1/8"	24'-3 7/16"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier
7'-0"	7'-4 3/4"	7'-2 7/16"	4'-11 7/16"	2'-9 1/8"						
7'-6"	7'-10 3/4"	7'-8 7/16"	5'-3 1/16"	2'-11 1/8"						
8'-0"	8'-4 3/4"	8'-2 7/16"	5'-7 7/16"	3'-1 1/8"						
8'-6"	8'-10 3/4"	8'-8 7/16"	5'-11 7/16"	3'-3 3/8"						
9'-0"	9'-4 3/4"	9'-2 7/16"	6'-3 7/16"	3'-5 1/8"	13'-3 7/16"	6'-11 1/2"	14'-3 7/16"	7'-5 1/8"		
9'-6"	9'-10 3/4"	9'-8 7/16"	6'-7 7/16"	3'-7 3/8"	12'-7 7/16"	6'-7 1/8"				
10'-0"	10'-4 3/4"	10'-2 7/16"	6'-11 7/16"	3'-9 1/8"	12'-3 7/16"	6'-5 1/8"				
10'-6"	10'-10 3/4"	10'-8 7/16"	7'-3 7/16"	3'-11 1/8"	11'-7 7/16"	6'-1 1/8"				
11'-0"	11'-4 3/4"	11'-2 7/16"	7'-7 7/16"	4'-1 1/8"	11'-1 7/16"	5'-10 3/8"				
11'-6"	11'-10 3/4"	11'-8 7/16"	7'-11 7/16"	4'-3 3/8"	10'-7 7/16"	5'-7 1/8"				
12'-0"	12'-4 3/4"	12'-2 7/16"	8'-3 7/16"	4'-5 1/8"	10'-3 7/16"	5'-5 1/8"				
> 12'-0"			Contact local Andersen supplier							






Chart 5.1		Four Panel - 90° Inside Corner											
Frame Depth = 1'-0 ¹¹ / ₁₆ ", Pocket Depth = 1'-2 ⁷ / ₁₆ "													
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width								
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.			
			Rated				Not Rated						
Without Intermediate Stile												With Intermediate Stile	
Contact local Andersen supplier													
< 6'-6"													
6'-6"	6'-10 ³ / ₄ "	6'-8 ⁷ / ₁₆ "	8'-4 ⁷ / ₁₆ "	2'-7 ¹ / ₈ "	27'-8 ⁷ / ₁₆ "	7'-5 ¹ / ₈ "	47'-6 ⁷ / ₁₆ "	12'-5 ¹ / ₈ "	Contact local Andersen supplier	Contact local Andersen supplier			
7'-0"	7'-4 ³ / ₄ "	7'-2 ⁷ / ₁₆ "	9'-0 ⁷ / ₁₆ "	2'-9 ¹ / ₈ "									
7'-6"	7'-10 ³ / ₄ "	7'-8 ⁷ / ₁₆ "	9'-8 ⁷ / ₁₆ "	2'-11 ¹ / ₈ "									
8'-0"	8'-4 ³ / ₄ "	8'-2 ⁷ / ₁₆ "	10'-4 ⁷ / ₁₆ "	3'-1 ¹ / ₈ "									
8'-6"	8'-10 ³ / ₄ "	8'-8 ⁷ / ₁₆ "	11'-0 ⁷ / ₁₆ "	3'-3 ³ / ₈ "									
9'-0"	9'-4 ³ / ₄ "	9'-2 ⁷ / ₁₆ "	11'-8 ⁷ / ₁₆ "	3'-5 ¹ / ₈ "	25'-8 ⁷ / ₁₆ "	6'-11 ¹ / ₈ "	27'-8 ⁷ / ₁₆ "	7'-5 ¹ / ₈ "					
9'-6"	9'-10 ³ / ₄ "	9'-8 ⁷ / ₁₆ "	12'-4 ⁷ / ₁₆ "	3'-7 ⁷ / ₈ "	24'-4 ⁷ / ₁₆ "	6'-7 ¹ / ₈ "							
10'-0"	10'-4 ³ / ₄ "	10'-2 ⁷ / ₁₆ "	13'-0 ⁷ / ₁₆ "	3'-9 ¹ / ₈ "	23'-8 ⁷ / ₁₆ "	6'-5 ¹ / ₈ "							
10'-6"	10'-10 ³ / ₄ "	10'-8 ⁷ / ₁₆ "	13'-8 ⁷ / ₁₆ "	3'-11 ¹ / ₈ "	22'-4 ⁷ / ₁₆ "	6'-1 ¹ / ₈ "							
11'-0"	11'-4 ³ / ₄ "	11'-2 ⁷ / ₁₆ "	14'-4 ⁷ / ₁₆ "	4'-1 ¹ / ₈ "	21'-4 ⁷ / ₁₆ "	5'-10 ¹ / ₈ "							
11'-6"	11'-10 ³ / ₄ "	11'-8 ⁷ / ₁₆ "	15'-0 ⁷ / ₁₆ "	4'-3 ³ / ₈ "	20'-4 ⁷ / ₁₆ "	5'-7 ¹ / ₈ "							
12'-0"	12'-4 ³ / ₄ "	12'-2 ⁷ / ₁₆ "	15'-8 ⁷ / ₁₆ "	4'-5 ¹ / ₈ "	19'-6 ⁷ / ₁₆ "	5'-5 ¹ / ₈ "							
> 12'-0"					Contact local Andersen supplier								

Chart 5.2		Six Panel - 90° Inside Corner									
Frame Depth = 1'-6 3⁄16", Pocket Depth = 1'-7 15⁄16"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
Contact local Andersen supplier											
< 6'-6"											
6'-6"	6'-10 3⁄4"	6'-8 7⁄16"	12'-1 7⁄16"	2'-7 1⁄8"	41'-1 7⁄16"	7'-5 1⁄8"	71'-1 7⁄16"	12'-5 1⁄8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 3⁄4"	7'-2 7⁄16"	13'-1 7⁄16"	2'-9 1⁄8"							
7'-6"	7'-10 3⁄4"	7'-8 7⁄16"	14'-1 7⁄16"	2'-11 1⁄8"							
8'-0"	8'-4 3⁄4"	8'-2 7⁄16"	15'-1 7⁄16"	3'-1 1⁄8"							
8'-6"	8'-10 3⁄4"	8'-8 7⁄16"	16'-1 7⁄16"	3'-3 3⁄8"	41'-1 7⁄16"	7'-5 1⁄8"					
9'-0"	9'-4 3⁄4"	9'-2 7⁄16"	17'-1 7⁄16"	3'-5 1⁄8"							
9'-6"	9'-10 3⁄4"	9'-8 7⁄16"	18'-1 7⁄16"	3'-7 3⁄8"							
10'-0"	10'-4 3⁄4"	10'-2 7⁄16"	19'-1 7⁄16"	3'-9 1⁄8"							
10'-6"	10'-10 3⁄4"	10'-8 7⁄16"	20'-1 7⁄16"	3'-11 1⁄8"							
11'-0"	11'-4 3⁄4"	11'-2 7⁄16"	21'-1 7⁄16"	4'-1 1⁄8"							
11'-6"	11'-10 3⁄4"	11'-8 7⁄16"	22'-1 7⁄16"	4'-3 3⁄8"							
12'-0"	12'-4 3⁄4"	12'-2 7⁄16"	23'-1 7⁄16"	4'-5 1⁄8"							
> 12'-0"											Contact local Andersen supplier

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 7/11/18
Scale: None

Chart 6.0		Eight Panel - 90° Inside Corner									
Frame Depth = 1'-11 11⁄16", Pocket Depth = 2'-1 7⁄16"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile				With Intermediate Stile				
< 6'-6"		Contact local Andersen supplier									
6'-6"	6'-10 3⁄4"	6'-8 7⁄16"	15'-10 7⁄16"	2'-7 1⁄8"	43'-9 3⁄4"	6'-1"	94'-6 7⁄16"	12'-5 1⁄8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 3⁄4"	7'-2 7⁄16"	17'-2 7⁄16"	2'-9 1⁄8"							
7'-6"	7'-10 3⁄4"	7'-8 7⁄16"	18'-6 7⁄16"	2'-11 1⁄8"							
8'-0"	8'-4 3⁄4"	8'-2 7⁄16"	19'-10 7⁄16"	3'-1 1⁄8"							
8'-6"	8'-10 3⁄4"	8'-8 7⁄16"	21'-2 7⁄16"	3'-3 1⁄8"							
9'-0"	9'-4 3⁄4"	9'-2 7⁄16"	22'-6 7⁄16"	3'-5 1⁄8"							
9'-6"	9'-10 3⁄4"	9'-8 7⁄16"	23'-10 7⁄16"	3'-7 1⁄8"							
10'-0"	10'-4 3⁄4"	10'-2 7⁄16"	25'-2 7⁄16"	3'-9 1⁄8"							
10'-6"	10'-10 3⁄4"	10'-8 7⁄16"	26'-6 7⁄16"	3'-11 1⁄8"							
11'-0"	11'-4 3⁄4"	11'-2 7⁄16"	27'-10 7⁄16"	4'-1 1⁄8"			41'-10 7⁄16"	5'-10 1⁄8"			
11'-6"	11'-10 3⁄4"	11'-8 7⁄16"	29'-2 7⁄16"	4'-3 1⁄8"	39'-10 7⁄16"	5'-7 1⁄8"					
12'-0"	12'-4 3⁄4"	12'-2 7⁄16"	30'-6 7⁄16"	4'-5 1⁄8"	38'-6 7⁄16"	5'-5 1⁄8"					
> 12'-0"		Contact local Andersen supplier									






Chart 6.1		Ten Panel - 90° Inside Corner															
Frame Depth = 2'-5 ¼", Pocket Depth = 2'-7"																	
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width												
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.							
			Rated				Not Rated										
Without Intermediate Stile												With Intermediate Stile					
< 6'-6"														Contact local Andersen supplier			
6'-6"	6'-10 ¾"	6'-8 ⅞"	19'-7 ⅞"	2'-7 ⅞"	43'-9 ¾"	5'-0 ⅞"	117'-11 ⅞"	12'-5 ⅞"	Contact local Andersen supplier	Contact local Andersen supplier							
7'-0"	7'-4 ¾"	7'-2 ⅞"	21'-3 ⅞"	2'-9 ⅞"			67'-11 ⅞"	7'-5 ⅞"									
7'-6"	7'-10 ¾"	7'-8 ⅞"	22'-11 ⅞"	2'-11 ⅞"													
8'-0"	8'-4 ¾"	8'-2 ⅞"	24'-7 ⅞"	3'-1 ⅞"													
8'-6"	8'-10 ¾"	8'-8 ⅞"	26'-3 ⅞"	3'-3 ⅞"													
9'-0"	9'-4 ¾"	9'-2 ⅞"	27'-11 ⅞"	3'-5 ⅞"													
9'-6"	9'-10 ¾"	9'-8 ⅞"	29'-7 ⅞"	3'-7 ⅞"													
10'-0"	10'-4 ¾"	10'-2 ⅞"	31'-3 ⅞"	3'-9 ⅞"													
10'-6"	10'-10 ¾"	10'-8 ⅞"	32'-11 ⅞"	3'-11 ⅞"													
11'-0"	11'-4 ¾"	11'-2 ⅞"	34'-7 ⅞"	4'-1 ⅞"													
11'-6"	11'-10 ¾"	11'-8 ⅞"	36'-3 ⅞"	4'-3 ⅞"													
12'-0"	12'-4 ¾"	12'-2 ⅞"	37'-11 ⅞"	4'-5 ⅞"													
> 12'-0"														Contact local Andersen supplier			

Chart 6.2		Twelve Panel - 90° Inside Corner										
Frame Depth = 2'-10 3/4", Pocket Depth = 3'-0 1/2"												
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width							
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.		
			Rated				Not Rated					
			Without Intermediate Stile						With Intermediate Stile			
< 6'-6"		Contact local Andersen supplier										
6'-6"	6'-10 3/4"	6'-8 7/16"	23'-4 7/16"	2'-7 7/8"	43'-9 3/4"	4'-3 9/16"	141'-4 7/16"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier		
7'-0"	7'-4 3/4"	7'-2 7/16"	25'-4 7/16"	2'-9 1/8"			81'-4 7/16"	7'-5 1/8"				
7'-6"	7'-10 3/4"	7'-8 7/16"	27'-4 7/16"	2'-11 1/8"								
8'-0"	8'-4 3/4"	8'-2 7/16"	29'-4 7/16"	3'-1 1/8"								
8'-6"	8'-10 3/4"	8'-8 7/16"	31'-4 7/16"	3'-3 7/8"								
9'-0"	9'-4 3/4"	9'-2 7/16"	33'-4 7/16"	3'-5 1/8"								
9'-6"	9'-10 3/4"	9'-8 7/16"	35'-4 7/16"	3'-7 7/8"								
10'-0"	10'-4 3/4"	10'-2 7/16"	37'-4 7/16"	3'-9 1/8"								
10'-6"	10'-10 3/4"	10'-8 7/16"	39'-4 7/16"	3'-11 1/8"								
11'-0"	11'-4 3/4"	11'-2 7/16"	41'-4 7/16"	4'-1 1/8"								
11'-6"	11'-10 3/4"	11'-8 7/16"	43'-4 7/16"	4'-3 1/8"								
12'-0"	12'-4 3/4"	12'-2 7/16"	45'-4 7/16"	4'-5 1/8"								
> 12'-0"		Contact local Andersen supplier										

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Date: 7/11/18
Scale: None