









# Big Doors

Weiland™ 90° Corner Pocket Liftslide  
Aluminum Wood - No Screen







## Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.  
Dimensions in parentheses are in millimeters.

Date: 7/11/18  
Scale: None

# Big Doors

Weiland™ 90° Corner Pocket Liftslide  
Aluminum Wood - No Screen



## Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.  
Dimensions in parentheses are in millimeters.

Date: 7/11/18  
Scale: None

Chart 3.0		Two Panel - 90° Outside Corner														
Frame Depth = 3 <sup>9</sup> / <sub>16</sub> ", Pocket Depth = 5 <sup>5</sup> / <sub>16</sub> "																
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width			Maximum Width										
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.						
			Rated			Not Rated										
			Without Intermediate Stile						With Intermediate Stile							
< 6'-6"		Contact local Andersen supplier														
6'-6"	6'-10 <sup>3</sup> / <sub>4</sub> "	6'-8 <sup>7</sup> / <sub>16</sub> "	2'-8 <sup>7</sup> / <sub>16</sub> "	2'-7 <sup>1</sup> / <sub>8</sub> "	7'-6 <sup>7</sup> / <sub>16</sub> "	7'-5 <sup>1</sup> / <sub>8</sub> "	12'-6 <sup>7</sup> / <sub>16</sub> "	12'-5 <sup>1</sup> / <sub>8</sub> "	Contact local Andersen supplier	Contact local Andersen supplier						
7'-0"	7'-4 <sup>3</sup> / <sub>4</sub> "	7'-2 <sup>7</sup> / <sub>16</sub> "	2'-10 <sup>7</sup> / <sub>16</sub> "	2'-9 <sup>1</sup> / <sub>8</sub> "			7'-6 <sup>7</sup> / <sub>16</sub> "	7'-5 <sup>1</sup> / <sub>8</sub> "								
7'-6"	7'-10 <sup>3</sup> / <sub>4</sub> "	7'-8 <sup>7</sup> / <sub>16</sub> "	3'-0 <sup>7</sup> / <sub>16</sub> "	2'-11 <sup>1</sup> / <sub>8</sub> "												
8'-0"	8'-4 <sup>3</sup> / <sub>4</sub> "	8'-2 <sup>7</sup> / <sub>16</sub> "	3'-2 <sup>7</sup> / <sub>16</sub> "	3'-1 <sup>1</sup> / <sub>8</sub> "												
8'-6"	8'-10 <sup>3</sup> / <sub>4</sub> "	8'-8 <sup>7</sup> / <sub>16</sub> "	3'-4 <sup>7</sup> / <sub>16</sub> "	3'-3 <sup>3</sup> / <sub>8</sub> "												
9'-0"	9'-4 <sup>3</sup> / <sub>4</sub> "	9'-2 <sup>7</sup> / <sub>16</sub> "	3'-6 <sup>7</sup> / <sub>16</sub> "	3'-5 <sup>1</sup> / <sub>8</sub> "	7'-0 <sup>7</sup> / <sub>16</sub> "	6'-11 <sup>1</sup> / <sub>2</sub> "										
9'-6"	9'-10 <sup>3</sup> / <sub>4</sub> "	9'-8 <sup>7</sup> / <sub>16</sub> "	3'-8 <sup>7</sup> / <sub>16</sub> "	3'-7 <sup>1</sup> / <sub>8</sub> "	6'-8 <sup>7</sup> / <sub>16</sub> "	6'-7 <sup>1</sup> / <sub>8</sub> "										
10'-0"	10'-4 <sup>3</sup> / <sub>4</sub> "	10'-2 <sup>7</sup> / <sub>16</sub> "	3'-10 <sup>7</sup> / <sub>16</sub> "	3'-9 <sup>1</sup> / <sub>8</sub> "	6'-6 <sup>7</sup> / <sub>16</sub> "	6'-5 <sup>1</sup> / <sub>8</sub> "										
10'-6"	10'-10 <sup>3</sup> / <sub>4</sub> "	10'-8 <sup>7</sup> / <sub>16</sub> "	4'-0 <sup>7</sup> / <sub>16</sub> "	3'-11 <sup>1</sup> / <sub>8</sub> "	6'-2 <sup>7</sup> / <sub>16</sub> "	6'-1 <sup>1</sup> / <sub>8</sub> "										
11'-0"	11'-4 <sup>3</sup> / <sub>4</sub> "	11'-2 <sup>7</sup> / <sub>16</sub> "	4'-2 <sup>7</sup> / <sub>16</sub> "	4'-1 <sup>1</sup> / <sub>8</sub> "	5'-11 <sup>7</sup> / <sub>16</sub> "	5'-10 <sup>1</sup> / <sub>8</sub> "										
11'-6"	11'-10 <sup>3</sup> / <sub>4</sub> "	11'-8 <sup>7</sup> / <sub>16</sub> "	4'-4 <sup>7</sup> / <sub>16</sub> "	4'-3 <sup>3</sup> / <sub>8</sub> "	5'-8 <sup>7</sup> / <sub>16</sub> "	5'-7 <sup>1</sup> / <sub>8</sub> "										
12'-0"	12'-4 <sup>3</sup> / <sub>4</sub> "	12'-2 <sup>7</sup> / <sub>16</sub> "	4'-6 <sup>7</sup> / <sub>16</sub> "	4'-5 <sup>1</sup> / <sub>8</sub> "	5'-6 <sup>7</sup> / <sub>16</sub> "	5'-5 <sup>1</sup> / <sub>8</sub> "										
> 12'-0"		Contact local Andersen supplier														






Chart 3.1			Four Panel - 90° Outside Corner												
O.A. Frame Depth = 7 ¼", Pocket Depth = 9"															
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width										
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.					
			Rated			Not Rated									
			Without Intermediate Stile						With Intermediate Stile						
< 6'-6"			Contact local Andersen supplier												
6'-6"	6'-10 ¾"	6'-8 ⅞"	4'-10 ⅛"	2'-7 ⅞"	14'-6 ⅛"	7'-5 ⅞"	24'-6 ⅛"	12'-5 ⅞"	Contact local Andersen supplier	Contact local Andersen supplier					
7'-0"	7'-4 ¾"	7'-2 ⅞"	5'-2 ⅛"	2'-9 ⅞"			14'-6 ⅛"	7'-5 ⅞"							
7'-6"	7'-10 ¾"	7'-8 ⅞"	5'-6 ⅛"	2'-11 ⅞"											
8'-0"	8'-4 ¾"	8'-2 ⅞"	5'-10 ⅛"	3'-1 ⅞"											
8'-6"	8'-10 ¾"	8'-8 ⅞"	6'-2 ⅛"	3'-3 ⅞"											
9'-0"	9'-4 ¾"	9'-2 ⅞"	6'-6 ⅛"	3'-5 ⅞"	13'-6 ⅞"	6'-11 ⅞"									
9'-6"	9'-10 ¾"	9'-8 ⅞"	6'-10 ⅛"	3'-7 ⅞"	12'-10 ⅛"	6'-7 ⅞"									
10'-0"	10'-4 ¾"	10'-2 ⅞"	7'-2 ⅛"	3'-9 ⅞"	12'-6 ⅛"	6'-5 ⅞"									
10'-6"	10'-10 ¾"	10'-8 ⅞"	7'-6 ⅛"	3'-11 ⅞"	11'-10 ⅛"	6'-1 ⅞"									
11'-0"	11'-4 ¾"	11'-2 ⅞"	7'-10 ⅛"	4'-1 ⅞"	11'-4 ⅛"	5'-10 ⅞"									
11'-6"	11'-10 ¾"	11'-8 ⅞"	8'-2 ⅛"	4'-3 ⅞"	10'-10 ⅛"	5'-7 ⅞"									
12'-0"	12'-4 ¾"	12'-2 ⅞"	8'-6 ⅛"	4'-5 ⅞"	10'-6 ⅛"	5'-5 ⅞"									
> 12'-0"			Contact local Andersen supplier												

Chart 3.2		Six Panel - 90° Outside Corner									
O.A. Frame Depth = 10 <sup>15</sup> / <sub>16</sub> " , Pocket Depth = 1'-0 <sup>11</sup> / <sub>16</sub> "											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
< 6'-6"		Contact local Andersen supplier									
6'-6"	6'-10 <sup>3</sup> / <sub>4</sub> "	6'-8 <sup>7</sup> / <sub>16</sub> "	6'-11 <sup>3</sup> / <sub>4</sub> "	2'-7 <sup>1</sup> / <sub>8</sub> "	21'-5 <sup>3</sup> / <sub>4</sub> "	7'-5 <sup>1</sup> / <sub>8</sub> "	36'-5 <sup>3</sup> / <sub>4</sub> "	12'-5 <sup>1</sup> / <sub>8</sub> "	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 <sup>3</sup> / <sub>4</sub> "	7'-2 <sup>7</sup> / <sub>16</sub> "	7'-5 <sup>3</sup> / <sub>4</sub> "	2'-9 <sup>1</sup> / <sub>8</sub> "							
7'-6"	7'-10 <sup>3</sup> / <sub>4</sub> "	7'-8 <sup>7</sup> / <sub>16</sub> "	7'-11 <sup>3</sup> / <sub>4</sub> "	2'-11 <sup>1</sup> / <sub>8</sub> "							
8'-0"	8'-4 <sup>3</sup> / <sub>4</sub> "	8'-2 <sup>7</sup> / <sub>16</sub> "	8'-5 <sup>3</sup> / <sub>4</sub> "	3'-1 <sup>1</sup> / <sub>8</sub> "							
8'-6"	8'-10 <sup>3</sup> / <sub>4</sub> "	8'-8 <sup>7</sup> / <sub>16</sub> "	8'-11 <sup>3</sup> / <sub>4</sub> "	3'-3 <sup>1</sup> / <sub>8</sub> "							
9'-0"	9'-4 <sup>3</sup> / <sub>4</sub> "	9'-2 <sup>7</sup> / <sub>16</sub> "	9'-5 <sup>3</sup> / <sub>4</sub> "	3'-5 <sup>1</sup> / <sub>8</sub> "			19'-11 <sup>3</sup> / <sub>4</sub> "	6'-11 <sup>1</sup> / <sub>8</sub> "			
9'-6"	9'-10 <sup>3</sup> / <sub>4</sub> "	9'-8 <sup>7</sup> / <sub>16</sub> "	9'-11 <sup>3</sup> / <sub>4</sub> "	3'-7 <sup>1</sup> / <sub>8</sub> "			18'-11 <sup>3</sup> / <sub>4</sub> "	6'-7 <sup>1</sup> / <sub>8</sub> "			
10'-0"	10'-4 <sup>3</sup> / <sub>4</sub> "	10'-2 <sup>7</sup> / <sub>16</sub> "	10'-5 <sup>3</sup> / <sub>4</sub> "	3'-9 <sup>1</sup> / <sub>8</sub> "			18'-5 <sup>3</sup> / <sub>4</sub> "	6'-5 <sup>1</sup> / <sub>8</sub> "			
10'-6"	10'-10 <sup>3</sup> / <sub>4</sub> "	10'-8 <sup>7</sup> / <sub>16</sub> "	10'-11 <sup>3</sup> / <sub>4</sub> "	3'-11 <sup>1</sup> / <sub>8</sub> "			17'-5 <sup>3</sup> / <sub>4</sub> "	6'-1 <sup>1</sup> / <sub>8</sub> "			
11'-0"	11'-4 <sup>3</sup> / <sub>4</sub> "	11'-2 <sup>7</sup> / <sub>16</sub> "	11'-5 <sup>3</sup> / <sub>4</sub> "	4'-1 <sup>1</sup> / <sub>8</sub> "			16'-8 <sup>3</sup> / <sub>4</sub> "	5'-10 <sup>1</sup> / <sub>8</sub> "			
11'-6"	11'-10 <sup>3</sup> / <sub>4</sub> "	11'-8 <sup>7</sup> / <sub>16</sub> "	11'-11 <sup>3</sup> / <sub>4</sub> "	4'-3 <sup>1</sup> / <sub>8</sub> "	15'-11 <sup>3</sup> / <sub>4</sub> "	5'-7 <sup>1</sup> / <sub>8</sub> "					
12'-0"	12'-4 <sup>3</sup> / <sub>4</sub> "	12'-2 <sup>7</sup> / <sub>16</sub> "	12'-5 <sup>3</sup> / <sub>4</sub> "	4'-5 <sup>1</sup> / <sub>8</sub> "	15'-5 <sup>3</sup> / <sub>4</sub> "	5'-5 <sup>1</sup> / <sub>8</sub> "					
> 12'-0"		Contact local Andersen supplier									

## Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.  
Dimensions in parentheses are in millimeters.

Date: 7/11/18  
Scale: None

Chart 4.0			Eight Panel - 90 ° Outside Corner									
O.A. Frame Depth = 1'-2 <sup>5</sup> / <sub>8</sub> ", Pocket Depth = 1'-4 <sup>7</sup> / <sub>16</sub> "												
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width			Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.		
			Rated			Not Rated						
			Without Intermediate Stile							With Intermediate Stile		
Contact local Andersen supplier												
< 6'-6"												
6'-6"	6'-10 <sup>3</sup> / <sub>4</sub> "	6'-8 <sup>7</sup> / <sub>16</sub> "	9'-1 <sup>3</sup> / <sub>8</sub> "	2'-7 <sup>1</sup> / <sub>8</sub> "	28'-5 <sup>3</sup> / <sub>8</sub> "	7'-5 <sup>1</sup> / <sub>8</sub> "	48'-3 <sup>3</sup> / <sub>8</sub> "	12'-5 <sup>1</sup> / <sub>8</sub> "	Contact local Andersen supplier	Contact local Andersen supplier		
7'-0"	7'-4 <sup>3</sup> / <sub>4</sub> "	7'-2 <sup>7</sup> / <sub>16</sub> "	9'-9 <sup>3</sup> / <sub>8</sub> "	2'-9 <sup>1</sup> / <sub>8</sub> "			28'-5 <sup>3</sup> / <sub>8</sub> "	7'-5 <sup>1</sup> / <sub>8</sub> "				
7'-6"	7'-10 <sup>3</sup> / <sub>4</sub> "	7'-8 <sup>7</sup> / <sub>16</sub> "	10'-5 <sup>3</sup> / <sub>8</sub> "	2'-11 <sup>1</sup> / <sub>8</sub> "								
8'-0"	8'-4 <sup>3</sup> / <sub>4</sub> "	8'-2 <sup>7</sup> / <sub>16</sub> "	11'-1 <sup>3</sup> / <sub>8</sub> "	3'-1 <sup>1</sup> / <sub>8</sub> "								
8'-6"	8'-10 <sup>3</sup> / <sub>4</sub> "	8'-8 <sup>7</sup> / <sub>16</sub> "	11'-9 <sup>3</sup> / <sub>8</sub> "	3'-3 <sup>3</sup> / <sub>8</sub> "								
9'-0"	9'-4 <sup>3</sup> / <sub>4</sub> "	9'-2 <sup>7</sup> / <sub>16</sub> "	12'-5 <sup>3</sup> / <sub>8</sub> "	3'-5 <sup>1</sup> / <sub>8</sub> "	26'-5 <sup>3</sup> / <sub>8</sub> "	6'-11 <sup>1</sup> / <sub>8</sub> "						
9'-6"	9'-10 <sup>3</sup> / <sub>4</sub> "	9'-8 <sup>7</sup> / <sub>16</sub> "	13'-2 <sup>3</sup> / <sub>8</sub> "	3'-7 <sup>1</sup> / <sub>8</sub> "	25'-1 <sup>3</sup> / <sub>8</sub> "	6'-7 <sup>1</sup> / <sub>8</sub> "						
10'-0"	10'-4 <sup>3</sup> / <sub>4</sub> "	10'-2 <sup>7</sup> / <sub>16</sub> "	13'-9 <sup>3</sup> / <sub>8</sub> "	3'-9 <sup>1</sup> / <sub>8</sub> "	24'-5 <sup>3</sup> / <sub>8</sub> "	6'-5 <sup>1</sup> / <sub>8</sub> "						
10'-6"	10'-10 <sup>3</sup> / <sub>4</sub> "	10'-8 <sup>7</sup> / <sub>16</sub> "	14'-5 <sup>3</sup> / <sub>8</sub> "	3'-11 <sup>1</sup> / <sub>8</sub> "	23'-1 <sup>3</sup> / <sub>8</sub> "	6'-1 <sup>1</sup> / <sub>8</sub> "						
11'-0"	11'-4 <sup>3</sup> / <sub>4</sub> "	11'-2 <sup>7</sup> / <sub>16</sub> "	15'-1 <sup>3</sup> / <sub>8</sub> "	4'-1 <sup>1</sup> / <sub>8</sub> "	22'-1 <sup>3</sup> / <sub>8</sub> "	5'-10 <sup>1</sup> / <sub>8</sub> "						
11'-6"	11'-10 <sup>3</sup> / <sub>4</sub> "	11'-8 <sup>7</sup> / <sub>16</sub> "	15'-9 <sup>3</sup> / <sub>8</sub> "	4'-3 <sup>1</sup> / <sub>8</sub> "	21'-1 <sup>3</sup> / <sub>8</sub> "	5'-7 <sup>1</sup> / <sub>8</sub> "						
12'-0"	12'-4 <sup>3</sup> / <sub>4</sub> "	12'-2 <sup>7</sup> / <sub>16</sub> "	16'-5 <sup>3</sup> / <sub>8</sub> "	4'-5 <sup>1</sup> / <sub>8</sub> "	20'-5 <sup>3</sup> / <sub>8</sub> "	5'-5 <sup>1</sup> / <sub>8</sub> "						
> 12'-0"			Contact local Andersen supplier									






Chart 4.1		Ten Panel - 90° Outside Corner									
O.A. Frame Depth = 1'-6 3/8", Pocket Depth = 1'-8 1/8"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
< 6'-6"	Contact local Andersen supplier										
6'-6"	6'-10 3/4"	6'-8 7/16"	11'-3"	2'-7 1/8"	35'-5"	7'-5 1/8"	60'-5"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 3/4"	7'-2 7/16"	12'-1"	2'-9 1/8"			35'-5"	7'-5 1/8"			
7'-6"	7'-10 3/4"	7'-8 7/16"	12'-11"	2'-11 1/8"							
8'-0"	8'-4 3/4"	8'-2 7/16"	13'-9"	3'-1 1/8"							
8'-6"	8'-10 3/4"	8'-8 7/16"	14'-7"	3'-3 1/8"							
9'-0"	9'-4 3/4"	9'-2 7/16"	15'-5"	3'-5 1/8"	32'-11"	6'-11 1/8"					
9'-6"	9'-10 3/4"	9'-8 7/16"	16'-3"	3'-7 5/8"	31'-3"	6'-7 1/8"					
10'-0"	10'-4 3/4"	10'-2 7/16"	17'-1"	3'-9 1/8"	30'-5"	6'-5 1/8"					
10'-6"	10'-10 3/4"	10'-8 7/16"	17'-11"	3'-11 1/8"	28'-9"	6'-1 1/8"					
11'-0"	11'-4 3/4"	11'-2 7/16"	18'-9"	4'-1 1/8"	27'-6"	5'-10 1/8"					
11'-6"	11'-10 3/4"	11'-8 7/16"	19'-7"	4'-3 1/8"	26'-3"	5'-7 1/8"					
12'-0"	12'-4 3/4"	12'-2 7/16"	20'-5"	4'-5 1/8"	25'-5"	5'-5 1/8"					
> 12'-0"	Contact local Andersen supplier										

Chart 4.2		Twelve Panel - 90° Outside Corner									
O.A. Frame Depth = 1'-10 1/16", Pocket Depth = 1'-11 13/16"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
< 6'-6"	Contact local Andersen supplier										
6'-6"	6'-10 3/4"	6'-8 7/16"	13'-4 5/8"	2'-7 1/8"	42'-4 5/8"	7'-5 1/8"	72'-4 5/8"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 3/4"	7'-2 7/16"	14'-4 5/8"	2'-9 1/8"			42'-4 5/8"	7'-5 1/8"			
7'-6"	7'-10 3/4"	7'-8 7/16"	15'-4 5/8"	2'-11 1/8"							
8'-0"	8'-4 3/4"	8'-2 7/16"	16'-4 5/8"	3'-1 1/8"							
8'-6"	8'-10 3/4"	8'-8 7/16"	17'-4 5/8"	3'-3 3/8"							
9'-0"	9'-4 3/4"	9'-2 7/16"	18'-4 5/8"	3'-5 1/8"	39'-4 5/8"	6'-11 1/8"					
9'-6"	9'-10 3/4"	9'-8 7/16"	19'-4 5/8"	3'-7 3/8"	37'-4 5/8"	6'-7 1/8"					
10'-0"	10'-4 3/4"	10'-2 7/16"	20'-4 5/8"	3'-9 1/8"	36'-4 5/8"	6'-5 1/8"					
10'-6"	10'-10 3/4"	10'-8 7/16"	21'-4 5/8"	3'-11 1/8"	34'-4 5/8"	6'-1 1/8"					
11'-0"	11'-4 3/4"	11'-2 7/16"	22'-4 5/8"	4'-1 1/8"	32'-10 5/8"	5'-10 1/8"					
11'-6"	11'-10 3/4"	11'-8 7/16"	23'-4 5/8"	4'-3 3/8"	31'-4 5/8"	5'-7 1/8"					
12'-0"	12'-4 3/4"	12'-2 7/16"	24'-4 5/8"	4'-5 1/8"	30'-4 5/8"	5'-5 1/8"					
> 12'-0"	Contact local Andersen supplier										

## Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.  
Dimensions in parentheses are in millimeters.

Date: 7/11/18  
Scale: None

Chart 5.0		Two Panel - 90 ° Inside Corner									
Frame Depth = 3 <sup>9</sup> / <sub>16</sub> " , Pocket Depth = 5 <sup>5</sup> / <sub>16</sub> "											
Panel Height	R.O. Height	Top of F.F to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated			Not Rated					
		Without Intermediate Stile							With Intermediate Stile		
< 6'-6"		Contact local Andersen supplier									
6'-6"	6'-10 <sup>3</sup> / <sub>4</sub> "	6'-8 <sup>7</sup> / <sub>16</sub> "	2'-2 <sup>9</sup> / <sub>16</sub> "	2'-7 <sup>1</sup> / <sub>8</sub> "	7'-0 <sup>9</sup> / <sub>16</sub> "	7'-5 <sup>1</sup> / <sub>8</sub> "	12'-0 <sup>9</sup> / <sub>16</sub> "	12'-5 <sup>1</sup> / <sub>8</sub> "	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 <sup>3</sup> / <sub>4</sub> "	7'-2 <sup>7</sup> / <sub>16</sub> "	2'-4 <sup>9</sup> / <sub>16</sub> "	2'-9 <sup>1</sup> / <sub>8</sub> "							
7'-6"	7'-10 <sup>3</sup> / <sub>4</sub> "	7'-8 <sup>7</sup> / <sub>16</sub> "	2'-6 <sup>9</sup> / <sub>16</sub> "	2'-11 <sup>1</sup> / <sub>8</sub> "							
8'-0"	8'-4 <sup>3</sup> / <sub>4</sub> "	8'-2 <sup>7</sup> / <sub>16</sub> "	2'-8 <sup>9</sup> / <sub>16</sub> "	3'-1 <sup>1</sup> / <sub>8</sub> "							
8'-6"	8'-10 <sup>3</sup> / <sub>4</sub> "	8'-8 <sup>7</sup> / <sub>16</sub> "	2'-10 <sup>9</sup> / <sub>16</sub> "	3'-3 <sup>1</sup> / <sub>8</sub> "							
9'-0"	9'-4 <sup>3</sup> / <sub>4</sub> "	9'-2 <sup>7</sup> / <sub>16</sub> "	3'-0 <sup>9</sup> / <sub>16</sub> "	3'-5 <sup>1</sup> / <sub>8</sub> "	6'-6 <sup>9</sup> / <sub>16</sub> "	6'-11 <sup>1</sup> / <sub>2</sub> "					
9'-6"	9'-10 <sup>3</sup> / <sub>4</sub> "	9'-8 <sup>7</sup> / <sub>16</sub> "	3'-2 <sup>9</sup> / <sub>16</sub> "	3'-7 <sup>1</sup> / <sub>8</sub> "	6'-2 <sup>9</sup> / <sub>16</sub> "	6'-7 <sup>1</sup> / <sub>8</sub> "					
10'-0"	10'-4 <sup>3</sup> / <sub>4</sub> "	10'-2 <sup>7</sup> / <sub>16</sub> "	3'-4 <sup>9</sup> / <sub>16</sub> "	3'-9 <sup>1</sup> / <sub>8</sub> "	6'-0 <sup>9</sup> / <sub>16</sub> "	6'-5 <sup>1</sup> / <sub>8</sub> "					
10'-6"	10'-10 <sup>3</sup> / <sub>4</sub> "	10'-8 <sup>7</sup> / <sub>16</sub> "	3'-6 <sup>9</sup> / <sub>16</sub> "	3'-11 <sup>1</sup> / <sub>8</sub> "	5'-8 <sup>9</sup> / <sub>16</sub> "	6'-1 <sup>1</sup> / <sub>8</sub> "					
11'-0"	11'-4 <sup>3</sup> / <sub>4</sub> "	11'-2 <sup>7</sup> / <sub>16</sub> "	3'-8 <sup>9</sup> / <sub>16</sub> "	4'-1 <sup>1</sup> / <sub>8</sub> "	5'-7 <sup>9</sup> / <sub>16</sub> "	5'-10 <sup>1</sup> / <sub>8</sub> "					
11'-6"	11'-10 <sup>3</sup> / <sub>4</sub> "	11'-8 <sup>7</sup> / <sub>16</sub> "	3'-10 <sup>9</sup> / <sub>16</sub> "	4'-3 <sup>1</sup> / <sub>8</sub> "	5'-2 <sup>9</sup> / <sub>16</sub> "	5'-7 <sup>1</sup> / <sub>8</sub> "					
12'-0"	12'-4 <sup>3</sup> / <sub>4</sub> "	12'-2 <sup>7</sup> / <sub>16</sub> "	4'-0 <sup>9</sup> / <sub>16</sub> "	4'-5 <sup>1</sup> / <sub>8</sub> "	5'-0 <sup>9</sup> / <sub>16</sub> "	5'-5 <sup>1</sup> / <sub>8</sub> "					
> 12'-0"		Contact local Andersen supplier									






Chart 5.1		Four Panel - 90° Inside Corner											
O.A. Frame Depth = 7 ¼", Pocket Depth = 9"													
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width			Maximum Width							
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.			
			Rated			Not Rated							
Without Intermediate Stile												With Intermediate Stile	
Contact local Andersen supplier													
< 6'-6"													
6'-6"	6'-10 ¾"	6'-8 ⅞"	3'-8 ¾"	2'-7 ⅞"	13'-4 ¾"	7'-5 ⅞"	23'-4 ¾"	12'-5 ⅞"	Contact local Andersen supplier	Contact local Andersen supplier			
7'-0"	7'-4 ¾"	7'-2 ⅞"	4'-0 ¾"	2'-9 ⅞"			13'-4 ¾"	7'-5 ⅞"					
7'-6"	7'-10 ¾"	7'-8 ⅞"	4'-4 ¾"	2'-11 ⅞"									
8'-0"	8'-4 ¾"	8'-2 ⅞"	4'-8 ¾"	3'-1 ⅞"									
8'-6"	8'-10 ¾"	8'-8 ⅞"	5'-0 ¾"	3'-3 ⅞"									
9'-0"	9'-4 ¾"	9'-2 ⅞"	5'-4 ¾"	3'-5 ⅞"	12'-4 ¾"	6'-11 ⅞"							
9'-6"	9'-10 ¾"	9'-8 ⅞"	5'-8 ¾"	3'-7 ⅞"	11'-8 ¾"	6'-7 ⅞"							
10'-0"	10'-4 ¾"	10'-2 ⅞"	6'-0 ¾"	3'-9 ⅞"	11'-4 ¾"	6'-5 ⅞"							
10'-6"	10'-10 ¾"	10'-8 ⅞"	6'-4 ¾"	3'-11 ⅞"	10'-8 ¾"	6'-1 ⅞"							
11'-0"	11'-4 ¾"	11'-2 ⅞"	6'-8 ¾"	4'-1 ⅞"	10'-2 ¾"	5'-10 ⅞"							
11'-6"	11'-10 ¾"	11'-8 ⅞"	7'-0 ¾"	4'-3 ⅞"	9'-8 ¾"	5'-7 ⅞"							
12'-0"	12'-4 ¾"	12'-2 ⅞"	7'-4 ¾"	4'-5 ⅞"	9'-4 ¾"	5'-5 ⅞"							
> 12'-0"					Contact local Andersen supplier								

Chart 5.2		Six Panel - 90° Inside Corner									
O.A. Frame Depth = 10 <sup>15</sup> / <sub>16</sub> " , Pocket Depth = 1'-0 <sup>11</sup> / <sub>16</sub> "											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
Contact local Andersen supplier											
< 6'-6"											
6'-6"	6'-10 <sup>3</sup> / <sub>4</sub> "	6'-8 <sup>7</sup> / <sub>16</sub> "	5'-3"	2'-7 <sup>1</sup> / <sub>8</sub> "	19'-9"	7'-5 <sup>1</sup> / <sub>8</sub> "	34'-9"	12'-5 <sup>1</sup> / <sub>8</sub> "	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 <sup>3</sup> / <sub>4</sub> "	7'-2 <sup>7</sup> / <sub>16</sub> "	5'-9"	2'-9 <sup>1</sup> / <sub>8</sub> "			19'-9"	7'-5 <sup>1</sup> / <sub>8</sub> "			
7'-6"	7'-10 <sup>3</sup> / <sub>4</sub> "	7'-8 <sup>7</sup> / <sub>16</sub> "	6'-3"	2'-11 <sup>1</sup> / <sub>8</sub> "							
8'-0"	8'-4 <sup>3</sup> / <sub>4</sub> "	8'-2 <sup>7</sup> / <sub>16</sub> "	6'-9"	3'-1 <sup>1</sup> / <sub>8</sub> "							
8'-6"	8'-10 <sup>3</sup> / <sub>4</sub> "	8'-8 <sup>7</sup> / <sub>16</sub> "	7'-3"	3'-3 <sup>1</sup> / <sub>8</sub> "							
9'-0"	9'-4 <sup>3</sup> / <sub>4</sub> "	9'-2 <sup>7</sup> / <sub>16</sub> "	7'-9"	3'-5 <sup>1</sup> / <sub>8</sub> "	18'-3"	6'-11 <sup>1</sup> / <sub>8</sub> "					
9'-6"	9'-10 <sup>3</sup> / <sub>4</sub> "	9'-8 <sup>7</sup> / <sub>16</sub> "	8'-3"	3'-7 <sup>1</sup> / <sub>8</sub> "	17'-3"	6'-7 <sup>1</sup> / <sub>8</sub> "					
10'-0"	10'-4 <sup>3</sup> / <sub>4</sub> "	10'-2 <sup>7</sup> / <sub>16</sub> "	8'-9"	3'-9 <sup>1</sup> / <sub>8</sub> "	16'-9"	6'-5 <sup>1</sup> / <sub>8</sub> "					
10'-6"	10'-10 <sup>3</sup> / <sub>4</sub> "	10'-8 <sup>7</sup> / <sub>16</sub> "	9'-3"	3'-11 <sup>1</sup> / <sub>8</sub> "	15'-9"	6'-1 <sup>1</sup> / <sub>8</sub> "					
11'-0"	11'-4 <sup>3</sup> / <sub>4</sub> "	11'-2 <sup>7</sup> / <sub>16</sub> "	9'-9"	4'-1 <sup>1</sup> / <sub>8</sub> "	15'-0"	5'-10 <sup>1</sup> / <sub>8</sub> "					
11'-6"	11'-10 <sup>3</sup> / <sub>4</sub> "	11'-8 <sup>7</sup> / <sub>16</sub> "	10'-3"	4'-3 <sup>1</sup> / <sub>8</sub> "	14'-3"	5'-7 <sup>1</sup> / <sub>8</sub> "					
12'-0"	12'-4 <sup>3</sup> / <sub>4</sub> "	12'-2 <sup>7</sup> / <sub>16</sub> "	10'-9"	4'-5 <sup>1</sup> / <sub>8</sub> "	13'-9"	5'-5 <sup>1</sup> / <sub>8</sub> "					
> 12'-0"					Contact local Andersen supplier						

## Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

Date: 7/11/18  
Scale: None

Chart 6.0		Eight Panel - 90° Inside Corner									
O.A. Frame Depth = 1'-2 5⁄8", Pocket Depth = 1'-4 7⁄16"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width			Maximum Width					
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated			Not Rated					
			Without Intermediate Stile						With Intermediate Stile		
Contact local Andersen supplier											
< 6'-6"											
6'-6"	6'-10 3⁄4"	6'-8 7⁄16"	6'-9 1⁄4"	2'-7 1⁄8"	26'-1 1⁄4"	7'-5 1⁄8"	46'-1 1⁄4"	12'-5 1⁄8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 3⁄4"	7'-2 7⁄16"	7'-5 1⁄4"	2'-9 1⁄8"							
7'-6"	7'-10 3⁄4"	7'-8 7⁄16"	8'-1 1⁄4"	2'-11 1⁄8"							
8'-0"	8'-4 3⁄4"	8'-2 7⁄16"	8'-9 1⁄4"	3'-1 1⁄8"							
8'-6"	8'-10 3⁄4"	8'-8 7⁄16"	9'-5 1⁄4"	3'-3 1⁄8"							
9'-0"	9'-4 3⁄4"	9'-2 7⁄16"	10'-1 1⁄4"	3'-5 1⁄8"	24'-1 1⁄4"	6'-11 1⁄8"	26'-1 1⁄4"	7'-5 1⁄8"			
9'-6"	9'-10 3⁄4"	9'-8 7⁄16"	10'-9 1⁄4"	3'-7 1⁄8"	22'-9 1⁄4"	6'-7 1⁄8"					
10'-0"	10'-4 3⁄4"	10'-2 7⁄16"	11'-5 1⁄4"	3'-9 1⁄8"	22'-1 1⁄4"	6'-5 1⁄8"					
10'-6"	10'-10 3⁄4"	10'-8 7⁄16"	12'-1 1⁄4"	3'-11 1⁄8"	20'-9 1⁄4"	6'-1 1⁄8"					
11'-0"	11'-4 3⁄4"	11'-2 7⁄16"	12'-9 1⁄4"	4'-1 1⁄8"	19'-9 1⁄4"	5'-10 1⁄8"					
11'-6"	11'-10 3⁄4"	11'-8 7⁄16"	13'-5 1⁄4"	4'-3 1⁄8"	18'-9 1⁄4"	5'-7 1⁄8"					
12'-0"	12'-4 3⁄4"	12'-2 7⁄16"	14'-1 1⁄4"	4'-5 1⁄8"	18'-1 1⁄4"	5'-5 1⁄8"					
> 12'-0"			Contact local Andersen supplier								






Chart 6.1		Ten Panel - 90° Inside Corner									
O.A. Frame Depth = 1'-6 3/8", Pocket Depth = 1'-8 1/8"											
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width						
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	
			Rated				Not Rated				
			Without Intermediate Stile						With Intermediate Stile		
< 6'-6"	Contact local Andersen supplier										
6'-6"	6'-10 3/4"	6'-8 7/16"	8'-3 1/2"	2'-7 1/8"	32'-5 1/2"	7'-5 1/8"	57'-5 1/2"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier	
7'-0"	7'-4 3/4"	7'-2 7/16"	9'-1 1/2"	2'-9 1/8"							
7'-6"	7'-10 3/4"	7'-8 7/16"	9'-11 1/2"	2'-11 1/8"							
8'-0"	8'-4 3/4"	8'-2 7/16"	10'-9 1/2"	3'-1 1/8"							
8'-6"	8'-10 3/4"	8'-8 7/16"	11'-7 1/2"	3'-3 1/8"							
9'-0"	9'-4 3/4"	9'-2 7/16"	12'-5 1/2"	3'-5 1/8"	29'-11 1/2"	6'-11 1/8"	32'-5 1/2"	7'-5 1/8"			
9'-6"	9'-10 3/4"	9'-8 7/16"	13'-3 1/2"	3'-7 1/8"	29'-3 1/2"	6'-7 1/8"					
10'-0"	10'-4 3/4"	10'-2 7/16"	14'-1 1/2"	3'-9 1/8"	27'-5 1/2"	6'-5 1/8"					
10'-6"	10'-10 3/4"	10'-8 7/16"	14'-11 1/2"	3'-11 1/8"	25'-9 1/2"	6'-1 1/8"					
11'-0"	11'-4 3/4"	11'-2 7/16"	15'-9 1/2"	4'-1 1/8"	24'-6 1/2"	5'-10 1/8"					
11'-6"	11'-10 3/4"	11'-8 7/16"	16'-7 1/2"	4'-3 1/8"	23'-3 1/2"	5'-7 1/8"					
12'-0"	12'-4 3/4"	12'-2 7/16"	17'-5 1/2"	4'-5 1/8"	22'-5 1/2"	5'-5 1/8"					
> 12'-0"	Contact local Andersen supplier										

Chart 6.2		Twelve Panel - 90° Inside Corner										
O.A. Frame Depth = 1'-10 1/16", Pocket Depth = 1'-11 13/16"												
Panel Height	R.O. Height	Top of F.F. to Bottom of Header	Minimum Width		Maximum Width							
			R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.	R.O.	Pocket R.O.		
			Rated				Not Rated					
			Without Intermediate Stile						With Intermediate Stile			
< 6'-6"		Contact local Andersen supplier										
6'-6"	6'-10 3/4"	6'-8 7/16"	9'-9 11/16"	2'-7 1/8"	38'-9 11/16"	7'-5 1/8"	68'-9 11/16"	12'-5 1/8"	Contact local Andersen supplier	Contact local Andersen supplier		
7'-0"	7'-4 3/4"	7'-2 7/16"	10'-9 11/16"	2'-9 1/8"								
7'-6"	7'-10 3/4"	7'-8 7/16"	11'-9 11/16"	2'-11 1/8"								
8'-0"	8'-4 3/4"	8'-2 7/16"	12'-9 11/16"	3'-1 1/8"								
8'-6"	8'-10 3/4"	8'-8 7/16"	13'-9 11/16"	3'-3 1/8"								
9'-0"	9'-4 3/4"	9'-2 7/16"	14'-9 11/16"	3'-5 1/8"	35'-9 11/16"	6'-11 1/8"	38'-9 11/16"	7'-5 1/8"				
9'-6"	9'-10 3/4"	9'-8 7/16"	15'-9 11/16"	3'-7 1/8"	33'-9 11/16"	6'-7 1/8"						
10'-0"	10'-4 3/4"	10'-2 7/16"	16'-9 11/16"	3'-9 1/8"	32'-9 11/16"	6'-5 1/8"						
10'-6"	10'-10 3/4"	10'-8 7/16"	17'-9 11/16"	3'-11 1/8"	30'-9 11/16"	6'-1 1/8"						
11'-0"	11'-4 3/4"	11'-2 7/16"	18'-9 11/16"	4'-1 1/8"	29'-3 11/16"	5'-10 1/8"						
11'-6"	11'-10 3/4"	11'-8 7/16"	19'-9 11/16"	4'-3 1/8"	27'-9 11/16"	5'-7 1/8"						
12'-0"	12'-4 3/4"	12'-2 7/16"	20'-9 11/16"	4'-5 1/8"	26'-9 11/16"	5'-5 1/8"						
> 12'-0"		Contact local Andersen supplier										

## Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.  
Dimensions in parentheses are in millimeters.

Date: 7/11/18  
Scale: None