

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



Thermally Controlled

Section details do not convey if the product is thermally controlled. The project specifications and door schedule must clearly state the frame type.

The section details shown below illustrate the general differences between frame types. All other details shown within this document are drawn as the aluminum frame, but may be used to represent either frame types in architectural plans.

Aluminum

Thermally Controlled


Head

Sill


Head

Sill

Pultruded Material



Sill Detail Chart		
Bottom Rail Options	On-Floor Drainage Sill	Flush Sill
4 11/16" (119)	See Page 3	See Page 4
8" (203)	See Page 5	See Page 6
12" (305)	See Page 7	See Page 8








Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.
See Pages 17 Thru 22 for Options and Accessories
Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: None

Big Doors

IMPORTANT
For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.

MultiGlide™ Door - Traditional Clad Interior Stacking



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors


MultiGlide™ Door - Traditional Clad Interior Stacking

IMPORTANT


For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.




A 2 Track System
3 On-Floor Drainage Sill
4 11/16" Bottom Rail




B 3 Track System
3 On-Floor Drainage Sill
4 11/16" Bottom Rail



C 4 Track System
3 On-Floor Drainage Sill
4 11/16" Bottom Rail



D 5 Track System
3 On-Floor Drainage Sill
4 11/16" Bottom Rail



E 6 Track System
3 On-Floor Drainage Sill
4 11/16" Bottom Rail

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)






Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking

Andersen®
ARCHITECTURAL
COLLECTION

IMPORTANT

For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors


MultiGlide™ Door - Traditional Clad Interior Stacking

IMPORTANT


For more detailed information pertaining to product application. See **MultiGlide™ Door Installation Site Specifications and General Product Information.**




A 2 Track System
5 On-Floor Drainage Sill
8" Bottom Rail




B 3 Track System
5 On-Floor Drainage Sill
8" Bottom Rail



C 4 Track System
5 On-Floor Drainage Sill
8" Bottom Rail



D 5 Track System
5 On-Floor Drainage Sill
8" Bottom Rail



E 6 Track System
5 On-Floor Drainage Sill
8" Bottom Rail

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.






Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking

IMPORTANT

For more detailed information pertaining to product application. See **MultiGlide™ Door Installation Site Specifications and General Product Information.**



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories


Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)


Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking


IMPORTANT
For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.




A 2 Track System
On-Floor Drainage Sill
12" Bottom Rail




B 3 Track System
On-Floor Drainage Sill
12" Bottom Rail



C 4 Track System
On-Floor Drainage Sill
12" Bottom Rail



D 5 Track System
On-Floor Drainage Sill
12" Bottom Rail



E 6 Track System
On-Floor Drainage Sill
12" Bottom Rail

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors


MultiGlide™ Door - Traditional Clad Interior Stacking

IMPORTANT


For more detailed information pertaining to product application. See **MultiGlide™ Door Installation Site Specifications and General Product Information.**




A 2 Track System
8 Flush Sill
12" Bottom Rail




B 3 Track System
8 Flush Sill
12" Bottom Rail



C 4 Track System
8 Flush Sill
12" Bottom Rail



D 5 Track System
8 Flush Sill
12" Bottom Rail



E 6 Track System
8 Flush Sill
12" Bottom Rail

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories



Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors

IMPORTANT
For more detailed information pertaining to product application. See [MultiGlide™ Door Installation Site Specifications and General Product Information.](#)

MultiGlide™ Door - Traditional Clad Interior Stacking



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)


Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



IMPORTANT

For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)


Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



IMPORTANT

For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)


Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



IMPORTANT

For more detailed information pertaining to product application. See [MultiGlide™ Door Installation Site Specifications and General Product Information.](#)



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories


Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors

IMPORTANT
For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.

MultiGlide™ Door - Traditional Clad Interior Stacking



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking

IMPORTANT

For more detailed information pertaining to product application. See [MultiGlide™ Door Installation Site Specifications and General Product Information.](#)



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)


Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



IMPORTANT

For more detailed information pertaining to product application. See [MultiGlide™ Door Installation Site Specifications and General Product Information.](#)



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.
See Pages 17 Thru 22 for Options and Accessories
Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 09/19/22
Scale: 1 1/2" (38) = 1' (305)

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



IMPORTANT
For more detailed information pertaining to product application. See [MultiGlide™ Door Installation Site Specifications and General Product Information.](#)



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

See Pages 17 Thru 22 for Options and Accessories



Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: None

Big Doors

IMPORTANT
For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.

MultiGlide™ Door - Traditional Clad Interior Stacking



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.








Date: 09/19/22
Scale: 3" (76) = 1' (305)

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking

IMPORTANT

For more detailed information pertaining to product application. See **MultiGlide™ Door Installation Site Specifications and General Product Information.**



Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.


Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 3" (76) = 1' (305)


Big Doors

IMPORTANT
For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.


MultiGlide™ Door - Traditional Clad Interior Stacking




A
19 Retractable Screen Head



B
19 Retractable Screen Sill
On-Floor Drainage Sill



C
19 Retractable Screen Sill
On-Floor Drainage Sill
With Raised Threshold



D
19 Retractable Screen Sill
Flush Sill

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications. Dimensions in parentheses are in millimeters.


Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 3" (76) = 1' (305)


Big Doors

IMPORTANT
For more detailed information pertaining to product application. See MultiGlide™ Door Installation Site Specifications and General Product Information.




MultiGlide™ Door - Traditional Clad Interior Stacking



A
20 Retractable Screen Jamb
Lock Jamb



B
20 Retractable Screen Jamb
Stationary Jamb



C
20 Retractable Screen Jamb
Bi-Parting Unit


Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 3" (76) = 1' (305)

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking




Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 6" (152) = 1' (305)

Big Doors

MultiGlide™ Door - Traditional Clad Interior Stacking



Notes:
Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 09/19/22
Scale: 6" (152) = 1' (305)