


What's in This Section

Standard	d Windows	е 3
Parts	Illustration	. 3
	Parts Illustration	3
	Colors - Exterior	4
	Colors/Species/Finishes - Interior	5
Unit	Sizes	. 6
	Standard and Custom Window Sizes	6
	E Series Product Label	6
	Unit Size Chart - Specialty Shapes	7
Prod	uct History	. 8
	Milestones	8
Glass	s	. 9
	Glass	. 9
	Glass Stops	. 10
	Glass Parts	. 11
Grille	es	12
	Grilles	. 12
	Grille Options	. 13
	Interior Grille Parts	. 14
Fram	es	15
	Frame Graphic - Standard Windows (Geometrical 1 PC Casement)	. 15
	Frame	
	Stops	. 17



Standard Windows

Parts Illustration






Parts Illustration



Parts Illustration





Unit Sizes

Standard and Custom Window Sizes

Note:

E-Series Specialty Windows are available in standard sizes (see standard size charts, <u>page 7</u>). Replacement parts for some standard windows can be ordered using the numbers listed in this catalog. Many replacement parts for standard windows are made to order. These items are ordered using the Product ID found on the identification label and a description of the part needed. See <u>Service Guide 9051877</u>.

E-Series Specialty Windows are also available in custom sizes in 1/8" increments between the smallest and the largest standard sizes. Most replacement parts for custom-sized windows are made to order and can be ordered with the Product ID found on the identification label and a description of the part needed. See Service Guide 9051877.

E Series Product Label

Note


Every E-Series Specialty Window will have an identification label **or** glass etching containing a unique Product ID. The Product ID on E-Series Specialty Windows will be located at the top of the window frame or etched into the glass. See **Service Guide**9051877. The Product ID may be up to 14 digits long (excluding hyphens), depending on the age of the unit. Replacement parts will also get their own unique Product ID. When ordering replacement parts, providing the Product ID ensures that replacement parts match the specifications.

Unit Size Chart - Specialty Shapes

Note

Unit Dimension refers to overall outside-to-outside frame. Specialty Shape sizes shown. See current size charts.

Specialty Shapes



NOTES

The following general guidelines donot apply to every specialty shape. Contact your local supplier for specific limitations of the specialty shapes shown above or about creating custom shapes beyond those shown here.

Overall unit block size should not be larger than 50 sq. ft.

Frame width and height must be between 9" and 144".

Units can only be larger than 82" in one direction.

Corners/angles cannot be less than 27°.

Standard radiuses include:

1'0"	3'0"	7'0"
1'2"	3'1"	7'6"
1'3"	3'3"	8'0"
1'4"	3'4"'	9'0"
1'6"	3'6"	10'7"
1'6 23/32"	3'9"	12'0"
1'8"	4'0"	13'8"
1'10"	4'6"	15'0"
2'0"	5'0"	16'0"
2'4"	5'6"	17'10"
2'6"	6'0"	19'8"
2'8"	6'6"	
2'10 19/32	"	

FOR WINDOWS GREATER THAN 30 SQUARE FEET OR RATED HIGHER THAN PG50, ONE OF THREE INSTALLATION METHODS IS REQUIRED:
A) THROUGH THE JAMB B) ALUMINUM INSTALLATION FLANGE OR C) INSTALLATION CLIPS.
ADDITIONAL CUSTOM SIZES ARE AVAILABLE. CONTACT YOUR LOCAL DEALER FOR MORE INFORMATION. DRAWINGS ARE NOT TO SCALE.

E-Series Specialty Shape Unit Sizes



Product History

Milestones

2022 Geometric Shape and Arch windows (non-rectangle shapes) discontinued. See <u>Bulletin 80-21</u> for more detail.


2022 Stormwatch® (not shown in catalog) discontinued.

Glass

Glass

Glass Ref. 1 page 3 Ref. 3 page 15

Replacement glass is made to order and can be configured through iQ. Current glazings replace previous vintage glazings. Product ID label is located on the head jamb. Glass ships with sealant and spacers. See Accessory Guide 9176386.



Exterior color options: Interior species/finish/color options:

Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® SmartSun HeatLock	
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Triple- Pane	
Low-E4® Passive Sun	Low-E4® Sun Heat- Lock	Low-E4® Smart-Sun Triple-Pane	
Low-E4® Sun 3	Low-E4® HeatLock Tempered	Low-E4® Enhanced Triple-Pane	
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun Enhanced Triple- Pane	
Low-E4® SmartSun Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat- Lock	
Low-E4® Passive Sun Tempered	Fern	Low-E4® Smart-Sun Enhanced Triple-	
Low-E4® Sun Tem- pered	Reed	Pane HeatLock	

To order, state:

Product ID (from product label, see Service Guide 9051877)

- 1. Unit or frame size (CAUX XXXX or frame W x H dimensions)
- 2. Description of part (Glass)
- 3. Glazing/Grille type
- 4. Glass Stop Type (Ovolo, Contemporary)
- 5. Manufacturing Date



Glass

Glass Stops

Stops - Top / Bottom / Side Ref. 1 page 15

Note:

Stops (top, bottom and side) are made to order.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Glass Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Top, Bottom, Side)
- 4. Type (Ovolo, Contemporary)
- 5. Manufacturing Date

Interior species/finish/color options





E-Series Specialty Windows (2007 to 2022) Standard Windows


Glass

Glass Parts		
Glazing Tape		
Note: See <u>Accessory Guide 9064542</u> .		·
	Color	Order No.
⁵ / ₈ ¹ / ₁₆	Gray	72411RL
	Black	10374RL
Silicone Bed Glazing	,	
	Color	Order No.
	Dove Gray	9164412



Grilles

Note: Replacement glass with permanently applied grilles and finelight grilles can be configured in iQ. Replacement removable interior grilles can be configured in iQ. Removable grilles are only available in 7/8" profile. Exterior color/finish options Interior species/finish/color options



Grilles

Grille Options

Note

Replacement glass with permanently applied grilles and finelight grilles can be configured in iQ. Replacement removable interior grilles can be configured in iQ. Removable grilles are only available in 7/8" profile.

Tvpes



Full Divided Light

Give any window an authentic look with full divided light grilles that are permanently applied to the interior and exterior of your window with a spacer between the glass.



Simulated Divided Light

An economical solution with traditional beauty, our Simulated Divided Light features fixed exterior and interior grilles without an internal spacer.



Removable Interior Wood Grilles


Our removable wood grilles are installed on the interior surface. They are available with an optional surround and an optional permanently applied exterior grille.




Finelight™ Grilles-Between-the-Glass

Aluminum grilles conveniently placed between two panes of glass make the glass easy to clean inside and out.

Profiles





Patterns





Grilles







Frame


Note:

Replacement frames can be configured in iQ.

To order, state:

Product ID (from product label, see Service Guide 9051877)

1. Description of Part/Size (CAUX XXXX or frame W X H dimensions)



Stops

Stops - Head / Sill / Side Ref. 2 page 15

Note:

Stops (auxiliary/secondary, frame) are made to order.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Auxiliary/Secondary Stop, Frame Stop)
- 2. Color/Species/Finish
- 3. Location/Handing/Type (Head, Side, Sill)
- 4. Manufacturing Date

Interior species/finish/color options





