

What's in This Section

Single and Double Wood Outswing Entry Doors	Page 3
Parts Illustration	3
Parts Illustration - Single Doors	3
Parts Illustration - Double Doors	4
Parts Illustration - Active Doors	5
Parts Illustration - Passive Doors	6
Parts Illustration - Stationary Doors	7
Unit Sizes	8
Product Label	8
Standard Sizes	9
Panels	11
Shapes and Sizes	11
Panel Assembly - Active	12
Panel Assembly - Passive	13
Panel Assembly - Stationary	14
Panel Options	15
Replacement Door Panels	16
Reglazing Kits	16
Replacement Raised / Flat Panels	17
Interior Glazing Stops	18
Astragals	19
Decorative Raised Mouldings	21
Door Panel Parts	22
Grilles	24
Interior and Exterior Grilles	24
Grille Profiles - Wood	25
Grille Profiles - Fibrex™	26
Standard Grille Patterns	27
Grille Parts	28
Hardware	29
Trim Set Illustration - Active	29
Trim Set Illustration - Semi-Active	30
Trim Set Illustration - Dummy	31
Trim Sets	32

Trim Set Illustration - European / Active	33
Trim Set Illustration - European / Semi-Active	34
Trim Set Illustration - European / Dummy	35
Trim Set - European	36
Shared Trim Set Parts	37
Trim Set Parts - AW / 2¼"	39
Lock Assembly - AW	40
Lock Parts - AW	42
Lock Assembly - GU	43
Lock Parts - GU	45
Lock Assembly - Old GU	46
Lock Parts - Old GU	48
Flush Bolts	49
Hinges - 4½"	51
Screws - Hinges	54
Frames	55
Frame Assembly - Active & Passive	55
Frame Assembly - Stationary	57
Sill	58
Extension Jambs	62
Weatherseal	63
Frame Parts	64
Joining Components	65
Mullion Covers - Interior	65
Mullion Covers - Exterior	66
Interior Casing	67
Casing Profiles	67
Casing Parts	69
Installation Components	73
Installation Parts	73

Service Replacement Page 75

Service Replacement Parts	75
Service Parts	75

Andersen®
Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors

Parts Illustration

Parts Illustration - Single Doors

Note:

Single doors can be active or stationary.



Manufactured 2001 to Present
Wood Outswing Entry Doors Unit Parts - Single Door


Unit viewed from exterior

Parts Illustration

Parts Illustration - Double Door

Note:

Double doors can be active/passive, passive/active, active/stationary, stationary/active, or stationary/stationary.




Manufactured 2001 to Present
Wood Outswing Entry Doors Unit Parts - Double Doors

Unit viewed from exterior

Parts Illustration


Parts Illustration - Active Door



Wood Outswing Entry Doors - Active Door

Parts Illustration


Parts Illustration - Passive Door



Wood Outswing Entry Doors - Passive Door

Parts Illustration

Parts Illustration - Stationary Door



Wood Outswing Entry Doors - Stationary Door



Unit Sizes

Product Label

Wood outswing doors have an identification logo etched on the bottom right corner of the glass as viewed from the interior. If there is no glass the identification logo may be behind the hinge leaf of the top hinge on a single door or top right hinge of a double door or on the outside of the bottom hinge.

This identification logo contains a “P Number”. The “P Number” is located directly below the Andersen® or KML by Andersen™ logo. “P Numbers” include both the Production Number and Line Item Number separated by an exclamation mark.

When ordering replacement parts, please provide the “P Number” and a brief description of the product and part required to ensure the replacement part(s) match the specifications of the original product. If unable to locate the “P Number” contact the appropriate Andersen® distributor.



Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors


Unit Sizes

Standard Sizes


Note:

Standard sizes similar to Andersen® 400 and/or 200 Series product. Custom sizes and shapes available.


Rectangle Doors

		Unit No.	Dimensions (w × h)
		24S102	25 5/8" × 82"
		30S102	31 5/8" × 82"
		32S102	33 5/8" × 82"
		36S102	37 5/8" × 82"
		42S102	43 5/8" × 82"
		24E102	25 5/8" × 95"
		30E102	31 5/8" × 95"
		32E102	33 5/8" × 95"
		36E102	37 5/8" × 95"
		42E102	43 5/8" × 95"


Double Rectangle Doors


		Unit No.	Dimensions (w × h)
		24S102DBL	50 3/4" × 82"
		30S102DBL	62 3/4" × 82"
		32S102DBL	66 3/4" × 82"
		36S102DBL	74 3/4" × 82"
		42S102DBL	86 3/4" × 82"
		24E102DBL	50 3/4" × 95"
		30E102DBL	62 3/4" × 95"
		32E102DBL	66 3/4" × 95"
		36E102DBL	74 3/4" × 95"
		42E102DBL	86 3/4" × 95"


Arch Top Doors

		Unit No.	Dimensions (w × h)
		24S108	25 5/8" × 82"
		30S108	31 5/8" × 82"
		32S108	33 5/8" × 82"
		36S108	37 5/8" × 82"
		42S108	43 5/8" × 82"
		24E108	25 5/8" × 95"
		30E108	31 5/8" × 95"
		32E108	33 5/8" × 95"
		36E108	37 5/8" × 95"
		42E108	43 5/8" × 95"

Unit Sizes

Double Arch Doors			
		Unit No.	Dimensions (w x h)
		24S110	50 3/4" x 82"
		30S110	62 3/4" x 82"
		32S110	66 3/4" x 82"
		36S110	74 3/4" x 82"
		42S110	86 3/4" x 82"
		24E110	50 3/4" x 95"
		30E110	62 3/4" x 95"
		32E110	66 3/4" x 95"
		36E110	74 3/4" x 95"
		42E110	86 3/4" x 95"


Springline™ Doors			
		Unit No.	Dimensions (w x h)
		36S112	37 5/8" x 82"
		42S112	43 5/8" x 82"
		36E112	37 5/8" x 95"
		42E112	43 5/8" x 95"

Double Springline™ Doors			
		Unit No.	Dimensions (w x h)
		36E112	74 3/4" x 95"


Shapes and Sizes

Note:


These doors represent only a few of the many styles available.




178




194



214



218




229




230



232




275




323



693




223



328




622



640



709




712

Wood Outswing Entry Doors - Shapes and Styles


Panels

Panel Assembly - Active




Wood Outswing Entry Doors - Active Panels

Panel Assembly - Passive




Wood Outswing Entry Doors - Passive Panels

Panels**Panel Assembly - Stationary****Wood Outswing Entry Doors - Stationary Panels**


Panels

Panel Options

Panel Thicknesses




1 ¾" Thick Door Panel




2 ¼" Thick Door Panel


Glass / Flat Panels / Raised Panels



Glass



Flat Panel



Raised Panel

Panels

Replacement Door Panels


**Note:**

Replacement door panels are made to order.

To order, complete the **Hinge Location Form** and state:

1. **Description of Part** (replacement door panel)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Reglazing Kits

**Kit Includes:**

Glass unit.

Interior glazing stops and permanent grilles are optional and must be ordered separately.

Glazing stops and grilles have tape applied.

Note:


Reglazing kits are made to order.

To order, state:

1. **Description of Part** (reglazing kit)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Replacement Raised & Flat Panels

Raised Panels



Note:

Raised panels are made up of 3 parts; exterior panel, interior panel & core.


Raised panels can be ordered as separate pieces or as a set.

Interior and exterior raised panels are available in pine, oak, mahogany, maple, cherry, Douglas fir, alder and prefinished white.

To order, state:

1. **Description of Part (raised panel)**
2. **Quantity**
3. **P number (from product label, see [page 8](#))**

Flat Panels



Note:

Flat panels are 1 piece.

Interior and exterior of flat panels are available in pine, oak, mahogany, maple, cherry, Douglas fir, alder and prefinished white.

To order, state:

1. **Description of Part (flat panel)**
2. **Quantity**
3. **P number (from product label, see [page 8](#))**

Panels

Interior Glazing Stops

Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Interior Glazing Stop - $\frac{1}{2}$ " - Lineal *Ref. No. 1 [page 12](#), [13](#), & [14](#)*

	Note: Used on decorative insulating art glass in $1\frac{3}{4}$ " door panels.	AAP Order No.	AW Order No.
		PF1008	



Interior Glazing Stop - $\frac{1}{2}$ " - Curved *Ref. No. 2 [page 12](#), [13](#), & [14](#)*

	Note: Used on decorative insulating art glass in $1\frac{3}{4}$ " door panels.	AAP Order No.	AW Order No.
		PF1016	



Interior Glazing Stop - $\frac{5}{8}$ " - Lineal & Curved *Ref. No. 1 & 2 [page 12](#), [13](#), & [14](#)*

	Note: Used on dual pane $1\frac{3}{4}$ " door panels.	AAP Order No.	AW Order No.
		PF1755	




Interior Glazing Stop - $\frac{15}{16}$ " - Lineal & Curved *Ref. No. 1 & 2 [page 12](#), [13](#), & [14](#)*

	Note: Used on decorative insulating art glass in $2\frac{1}{4}$ " door panels.	AAP Order No.	AW Order No.
		PF1483	




Interior Glazing Stop - $1\frac{3}{16}$ " - Lineal & Curved *Ref. No. 1 & 2 [page 12](#), [13](#), & [14](#)*

	Note: Used on single pane $1\frac{3}{4}$ " door panels and dual pane $2\frac{1}{4}$ " door panels	AAP Order No.	AW Order No.
		PF1011	



Interior Glazing Stop - $1\frac{13}{16}$ " - Lineal & Curved *Ref. No. 1 & 2 [page 12](#), [13](#), & [14](#)*

	Note: Used on single pane $2\frac{1}{4}$ " door panels.	AAP Order No.	AW Order No.
		PF1758	




Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Panels

Astragals

Astragal Ref. No. 6 [page 13](#)



Note:

Replacement astragals are made to order.

To order, state:

1. **Description of Part (astragal, including left- or right-hinged door panel)**
2. **Quantity**
3. **P number (from product label, see [page 8](#))**

Astragal Cap - Wood



Note:


Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.

PF2202

AW Order No.

Astragal Tongue - 1 3/4" Door Panel / Wood



Note:

Used on 1 3/4" door panels.

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.

PF2237

AW Order No.

Astragal Tongue - 2 1/4" Door Panel / Wood



Note:

Used on 2 1/4" door panels.


Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.


AAP Order No.


PF2238

AW Order No.

Panels

Astragal Cap - Stationary Door / Wood Ref. No. 6 page 14			
	<p>Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF2255	

Astragal Tongue - Stationary Door / 1 ¾" Door Panel / Wood Ref. No. 6 page 14			
	<p>Note: Used on stationary 1 ¾" door panels.</p> <p>Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF2354	

Astragal Tongue - Stationary Door / 2 ¼" Door Panel / Wood Ref. No. 6 page 14			
	<p>Note: Used on stationary 2 ¼" door panels.</p> <p>Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF2355	

Andersen® Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors

Panels

Decorative Raised Mouldings

Note:

When using decorative raised mouldings the only lockset backset available is 2¾". On 24" doors, raised mouldings will interfere with lockset.



Wood Outswing Entry Doors - Decorative Raised Mouldings

Decorative Raised Moulding - Exterior / Lineal & Curved



Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white. Exterior decorative raised mouldings replace standard exterior stops.

AAP Order No.

PF1646

AW Order No.

Decorative Raised Moulding - Interior / Lineal & Curved / Wood



Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.


PF1470

AW Order No.

Panels

Door Panel Parts


Slab Extender Ref. No. 4 [page 12, 13 & 14](#) (September 2011 to Present)


Note:


Slab extenders are provided with interior and exterior trim but interior and exterior trim can be ordered separately.

Clad Outswing Commercial Doors - Slab Extender


Slab Extender - Body / PVC (September 2011 to Present)

		AAP Order No.	AW Order No.
		PF2194	


Trim - 1 3/4" / Interior or Exterior / Slab Extender / Wood (September 2011 to Present)

	Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF2195	

Trim - 2 1/4" / Interior / Slab Extender / Wood (September 2011 to Present)

	Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF2196	


Slab Extender (prior to September 2011)


	Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	Panel	AAP Order No.	AW Order No.
		1 3/4"	PF2142	
		2 1/4"	PF2288	


Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Panels

Rainskirt Ref. No. 5 page 12 , 13 & 14			
	Note: Available in lengths up to 94".	AAP Order No.	AW Order No.
		PF1026	


Eyelet - AW / Passive			
	Note: Use with passive lock assembly.	AAP Order No.	AW Order No.
		2228	

Support Plate - Double Doors / Passive Panels <i>(December 2010 to November 2011)</i>			
	Note: Used on passive panels of double doors.	AAP Order No.	AW Order No.
		113877	

Grilles


Interior and Exterior Grilles

Full Divided Light




Permanent Exterior
Permanent Interior
With Spacer

Simulated Divided Light




Permanent Exterior
Permanent Interior




Permanent Exterior
Removable Interior

Easy Clean Options



Removable Interior



Finelight™ Between-the-Glass

Note:

Replacement interior and exterior grilles are made to order.

All grille configurations are available with interiors and exteriors to match interiors and exteriors of windows.

To order, state:

1. **Description of Part** (interior or exterior and type of grille)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Grilles

Grille Profiles - Wood

Note:

Standard grille and divided light bars are for interior use only. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Standard Grille Bars

3/4"



PF1717

Roman Ogee Style



PF1828

7/8"



PF1718



PF1829



GBD178

1 1/8"



PF1719



PF1830

Divided Light Bars

Chamfer Style

Roman Ogee Style

3/4"



PF1720

7/8"



PF1721



PF1888

1 1/8"



PF1722



PF1889

1 1/2"



PF2050



PF1954

2 1/4"



PF1723

Wood Outswing Entry Doors - Wood Grille Profiles

Grilles

Grille Profiles - Fibrex™


Note:

Fibrex™ divided light bars can be used on exterior when prefinished white is required.

Divided Light Bars


Chamfer Style

3/4"




PF1623

7/8"




PF1624

1 1/8"



PF1625

2 1/4"



PF1626

Wood Outswing Entry Doors - Fibrex™ Grille Profiles

26 - Andersen® Wood Outswing Entry Doors (2001 to Present)


2018

Standard Grille Patterns


Note:

Custom grille patterns are available.


Colonial



Renaissance



Prairie





Wood Outswing Entry Doors - Grille Patterns



Grilles

Grille Parts



Grille Surround - 1/2" - Lineal & Curved

 	Note: Used with PF1008 & PF1016 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1108	



Grille Surround - 5/8" - Lineal & Curved

 	Note: Used with PF1755 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1756	


Grille Surround - 15/16" - Lineal & Curved

 	Note: Used with PF1483 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1871	


Grille Surround - 1 3/16" - Lineal & Curved

 	Note: Used with PF1011 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1230	

Surround Clip

		AAP Order No.	AW Order No.
		1364	

End Clip - Grilles *(September 2007 to Present)*


	Note: White used for prefinished white grille bars. Sandtone used for all unfinished wood grille bars.	Color	AAP Order No.	AW Order No.
		White	105444	
		Sandtone	105446	9050872

Trim Set Illustration - Active

Note:

Use this active trim set with the GU active lock system. This configuration has the deadbolt above the handle. Left-handed trim set shown below. Available from July 2007 to present with design change March 2012.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--|---|
| 1. Handle - Interior | 10. Spindle |
| 2. Handle - Exterior | 11. Hex Wrench |
| 3. Escutcheon Plate - Interior | 12. Escutcheon Mounting
Screws |
| 4. Escutcheon Plate - Exterior | 13. Snap Ring |
| 5. Foam Gasket | 14. Plastic Washer |
| 6. Thumb Latch | 15. Keys |
| 7. Exterior Keyed Lock
Cylinder Housing | 16. Exterior Keyed Lock
Cylinder Plate Bolts |
| 8. Exterior Keyed Lock
Cylinder | 17. Handle Set Screw |
| 9. Exterior Keyed Lock
Cylinder Plate | 18. Rubber O Ring |

Wood Outswing Entry Doors - Active Trim Set


Hardware

Trim Set Illustration - Semi Active

Note:

Use this semi-active trim set with the GU passive lock system. This configuration has the deadbolt above the handle. Left-handed trim set shown below. Available from July 2007 to present with design change March 2012.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--------------------------------|--------------------------------|
| 1. Handle - Interior | 8. Rubber O Ring |
| 2. Handle - Exterior | 9. Handle Set Screw |
| 3. Escutcheon Plate - Interior | 10. Spindle |
| 4. Escutcheon Plate - Exterior | 11. Hex Wrench |
| 5. Foam Gasket | 12. Escutcheon Mounting Screws |
| 6. Thumb Latch | 13. Snap Ring |
| 7. Latch Tail Piece | 14. Plastic Washer |


Wood Outswing Entry Doors - Semi-Active Trim Set

Trim Set Illustration - Dummy

Note:

Use this dummy trim set with the GU lock system on stationary doors and passive doors with flush bolts. This configuration has the deadbolt above the handle. Left-handed trim set shown below. Available from July 2007 to present with design change March 2012.

Components shown are not available individually - they must be ordered as part of the complete trim set.



Wood Outswing Entry Doors - Dummy Trim Set

Hardware

Trim Set

Note:

Used with GU lock system. (July 2007 to Present - design change March 2012)

Active Trim Sets *(July 2007 to Present)*

		Left		Right	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	114441		114444	
	Polished Brass	114439		114442	
	Oil Rubbed Bronze	114440		114443	

Semi-Active Trim Sets *(July 2007 to Present)*

		Left		Right	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	114435		114438	
	Polished Brass	114433		114436	
	Oil Rubbed Bronze	114434		114437	

Dummy Trim Sets *(July 2007 to Present)*


		Left		Right	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	114429		114432	
	Polished Brass	114427		114430	
	Oil Rubbed Bronze	114428		114431	

Trim Set Illustrations - European / Active

Note:

Use this active trim set with the Old GU active lock system (October 2001 to June 2007). The European configuration has the deadbolt below the handle. Left-handed trim set shown below.

Components shown are not available individually - they must be ordered as part of the complete trim set.



Wood Outswing Entry Doors - European Active Trim Set


Hardware

Trim Set Illustration - European / Semi Active

Note:

Use this semi-active trim set with the Old GU passive lock system (October 2001 to June 2007). The European configuration has the deadbolt below the handle. Left-handed trim set shown below.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--------------------------------|--------------------------------|
| 1. Handle - Interior | 8. Rubber O Ring |
| 2. Handle - Exterior | 9. Handle Set Screw |
| 3. Escutcheon Plate - Interior | 10. Spindle |
| 4. Escutcheon Plate - Exterior | 11. Hex Wrench |
| 5. Foam Gasket | 12. Escutcheon Mounting Screws |
| 6. Thumb Latch | 13. Snap Ring |
| 7. Latch Tail Piece | 14. Plastic Washer |


Wood Outswing Entry Doors - European Semi-Active Trim Set

Trim Set Illustration - European / Dummy

Note:

Use this dummy trim set with the Old GU lock system (October 2001 to June 2007) on stationary doors and passive doors with flush bolts. The European configuration has the deadbolt below the handle. Left-handed trim set shown below.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--------------------------------|--------------------------------|
| 1. Handle - Interior | 8. Spindle Plate Screw |
| 2. Handle - Exterior | 9. Rubber O Ring |
| 3. Escutcheon Plate - Interior | 10. Spindle |
| 4. Escutcheon Plate - Exterior | 11. Hex Wrench |
| 5. Foam Gasket | 12. Escutcheon Mounting Screws |
| 6. Spindle Plate | 13. Snap Ring |
| 7. Handle Set Screw | 14. Plastic Washer |

Wood Outswing Entry Doors - European Dummy Trim Set

Hardware

Trim Sets - European

Note:

Used with old GU lock system. (from October 2001 to June 2007)

Trim Set - European / Active *(October 2001 to June 2007)*

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	105487		105488	
	Polished Chrome	105145		105146	
	Polished Brass	103603		103609	
	Antique Brass	103604		103610	
	Oil Rubbed Bronze	105072		105073	
	Dark Bronze	103605		103611	
	Pewter	103606		103612	
	White	103607		103613	

Trim Set - European / Semi-Active *(October 2001 to June 2007)*

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	105491		105492	
	Polished Chrome	105149		105150	
	Polished Brass	104921		104927	
	Antique Brass	104922		104928	
	Oil Rubbed Bronze	105076		105077	
	Dark Bronze	104923		104929	
	Pewter	104924		104930	
	White	104925		104931	

Trim Set - European / Dummy *(October 2001 to June 2007)*

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	105489		105490	
	Polished Chrome	105147		105148	
	Polished Brass	103615		103621	
	Antique Brass	103616		103622	
	Oil Rubbed Bronze	105074		105075	
	Dark Bronze	103617		103623	
	Pewter	103618		103624	
	White	103619		103625	

Andersen® Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Shared Trim Set Parts


Exterior Keyed Lock Cylinder - Active *Ref. No. 8 [page 29](#) & [33](#)*

	Note: Use on active trim sets only.	AAP Order No.	AW Order No.
		103561	9050732




Tail Piece Extension - Lock Cylinder / 2 1/4" Door Panel

	Note: For 2 1/4" door panels with active trim sets.	AAP Order No.	AW Order No.
		103645	9050733





Bolt - Escutcheon Mounting / 65mm / 2 1/4" Door Panels *Ref. No. 12 [page 29](#), [30](#), [31](#), [33](#), [34](#) & [35](#)*


	Note: Use for 2 1/4" door panels. Each trim set requires 2 screws.	Finish	AAP Order No.	AW Order No.
		Satin Chrome	105495	9050755
		Oil Rubbed Bronze	105080	9050750




Hardware

Spindle - 8mm x 110mm / 1 3/4" Door Panels Ref. No. 12 page 29 , 30 , 31 , 33 , 34 & 35			
	Note: Use for 1 3/4" door panels.	AAP Order No.	AW Order No.
		103562	9050875

Spindle - 8mm x 120mm / 2 1/4" Door Panels Ref. No. 12 page 29 , 30 , 31 , 33 , 34 & 35			
	Note: Use for 2 1/4" door panels.	AAP Order No.	AW Order No.
		103646	9050734

Latch Tail Piece - Semi-Active Ref. No. 7 page 30 & 34			
	Note: Use on semi-active trim sets only.	AAP Order No.	AW Order No.
		103644	

Spindle Plate Kit - Dummy Ref. No. 6 page 31 & 35			
	Note: Use on dummy trim sets only.	AAP Order No.	AW Order No.
		106060	

Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Hardware

Trim Set Parts - AW / 2 1/4" Door Panel


Note:

These parts are used to adjust AW trim sets for application on a 2 1/4" thick door panel. Parts are compatible with Newbury®, Covington®, Yuma®, Whitmore®, Encino®, Anvers®, Albany, and Tribeca® trim sets. AW trim sets available from your Andersen® supplier.


Bolt - Escutcheon Mounting / 65mm / 2 1/4" Door Panels

	Note: #8-32 UNC x 65mm. For installing active, passive and dummy AW trim sets onto 2 1/4" door panels.	Finish	AAP Order No.	AW Order No.
		Antique Brass	113729	9050881
		Bright Brass	113730	9050882
		Brushed Chrome	113731	9050883
		Distressed Bronze	113732	9050884
		Distressed Nickel	113733	9050885
		Oil Rubbed Bronze	113734	9050886
		Polished Chrome	113735	9050887
		Satin Nickel	113736	9050888
		White	113772	9050889
		Stone	113773	9050890
		Gold Dust	113774	9050891
		Black	113775	9050892


Spindle - 8mm x 4 1/4" / 2 1/4" Door Panels

	Note: For installing active, passive and dummy AW trim sets onto 2 1/4" door panels.	AAP Order No.	AW Order No.
		113737	9050893


Spindle - 8mm x 5 1/4" / 2 1/4" Door Panels

	Note: For installing active, passive and dummy AW trim sets with 1 handle extender onto 2 1/4" door panels.	AAP Order No.	AW Order No.
		113738	9050894

Spindle - 8mm x 6 1/4" / 2 1/4" Door Panels

	Note: For installing active, passive and dummy AW trim sets with 2 handle extenders onto 2 1/4" door panels.	AAP Order No.	AW Order No.
		113739	9050895

Lock Actuator - 2 1/4" Door Panel

	Note: For installing active AW trim sets onto 2 1/4" door panels.	AAP Order No.	AW Order No.
		113726	9050896

Hardware

Lock Assembly - AW

Lock Assembly - AW / Active (July 2007 to Present)



Single Point Active Lock



Multi-Point Active Lock



Multi-Point Active Lock / Extendable



Lock Extension

Clad Outswing Entry Doors - AW Active Lock Assembly

Height Range - Door Panel / AW / Active

Lock Configuration	Single Rectangular & All Double Doors	Single Arch Top (Leg Height)	Single Springline™ (Leg Height)
Single Lock	82" EFS Maximum	82" EFS Maximum	82" EFS Maximum
6' - 8" Multi-Point	76 1/8" - 89 27/32"	73 3/4" - 87 15/32"	72 1/8" - 85 27/32"
8' Multi-Point	89 7/8" - 98"	87 1/2" - 95 1/2"	85 7/8" - 95 1/2"
Extended Multi-Point	98 1/32" - 119 1/2"	95 17/32" - 119"	95 17/32" - 101 1/32"

Note: Trim sets for this hardware can be purchased from your Andersen® supplier.

Lock Mechanism - AW / Active / Single Point (July 2007 to Present)

	Orientation	AAP Order No.	AW Order No.
	Left	109882	9050793
	Right	109883	9050794

Lock Mechanism - AW / Active / Multi-Point (Mar 2012 to Present)

Note:	Size	AAP Order No.	AW Order No.
AW multi-point active locks are not handed.	6' - 8"	114377	
	8'	114378	

Lock Mechanism - AW / Active / Multi-Point / Extended (Nov 2017 to Present)

Note:	Part	AAP Order No.	AW Order No.
AW multi-point active locks are not handed. Extensions are handed and require the original order info to be supplied.	Lock	113583	
	Extension - Left	113585	
	Extension - Right	113586	

Lock Mechanism - AW / Active / Multi-Point (July 2007 to Mar 2012)

Note:	Size	AAP Order No.	AW Order No.
AW multi-point active locks are not handed.	6' - 8"	109832	9050789
	8'	112555	9050815

Andersen® Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Lock Assembly - AW / Passive (July 2007 to Present)

Note:

AW passive locks are not handed. Trim sets for this hardware can be purchased from your Andersen® supplier.



Clad Inswing Doors - AW Passive Lock Assembly

Lock Mechanism - AW / Passive (July 2007 to Present)

	AAP Order No.	AW Order No.
	112542	9050808

Latch Bolt Receiver Assembly - AW / Passive (March 2012 to Present)

Note:

Includes latch bolt receiver and latch block.

	AAP Order No.	AW Order No.
	112543	9050809

Latch Bolt Receiver Assembly - Modified / AW / Passive (October 2009 to March 2012)

Note:

Includes modified latch bolt receiver and latch block.

	AAP Order No.	AW Order No.
	112705	9050824


Shoot Bolt Ends - AW / Passive (November 2011 to Present)

	AAP Order No.	AW Order No.
	114101	

Threaded Rod Extension - 1/4"- 20 UNC / Stainless Steel (November 2011 to Present)

	AAP Order No.	AW Order No.
	PF2566	


Shoot Bolt Ends - AW / Passive (July 2007 to November 2011)

		AAP Order No.	AW Order No.
			


Hardware

Lock Parts - AW


Strike Plate - AW / Active / Single / Central / Stainless Steel *(July 2007 to Present)*

	Note: Use with the active lock system on single doors.	AAP Order No.	AW Order No.
		113413	


Strike Plate - AW / Active / Double / Central / Stainless Steel *(July 2007 to Present)*

	Note: Use with the active lock system on double doors.	AAP Order No.	AW Order No.
		109854	9050791


Strike Plate - AW / Active / Multi-Point / Hook Bolt / Stainless Steel *(July 2007 to Present)*

	Note: Use with multi-point locks.	AAP Order No.	AW Order No.
		113438	9050898


Dust Cup - AW / Active / Hook Bolt *(July 2007 to Present)*

	Note: Use behind hook bolt strike plates.	AAP Order No.	AW Order No.
		113437	9050899

Eyelet - AW / Passive *(July 2007 to Present)*

	Note: Use with passive lock assembly.	AAP Order No.	AW Order No.
		2228	

Shoot Bolt Cup - AW / Passive *(July 2007 to November 2010)*

	Note: Use with the passive lock assembly.	AAP Order No.	AW Order No.
		112470	9050807

Andersen® Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors

Lock Assembly - GU

Lock Assembly - GU / Active (August 2015 - Present)

Note:

GU active locks are not handed.



Clad Outswing Entry Doors - GU Active Lock Assembly

Height Range - Door Panel / GU / Active

Lock Configuration	Single Rectangular & All Double Doors	Single Arch Top (Leg Height)	Single Springline™ (Leg Height)
6' - 8" Lock Mechanism	79" - 91 ⁷ / ₃₂ "	77 ³ / ₃₂ " - 89 ³ / ₃₂ "	75" - 86 ³¹ / ₃₂ "
8' Lock Mechanism	91 ¹ / ₄ " - 99 ¹ / ₂ "	89 ¹ / ₈ " - 98 ³ / ₃₂ "	87" - 95 ¹⁵ / ₃₂ "
6' - 8" Lock with Locking Extension	99 ¹⁷ / ₃₂ " - 109 ³ / ₁₆ "	98 ¹ / ₈ " - 108 ³ / ₃₂ "	95 ¹ / ₂ " - 105"
8' Lock with Locking Extension	109 ⁷ / ₃₂ " - 119 ¹ / ₄ "	108 ¹ / ₈ " - 119 ¹ / ₄ "	N/A

Lock Mechanism - GU / Active / Multi-Point (August 2015 - Present)

	Size	AAP Order No.	AW Order No.
	6' - 8"	115282	
	8'	115283	

Extension - GU / Active / Locking (August 2015 - Present)

	AAP Order No.	AW Order No.
	115333	


Hardware

Lock Assembly - GU

Lock Assembly - GU / Active *(July 2007 to August 2015)*

Note:

GU active locks are not handed.



Clad Outswing Entry Doors - GU Active Lock Assembly

Height Range - Door Panel / GU / Active

Lock Configuration	Single Rectangular & All Double Doors	Single Arch Top (Leg Height)	Single Springline™ (Leg Height)
6' - 8" Lock Mechanism	79" - 89 17/32"	76 5/8" - 87 5/32"	75 1/16" - 85 19/32"
6' - 8" Lock with Locking Extension	89 9/16" - 92 29/32"	87 3/16" - 89 27/32"	85 5/8" - 88 9/32"
8' Lock Mechanism	92 15/16" - 99 5/16"	89 7/8" - 96 29/32"	88 5/16" - 95 11/32"
6' - 8" Lock with Short & Locking Extension	99 11/32" - 109 5/32"	96 15/16" - 106 3/4"	95 3/8" - 105 5/32"
6' - 8" Lock with Long & Locking Extension	109 3/16" - 118 31/32"	106 25/32" - 116 9/16"	105 3/16" - 144 31/32"
6' - 8" Lock with Short, Long & Locking Exten.	119" - 129"	116 19/32" - 126"	115" - 130"

Central Lock Box Mechanism - GU / Active / Multi-Point *(July 2007 to August 2015)*

	Size	AAP Order No.	AW Order No.
	Universal	115690	

Extension - GU / Active / Locking *(July 2007 to August 2015)*

	AAP Order No.	AW Order No.
	107378	9050785

Extension - GU / Active / Short *(July 2007 to August 2015)*

Length = 250mm	AAP Order No.	AW Order No.
	107377	9050784

Extension - GU / Active / Long *(July 2007 to August 2015)*

Length = 500mm	AAP Order No.	AW Order No.
	107376	9050783


Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Lock Assembly - GU / Passive (July 2007 to Present)

Note:

GU passive locks are not handed.



Wood Outswing Entry Doors - GU Passive Lock Assembly

Height Range - Door Panel / GU / Passive

Lock Configuration	E.F.S. Height Range
Lock Mechanism with Shoot Bolts	79 1/2" - 85 21/32"
Lock Mechanism with Shoot Bolts & Short Extension	85 11/16" - 95 1/2"
Lock Mechanism with Shoot Bolts & Long Extension	95 17/32" - 105 11/32"
Lock Mechanism with Shoot Bolts & Short & Long Extension	105 3/8" - 115 5/32"
Lock Mechanism with Shoot Bolts & (2) Long Extensions	115 3/16" - 125 1/32"

Lock Mechanism - GU / Passive (July 2007 to Present)

	AAP Order No.	AW Order No.
	107379	

Shoot Bolt - GU / Passive (July 2007 to Present)

	Orientation	AAP Order No.	AW Order No.
	Top	105169	9050752
	Bottom	105170	9050753

Extension - GU / Passive / Short (July 2007 to Present)

Length = 250mm	AAP Order No.	AW Order No.
	107377	


Extension - GU / Passive / Long (July 2007 to Present)

Length = 500mm	AAP Order No.	AW Order No.
	107376	


Hardware

Hardware


Lock Parts - GU**Strike Plate - GU / Active / Central / Short Lip / Stainless Steel** *(July 2007 to Present)*

	Note: Used with active lock system on single doors with no interior jamb extension and double doors.	AAP Order No.	AW Order No.
		109813	9050787


Strike Plate - GU / Active / Central / Medium Lip / Stainless Steel *(July 2007 to Present)*

	Note: Used with active lock system on single doors with 5/8" interior jamb extension.	AAP Order No.	AW Order No.
		109814	9050788


Strike Plate - GU / Active / Central / Extended Lip / Stainless Steel *(July 2007 to Present)*

	Note: Used with active lock system on single doors with 5/8" interior jamb extension.	AAP Order No.	AW Order No.
		109860	9050792


Strike Plate - GU / Active / Hook Bolt / Stainless Steel *(July 2007 to Present)*

	Note: Used with active lock system.	AAP Order No.	AW Order No.
		113438	9050898

Dust Cup - GU / Active / Hook Bolt *(July 2007 to Present)*

	Note: Used behind hook bolt strike plates.	AAP Order No.	AW Order No.
		113437	9050899


Shoot Bolt Cup - GU / Passive *(July 2007 to November 2010)*

	Note: Used with passive lock assembly.	AAP Order No.	AW Order No.
		112470	9050807

Lock Assembly - Old GU

Lock Assembly - Old GU / Active (May 2004 - June 2007)

Note:
This is a conversion lock to replace this lock vintage (frame/astragal modification is necessary - Service Guide #115851)



Clad Outswing Entry Doors - Old GU Active Lock Assembly

Replacement Lock Kits (includes lock mech, tailpiece and strikeplate)		
Door Configuration	AAP Order No.	AW Order No.
All Double Doors (Inswing & Outswing)	115852	
Inswing Single Doors mulled to Sidelight (on lock side)	115853	
Inswing Single Doors with no interior extension jamb	115853	
Inswing Single Doors with interior extension jamb less than 3/8"	115854	
Inswing Single Doors with interior extension jamb between 3/8" & 5/8"	115852	
Outswing Left Hinged Single Doors	115855	
Outswing Right Hinged Single Doors	115856	


Hardware

Lock Assembly - Old GU

Lock Assembly - Old GU / Active *(October 2001 to May 2004)*

Note:

Old GU active locks are not handed.



Clad Outswing Entry Doors - Old GU Active Lock Assembly

Lock Mechanism - Old GU / Active / Multi-Point *(October 2001 to June 2007)*

	AAP Order No.	AW Order No.

Extension - Old GU / Active / Locking *(October 2001 to June 2007)*

Length = 750mm	AAP Order No.	AW Order No.

Extension - Old GU / Active / Long *(October 2001 to June 2007)*

Length = 500mm	AAP Order No.	AW Order No.

Extension - GU / Active / Short *(October 2001 to June 2007)*

Length = 250mm	AAP Order No.	AW Order No.

Andersen® Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Lock Assembly - Old GU / Passive (October 2001 to June 2007)

Note:

Old GU passive locks are not handed.



Wood Outswing Entry Doors - Old GU Passive Lock Assembly

Lock Mechanism - Old GU / Passive (October 2001 to June 2007)

	AAP Order No.	AW Order No.

Shoot Bolt - Old GU / Passive (October 2001 to June 2007)

	Orientation	AAP Order No.	AW Order No.
	Bottom		
	Top		

Extension - Old GU / Passive / Short (October 2001 to June 2007)

Length = 250mm	AAP Order No.	AW Order No.


Extension - Old GU / Passive / Long (October 2001 to June 2007)

Length = 500mm	AAP Order No.	AW Order No.


Hardware

Lock Parts - Old GU


Strike Plate - Old GU / Central / Short Lip / Stainless Steel *(October 2001 to June 2007)*

	Note: This plate is not handed. Use on double doors.	AAP Order No.	AW Order No.


Strike Plate - Old GU / Central / Long Lip / Stainless Steel *(October 2001 to June 2007)*

	Note: Right hand plate shown. Used on single doors.	Orientation	AAP Order No.	AW Order No.
		Left		
		Right		

Strike Plate - Old GU / Active / Hook Bolt / Stainless Steel *(October 2001 to June 2007)*

	Note: This plate is not handed.	AAP Order No.	AW Order No.

Shoot Bolt Cup - Old GU / Passive *(October 2001 to June 2007)*

	Note: Use this cup on passive lock assembly.	AAP Order No.	AW Order No.


Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Hardware

Flush Bolts

Flush Bolt (November 2011 to Present)



AAP Order No.

114104

AW Order No.

Trim Cover - Flush Bolt (November 2011 to Present)

Finish


Brushed Chrome

AAP Order No.

114105

AW Order No.

Flush Bolt - 1/4" - 20 UNC / Stainless Steel (November 2011 to Present)




AAP Order No.

PF2566

AW Order No.

Shoot Bolt End (November 2011 to Present)



AAP Order No.

114101


AW Order No.

Hardware

Flush Bolt *(Prior to November 2011)*

Note:

This shoot bolt end was discontinued March 2011. Available upon request.


Note:

Flush bolt supplied with shoot bolt end.

Finish	AAP Order No.	AW Order No.
Satin Chrome	2132	
White	103808	9050735
Dark Bronze	103809	9050736

Brass Eyelet *(Prior to November 2011)*



AAP Order No.	AW Order No.
2228	

Flush Bolt - 5/16" *(Prior to November 2011)*



AAP Order No.	AW Order No.

Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Hardware


Hinges

Hinges - 4 1/2" / Ball Bearing (March 2011 to Present)

Note:


Hinges are non-handed. All hinges have non-removable pins (NRP).

Non-Removable Pin (NRP)
Set Screw



	Finish	AAP Order No.	AW Order No.
	White	113159	
	Oil Rubbed Bronze	113160	
	Satin Nickel	113161	

Hinge Shims - 4 1/2" / Polypropylene (July 2012 to Present)



	Thickness	AAP Order No.	AW Order No.
	0.040"	114499	


Hardware

Hinges - 4 ½" / Ball Bearing *(September 2008 to March 2011)*

Note:


Hinges are non-handed. All hinges have non-removable pins (NRP).

Non-Removable Pin (NRP)
Set Screw



	Finish	AAP Order No.	AW Order No.
	White	112890	9050828
	Polished Brass	112891	9050829
	Oil Rubbed Bronze	112892	9050830
	Brushed Chrome	112896	9050831
Note: Installed on product from September 2008 to December 2010. Available for replacement upon request.	Stainless Steel	112893	
	Antique Brass	112894	
	Pewter	112895	
	Bright Chrome	112897	
	Black	112898	

Hinge Shims - 4 ½" / Neoprene / 1/32" & 1/16" Thick *(September 2008 to July 2012)*

		AAP Order No.	AW Order No.


Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Hardware

Hinges - 4 1/2" (July 2003 to September 2008)

Note:
Left hand hinge shown.




Hinge - 4 1/2" Ball Bearing / Non-Removable Pin (July 2003 to September 2008)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Stainless Steel	104469		104470	
	Dark Bronze	104471		104472	
	White	105035		105036	

Hinge - 4 1/2" Ball Bearing / Removable Pin (July 2003 to September 2008)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Polished Brass	104467		104468	


Hinge - 4 1/2" Plain Bearing / Non-Removable Pin / Zinc Dichromate (July 2003 to March 2007)

		Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
		104475		104476	


Hardware

Screws - Hinge


Mounting Screw - Door Panel

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 12 × 1 3/4" FH	Black	113231	9050913
		White	113232	9050914
		Polished Brass	113234	
		Stainless Steel	113371	9050915


Anchor Screw - Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 12 × 3 " FH	Stainless Steel	472	9050918
		Black	113239	9050916
		White	113240	9050917
		Polished Brass	113242	


Machine Screw - Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 24 UNC × 3/4" FH	Black	113247	
		White	113248	
		Polished Brass	113250	
		Stainless Steel	113374	

Tee Nut - Machine Screw / Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 24 UNC × 5/16" - 3/4" Dia.	Stainless Steel	107357	

Frame Assembly - Active & Passive / 1 3/4" Door Panel




- 1. Jamb Member
- 2. Curved Head Jamb
- 3. Contain & Drain Sill
- 4. Sill Cap
- 5. Vinyl Insert
- 6. Sill Weatherseal
- 7. Frame Weatherseal
- 8. Brickmould
- 9. Curved Brickmould
- 10. Interior Trim
- 11. Weatherseal Adaptor
- 12. Curved Weatherseal Adaptor

Wood Outswing Entry Doors - Active and Passive Frame Assembly / 1 3/4" Door Panels

Frames


Frame Assembly - Active & Passive / 2 ¼" Door Panel



- 1. Jamb I
- 2. Curved
- 3. Contai
- 4. Sill Ca
- 5. Vinyl Ir
- 6. Sill We
- 7. Frame weatherseal
- 8. Brickmould
- 9. Curved Brickmould
- 10. Interior Trim
- 11. Weatherseal Adaptor
- 12. Curved Weatherseal Adaptor

Wood Outswing Entry Doors - Active and Passive Frame Assembly / 2 ¼" Door Panels

Frame Assembly - Stationary / 1 3/4" Door Panel






- 1. Jamb Member
- 2. Curved Head Jamb
- 3. [Contain & Drain Sill](#)
- 4. [Sill Cap](#)
- 5. [Vinyl Insert](#)
- 6. [Retaining Clip](#)
- 7. [Sill Trim Stop](#)
- 8. [Brickmould](#)
- 9. [Curved Brickmould](#)
- 10. [Interior Trim](#)
- 11. Weatherseal Adaptor
- 12. Curved Weatherseal Adaptor

Wood Outswing Entry Doors - Stationary Frame Assembly / 1 3/4" Door Panels

Frames

Sill

Note:For 4 $\frac{9}{16}$ " wall thickness.**Wood Outswing Entry Doors - Contain and Drain Sill**

Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors


Frames

Sill Parts


End Cap - Sill / Vinyl

	Wall Thickness	Color	Orientation	AAP Order No.	AW Order No.
	1 3/4"	Gray	Left	114027	
			Right	114028	
		Black	Left	114031	
			Right	114032	
	2 1/4"	Gray	Left	114029	
			Right	114030	
		Black	Left	114033	
			Right	114034	


Cover - Weep Hole

		Color	AAP Order No.	AW Order No.
		Gray	113176	9050909
		Black	113259	9050910

Drain Cover - Sill / Modified

		Color	AAP Order No.	AW Order No.
		Gray	113513	
		Black	113514	


Flush Bolt Cup - Flush Bolt / Sill


		Color	AAP Order No.	AW Order No.
		Gray	113032	
		Black	113360	


Fin Seal - Low Profile Sill


		AAP Order No.	AW Order No.
		PF2350	


Frames

Threshold Insert - Vinyl / 1 3/4" Door Panel				
	Note: Available in gray or bronze. Insert for 1 3/4" door shown.	Panel Thickness	AAP Order No.	AW Order No.
		1 3/4"	PF2265	
		2 1/4"	PF2266	

Weatherseal - Sill <i>Ref. No. 6 page 55 and 56</i>			
	Note: Available in brown and gray.	AAP Order No.	AW Order No.
		PF2156	

Gasket - End Cap / Sill / Internal / Non-Handed					
		Thickness	Color	AAP Order No.	AW Order No.
		1 3/4"	Gray	114035	
			Black	114036	
		2 1/4"	Gray	114039	
			Black	114040	


Gasket - End Cap / Sill / External / Non-Handed					
		Thickness	Color	AAP Order No.	AW Order No.
		1 3/4"	Gray	114037	
			Black	114038	
		2 1/4"	Gray	114041	
			Black	114042	


Interior Trim - Sill / Wood <i>Ref. No. 10 page 55, 56 & 57</i>			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2457	


Andersen® Wood Outswing Entry Doors (2001 to Present)


Single and Double Doors


Frames

Sill Cap - 1 3/4" Door Panel / Wood Ref. No. 4 page 55 & 57			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2458	

Sill Cap - 2 1/4" Door Panel / Wood Ref. No. 4 page 56			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2459	

Trim Stop - Sill / Stationary Door / Wood Ref. No. 7 page 57			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2171	


Clip - Retaining / Panel / Stationary Door Ref. No. 6 page 57			
		AAP Order No.	AW Order No.
		107124	

Threshold Nosing - Vinyl			
	Note: Used on front of sill under mullions and brickmould. Available in gray or black.	AAP Order No.	AW Order No.
		PF2577	



Frames

Extension Jambs

Note:
Outswing doors should be extended to the interior. Custom extension jambs are available to accommodate thicker walls. Sills are not extended.



Wood Outswing Entry Doors - Interior Extension Jambs

Jamb Extension - 2" / Lineal and Curved			
 	Note: Used for 6 9/16" wall thickness. Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1237	


Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors


Frames

Frame Parts


Weatherseal - Frame Ref. No. 7 [page 57](#) and [58](#)

		Color	Length	AAP Order No.	AW Order No.
		White	96"	114641	
			144"	114588	
		Bronze	96"	114640	
			144"	114587	


Dust Plug - Frame / 1" x 2"

	Note: Available in gray.	AAP Order No.	AW Order No.
		106037	

Corner Pad - Frame / 2" / Contoured

		Color	AAP Order No.	AW Order No.
		White	106297	9050767
		Bronze	106299	9050769

Brickmould - Lineal & Curved / Aluminum

	Note: Available in 21 standard and any custom color.	AAP Order No.	AW Order No.
		PF2088	


Frames

Frame Parts


Note:

Brickmoulds are available in both lineal & curved and in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white. Custom flat brickmould available.


Brickmould - 2" × 1 ¼" / Lineal & Curved *Ref. No. 8 [page 55](#), [56](#) & [57](#)*

		AAP Order No.	AW Order No.
		WM180	


Brickmould - 3 ½" × 1 ⅛" / Flat / Lineal & Curved

		AAP Order No.	AW Order No.
		118312	


Brickmould - 3 ½" × 1" / Lineal & Curved

		AAP Order No.	AW Order No.
		AC3121	

Brickmould - 3 ¼" × 1 ⅛" / Lineal & Curved

		AAP Order No.	AW Order No.
		BG314	

Brickmould - 3 ½" × 1 ⅛" / Lineal & Curved

		AAP Order No.	AW Order No.
		PLB35	

Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors


Joining Components

Mullion Covers - Interior


Mullion Covers - Interior / Horizontal & Vertical / Lineal & Curved / Wood

Note:

Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white. Vertical mullion covers are ¼" thick and horizontal mullion covers are ⅜" thick. Lineal and curved have same order number. WMC38 shown below.

	Orientation	Mullion Width	AAP Order No.	AW Order No.
	Vertical (¼" Thick)	Direct	WMC14	
		½"	PF2037	
		¾"	PF2049	
		1"	PF2033	
		2"	PF2034	
		3 ½"	PF2306	
	Horizontal (⅜" Thick)	Direct	WMC38	
		½"	PF1663	
		¾"	PF2048	
		1"	PF2011	
		2"	PF2012	
		3 ½"	NA	

Mullion Cover - Interior / ⅜" Mullion / Vertical / Lineal & Curved / Wood *(Prior to March 2011)*

		AAP Order No.	AW Order No.
		PF2037	

Mullion Cover - Interior / ⅜" Mullion / Horizontal / Lineal & Curved / Wood *(Prior to March 2011)*







		AAP Order No.	AW Order No.
		PF1974	

Joining Components

Mullion Covers - Exterior

Note:

Use curved interior mullion covers when curved mullion covers are required on the exterior. Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.

Mullion Cover - Exterior / Direct Mullion / Vertical / Lineal			
		AAP Order No.	AW Order No.
		PF2487	
Mullion Cover - Exterior / Direct Mullion / Horizontal / Lineal			
		AAP Order No.	AW Order No.
		PF1098	
Mullion Cover - Exterior / 3/4" Mullion / Vertical / Lineal			
		AAP Order No.	AW Order No.
		PF2336	
Mullion Cover - Exterior / 3/4" Mullion / Horizontal / Lineal			
		AAP Order No.	AW Order No.
		PF2493	
Mullion Cover - Exterior / 3/8" Mullion / Vertical / Lineal (Prior to March 2011)			
		AAP Order No.	AW Order No.
		PF2032	
Mullion Cover - Exterior / 3/8" / Horizontal / Lineal (Prior to March 2011)			
		AAP Order No.	AW Order No.
		PF1817	




Interior Casing

Casing Profiles


Note:

Interior casings are available in both lineal & curved and in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.

Interior Casing - Lineal and Curved / Wood / 2 ¼"




2 ¼" Colonial




2 ¼" Ranch

Interior Casing - Lineal and Curved / Wood / 2 ½"





2 ½" Ranch



2 ½" Colonial

Interior Casing - Lineal and Curved / Wood / 2 ¾"



Interior Casing

Interior Casing - Lineal and Curved / Wood / 3 ¼"

B1211




WM-445



Interior Casing - Lineal and Curved / Wood / 3 ½"

WM-444




3 ½" Colonial

PF1111




AC3121



RB-3




LWM673



L-366



PF1030



PF1039



S4SFLAT




Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors

Interior Casing

Casing Parts


Corner Block



	3" x 3"		3 ⁵ / ₈ " x 3 ⁵ / ₈ "		4" x 4"	
Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
Pine	105		111		981	
Oak	113		534		982	
Mahogany	103706		103708		103710	
Maple	104224		104225		104226	


	4 ⁵ / ₈ " x 4 ⁵ / ₈ "					
Species	AAP Order No.	AW Order No.				
Pine	1304					
Oak	1305					
Mahogany	103712					
Maple	104227					


Keystone



	2 ⁷ / ₈ " x 2 ⁷ / ₈ "		3 ³ / ₄ " x 3 ³ / ₄ "		4 ¹ / ₂ " x 4 ¹ / ₂ "	
Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
Pine	2148		642		2152	
Oak	2149		190		2153	
Mahogany	103698		103700		103702	
Maple	104220		104221		104222	

Interior Casing

Plinth Block - Arch					
		2⁷/₈" × 4"		3⁷/₈" × 5¹/₄"	
	Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Maple	107003	9050776	107005	9050778
	Oak	107002	9050775	107004	9050777
	Mahogany	109825		109827	
	Douglas Fir	109821		109823	
	Cherry	109817		109819	

Plinth Block					
		2⁷/₈" × 2⁷/₈"		3⁷/₈" × 3⁷/₈"	
	Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Maple	106999	9050772	107001	9050774
	Oak	106998	9050771	107000	9050773
	Mahogany	109824		109826	
	Douglas Fir	109820		109822	
	Cherry	109816		109818	


Andersen® Wood Outswing Entry Doors (2001 to Present)

Single and Double Doors


Installation Components

Installation Parts


Anchor Screw - Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 12 x 3 " FH	Stainless Steel	472	9050918
		Black	113239	9050916
		White	113240	9050917
		Polished Brass	113242	


Installation Clips - 6"

		AAP Order No.	AW Order No.
		112736	9050825


Clip - Sill / Stainless Steel

		AAP Order No.	AW Order No.
		113177	

Drip Cap - Aluminum

		AAP Order No.	AW Order No.
		PF2085	

Flexible Drip Cap

		Color	AAP Order No.	AW Order No.
		White	103252	
		Beige	103253	






Notes

Andersen®

Wood Outswing Entry Doors (2001 to Present)

Service Replacement

Service Replacement Parts

Service Parts				
Weatherseal - Long Reach / 97"				
		Color	AAP Order No.	AW Order No.
		White	104602	9050748
		Bronze	104604	9050749
Corner Pad - 3/8" x 2"				
		Color	AAP Order No.	AW Order No.
		Bronze	106068	
Shoot Bolt Receiver - Adjustable / Passive Lock (Prior to December 2010)				
	Note: Use with passive lock system. Replaces shoot bolt cup when adjustment is required. Use 5/16" hex wrench to install and adjust.	AAP Order No.	AW Order No.	
		112815	9050827	
Transition Strike Plate - Flush Bolt (Prior to December 2010)				
	Note: Use with flush bolts.	AAP Order No.	AW Order No.	
		112814		
Touch-Up Paint				
	Note: 1/2 fl. oz bottle.	Color	AAP Order No.	AW Order No.
		White	104585	
		Terratone®	104586	
		Sandtone	104587	
		Forest Green	104588	

Notes
