

2-Panel, 4-Panel, and Stationary Page 3

Parts Illustration 3

What's in This Section

Pi	arts illustration - interior view	J
Pa	arts Illustration - Exterior View	4
	arts Illustration - 2-Panel	
C	olors - Exterior	6
C	olors/Species/Finishes - Interior	7
Unit Size	es	8
St	tandard and Custom Door Sizes	8
E-	-Series Product Label	8
U	nit Size Chart - Contemporary	9
U	nit Size Chart - French	1
Panels -	Operating	3
0	perating Panel Graphic	13
	perating Panel Size Table	
	perating Panels	
	lass Stops	
	anel Parts - Operating1	
	stragal with Screws - 4 Panel	
Panels -	Stationary/Sidelight	21
	tationary Panel Graphic	
	tationary Panel Size Table	
	idelight Panel Size Table	
	tationary/Sidelight Panels	
	lass Stops	
	anel Parts - Stationary	
G	lass	0
	lass Stops	
	lass Parts	
	k Weatherstrip	
	·	
	terlock	
	creens	
In	sect Screen Graphic - Top Hung Gliding	34
To	pp Hung Insect Screen Hardware - 2-Panel	55
In	sect Screen Graphic - Concealed (Retractable)	6
Grilles .		7
G	rille Options 3	37
Hardwar	re 3	8




	Hardware - Tribeca®	38
	Hardware - Anvers®	41
	Hardware - Newbury®	44
	Hardware - Covington™	48
	Hardware - Whitmore®	51
	Hardware - Encino®	54
	Hardware - Yuma®	57
	Hardware - Albany	60
	Shared Trim Set Parts	63
	Lock Parts	65
	Lock / Keeper - Multi-Point	66
	Fasteners	68
Frame	es	69
	Frame Assembly Graphic	69
	Frame Only	70
	Stops	71
	Weatherstrip	73
	Sills	74
	Filler / Block	75
	Frame Parts	76

2-Panel, 4-Panel, and Stationary













Colors/Species/Finishes - Interior

Note:

- * Actual wood is sapele, a non-endangered species of mahogany, grown in Africa, with color and characteristics similar to American mahoganies.
- ** Painted interiors are available on pine and maple only. † Anodized Silver is available on maple only.

Species Interior Options





Mixed Grain



















White Oak

Stained Interior Options



Clear Coat

Cinnamon



Wheat

Russet



Autumn Oak



Golden Hickory



Honey



Mocha



Painted Interior Options

















Painted interior options are available on pine and maple.



Unit Sizes

Standard and Custom Door Sizes

Note:

E-Series Gliding Doors are available in standard sizes (see standard size charts, <u>page 9</u>). Replacement parts for some standard doors can be ordered using the numbers listed in this catalog. Many replacement parts for standard doors are made to order. These items are ordered using the Product ID found on the identification label and a description of the part needed. See <u>Service Guide 9051877</u>.

E-Series Gliding Doors are also available in custom sizes in 1/8" increments between the smallest and the largest standard sizes. Most replacement parts for custom-sized doors are made to order and can be ordered with the Product ID found on the identification label and a description of the part needed. See **Service Guide 9051877**.


E-Series Product Label

Note:

Every E-Series Gliding Door will have an identification label **or** glass etching containing a unique Product ID. The Product ID on E-Series Gliding Doors will be located at the top of the door frame or etched into the glass. See **Service Guide 9051877**. The Product ID may be up to 14 digits long (excluding hyphens), depending on the age of the unit. Replacement parts will also get their own unique Product ID. When ordering replacement parts, providing the Product ID ensures that replacement parts match the specifications.

2-Panel, 4-Panel, and Stationary

Unit Sizes






Unit Sizes


Unit Size Chart - Contemporary - 4-Panel


Note:

Unit Dimension refers to overall outside-to-outside frame. Numbers in parentheses are metric measurements.

4-Panel Gliding Patio Door Sizes







NOTES
All doors and sidelights use safety/tempered glass. Verify tempered glass requirements with your local building code official.

 $If glass is positioned within \ 18" of the finished floor, safety/tempered \ glass \ may \ be \ required. \ Local \ codes \ may \ differ.$

Astragal is applied to third panel from the left (as viewed from the exterior) on a 4-panel gliding patio door.

**4-panel doors are shipped knocked down and require field assembly because of size and weight.

Use structural joining material when necessary or required by code.

The light patterns illustrated apply to removable interior wood grilles, Full Divided Light, Simulated Divided Light, Decorelle 100, 150 and 400 and Finelight* Grilles-Between-the-Glass. All removable interior wood grilles will be installed in the units unless otherwise specified. The staggered light patterns illustrated align with light patterns for the gliding door. Other light patterns are available upon request.

For a metric conversion in millimeters, multiply dimensions in inches by 25.4.

FORMULA FOR COMBINATION DOORS

The overall frame dimension (both width and height) is equal to the sum of the individual unit frame dimensions plus joining material dimension(s). The overall rough opening (both width and height) is equal to the overall frame dimensions plus 1/4" on all sides.

Manufactured 2016 to Present

E-Series Gliding Door Sizes

2-Panel, 4-Panel, and Stationary


Unit Sizes

Unit Size Chart - French

Unit Size Chart - French - 2-Panel

Unit Dimension refers to overall outside-to-outside frame. Numbers in parentheses are metric measurements.

French Gliding Patio Door Sizes



NOTES
All doors and sidelights use safety/ tempered glass


Use structural joining material when necessary or required by code.


The light patterns illustrated apply to removable interior wood grilles, Full Divided Light, Simulated Divided Light, Decorelle 100. 150 and 400 and Finelight™ Grilles-Between-the-Glass. All removable interior wood grilles will be installed in the units

For a metric conversion in millimeters, multiply dimensions in inches by 25.4.

FORMULA FOR COMBINATION DOORS The overall frame dimension (both width and height) is equal to the sum of the individual unit frame dimensions plus joining material dimension(s).

The overall rough opening (both width and height) is equal to the overall frame dimensions plus 1/4" on all sides.





Manufactured 2016 to Present

E-Series Gliding Door Sizes




Unit Sizes


Unit Size Chart - French - 4-Panel


Note:

Unit Dimension refers to overall outside-to-outside frame. Numbers in parentheses are metric measurements.

4-Panel French Gliding Patio Door Sizes







NOTES
All doors and sidelights use safety/tempered glass.


Astragal is applied to third panel from the left (as viewed from the exterior) on a 4-panel French gliding patio door.

Manufactured 2016 to Present

E-Series Gliding Door Sizes

^{** 4-}panel doors are shipped knocked down and require field assembly because of size and weight.

Panels - Operating





Panels - Operating

Operating Panel Size Table

Note:

Operating Panel is measured outside edge to outside edge of frame.

Unobstructed Glass is dimension from outside edge to outside edge of visible glass only.

Actual Glass is dimension of outside edge to outside edge of glass, including glass that is not visible.

renc	h				
Гуре	Panel	SP1	Operating Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
	AFRS2668		31 ³ / ₁₆ × 76 ⁷ / ₈	21 ¹³ / ₁₆ × 64 ³ / ₁₆	22 ¹³ / ₁₆ × 65 ³ / ₁₆
	AFRS26610		31 ³ / ₁₆ × 78 ⁷ / ₈	21 ¹³ / ₁₆ × 66 ³ / ₁₆	22 ¹³ / ₁₆ × 67 ³ / ₁₆
	AFRS2680	SP1	31 ³ / ₁₆ × 92 ⁷ / ₈	21 ¹³ / ₁₆ × 80 ³ / ₁₆	22 ¹³ / ₁₆ × 81 ³ / ₁₆
	AFRS3068		37 ³ / ₁₆ × 76 ⁷ / ₈	27 ¹³ / ₁₆ × 64 ³ / ₁₆	28 ¹³ / ₁₆ × 65 ³ / ₁₆
	AFRS30610		37 ³ / ₁₆ × 78 ⁷ / ₈	27 ¹³ / ₁₆ × 66 ³ / ₁₆	28 ¹³ / ₁₆ × 67 ³ / ₁₆
	AFRS3080		37 ³ / ₁₆ × 92 ⁷ / ₈	27 ¹³ / ₁₆ × 80 ³ / ₁₆	28 ¹³ / ₁₆ × 81 ³ / ₁₆
	AFRS4068		49 ³ / ₁₆ × 76 ⁷ / ₈	30 ¹³ / ₁₆ × 64 ³ / ₁₆	40 ¹³ / ₁₆ × 65 ³ / ₁₆
	AFRS40610		49 ³ / ₁₆ × 78 ⁷ / ₈	30 ¹³ / ₁₆ × 66 ³ / ₁₆	40 ¹³ / ₁₆ × 67 ³ / ₁₆
	AFRS4080		49 ³ / ₁₆ × 92 ⁷ / ₈	30 ¹³ / ₁₆ × 80 ³ / ₁₆	40 ¹³ / ₁₆ × 81 ³ / ₁₆
		4 ¹¹ / ₁₆ " stiles, 4 ¹¹ / ₁₆ " top rail & 8" bottom rail			
			Operating Panel	Unobstructed Glass	Actual Glass
	Panel	SP2	(w x h)	(w x h)	(w x h)
	AFRS2668		31 ³ / ₁₆ × 76 ⁷ / ₈	21 ¹³ / ₁₆ × 60 ³ / ₁₆	$22^{13}/_{16} \times 61^{3}/_{16}$
F	AFRS26610		31 ³ / ₁₆ × 78 ⁷ / ₈	21 ¹³ / ₁₆ × 62 ³ / ₁₆	$22^{13}/_{16} \times 63^{3}/_{16}$
R	AFRS2680	SP2	31 ³ / ₁₆ × 92 ⁷ / ₈	21 ¹³ / ₁₆ × 76 ³ / ₁₆	$22^{13}/_{16} \times 77^{3}/_{16}$
	AFRS3068		$37^{3}/_{16} \times 76^{7}/_{8}$	$27^{13}/_{16} \times 60^{3}/_{16}$	$28^{13}/_{16} \times 61^{3}/_{16}$
E	AFRS30610		37 ³ / ₁₆ × 78 ⁷ / ₈	27 ¹³ / ₁₆ × 62 ³ / ₁₆	$28^{13}/_{16} \times 63^{3}/_{16}$
N	AFRS3080		37 ³ / ₁₆ × 92 ⁷ / ₈	$27^{13}/_{16} \times 76^{3}/_{16}$	$28^{13}/_{16} \times 77^{3}/_{16}$
C	AFRS4068		49 ³ / ₁₆ × 76 ⁷ / ₈	30 ¹³ / ₁₆ × 60 ³ / ₁₆	$40^{-13}/_{16} \times 61^{-3}/_{16}$
Н	AFRS40610		49 ³ / ₁₆ × 78 ⁷ / ₈	30 ¹³ / ₁₆ × 62 ³ / ₁₆	40 ¹³ / ₁₆ × 63 ³ / ₁₆
• •	AFRS4080		49 ³ / ₁₆ × 92 ⁷ / ₈	30 ¹³ / ₁₆ × 76 ³ / ₁₆	40 ¹³ / ₁₆ × 77 ³ / ₁₆
		4 11/16 " stiles, 4 11/16 " top rail & 12" bottom rail			
	Panel	SP4	Operating Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
	AFRS2668	51.7	30 ³ / ₈ × 76 ⁷ / ₈	21 ¹³ / ₁₆ × 67 ¹ / ₂	22 ¹³ / ₁₆ × 68 ¹ / ₂
	AFRS26610		30 ³ / ₈ × 78 ⁷ / ₈	21 ¹³ / ₁₆ × 69 ¹ / ₂	$\frac{22^{13}/_{16} \times 70^{1}/_{2}}{22^{13}/_{16} \times 70^{1}/_{2}}$
	AFRS2680	SP4	30 ³ / ₈ × 92 ⁷ / ₈	21 ¹³ / ₁₆ × 83 ¹ / ₂	22 ¹³ / ₁₆ × 84 ¹ / ₂
	AFRS3068		36 ³ / ₈ × 76 ⁷ / ₈	$\frac{27^{13}/_{16} \times 67^{1}/_{2}}{27^{13}/_{16} \times 67^{1}/_{2}}$	$\frac{27^{13}/_{16} \times 68^{1}/_{2}}{27^{13}/_{16} \times 68^{1}/_{2}}$
	AFRS30610		36 ³ / ₈ × 78 ⁷ / ₈	$\frac{27^{13}/_{16} \times 67^{1/2}}{27^{13}/_{16} \times 69^{1/2}}$	$\frac{27^{-16} \times 30^{-7}}{27^{-13}/_{16} \times 70^{-1}/_{2}}$
	AFRS3080		36 ³ / ₈ × 92 ⁷ / ₈	27 ¹³ / ₁₆ × 83 ¹ / ₂	$\frac{27^{-13}/_{16} \times 84^{-1}/_{2}}{27^{-13}/_{16} \times 84^{-1}/_{2}}$
	AFRS4068		48 ³ / ₈ × 76 ⁷ / ₈	39 ¹³ / ₁₆ × 67 ¹ / ₂	$\frac{27 + 7_{16} \times 64 + 7_{2}}{39^{13} / _{16} \times 68^{1} / _{2}}$
	AFRS40610		48 ³ / ₈ × 78 ⁷ / ₈	39 ¹³ / ₁₆ × 69 ¹ / ₂	$\frac{39^{-1/16} \times 00^{-1/2}}{39^{-13/16} \times 70^{-1/2}}$
	AFRS4080		48 ³ / ₈ × 92 ⁷ / ₈	39 ¹³ / ₁₆ × 83 ¹ / ₂	$\frac{39^{-1/16} \times 70^{-1/2}}{39^{-13/16} \times 84^{-1/2}}$
	A1 104000		40 -/8 × 9Z ·/8	39 -7 ₁₆ × 03 -7 ₂	39 -/ ₁₆ × 04 -/ ₂

2-Panel, 4-Panel, and Stationary

Panels - Operating

Conte	mporary				
Туре	Panel	SP3	Operating Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
С	APAT2668		30 ³ / ₈ × 76 ⁷ / ₈	24 ⁷ / ₈ × 71 ³ / ₈	$25^{7}/_{8} \times 72^{3}/_{8}$
0	APAT26610		30 ³ / ₈ × 78 ⁷ / ₈	24 ⁷ / ₈ × 73 ³ / ₈	25 ⁷ / ₈ × 74 ³ / ₈
N	APAT2680	SP3	30 ³ / ₈ × 92 ⁷ / ₈	24 ⁷ / ₈ × 87 ³ / ₈	$25^{7}/_{8} \times 88^{3}/_{8}$
T	APAT3068		36 ³ / ₈ × 76 ⁷ / ₈	30 ⁷ / ₈ × 71 ³ / ₈	$31^{7}/_{8} \times 72^{3}/_{8}$
<u> </u>	APAT30610		36 ³ / ₈ × 78 ⁷ / ₈	30 ⁷ / ₈ × 73 ³ / ₈	31 ⁷ / ₈ × 74 ³ / ₈
E	APAT3080		36 ³ / ₈ × 92 ⁷ / ₈	30 ⁷ / ₈ × 87 ³ / ₈	31 ⁷ / ₈ × 88 ³ / ₈
M	APAT4068		48 ³ / ₈ × 76 ⁷ / ₈	42 ⁷ / ₈ × 71 ³ / ₈	$43^{7}/_{8} \times 72^{3}/_{8}$
Р	APAT40610		48 ³ / ₈ × 78 ⁷ / ₈	42 ⁷ / ₈ × 73 ³ / ₈	43 ⁷ / ₈ × 74 ³ / ₈
0	APAT4080		48 ³ / ₈ × 92 ⁷ / ₈	42 ⁷ / ₈ × 87 ³ / ₈	$43^{7}/_{8} \times 88^{3}/_{8}$
R		2 ¾ " stiles & rails			
Α					
R					
Υ					

Panel Usage Chart				
Panel	Operating Panel (w x h)	Used on 2-Panel Unit	Used on 4-Panel Unit	
2668	30 ³ / ₈ × 76 ⁷ / ₈	5068	10068	
26610	30 ³ / ₈ × 78 ⁷ / ₈	50610	100610	
2680	30 ³ / ₈ × 92 ⁷ / ₈	5080	10080	
3068	36 ³ / ₈ × 76 ⁷ / ₈	6068	12068	
30610	36 ³ / ₈ × 78 ⁷ / ₈	60610	120610	
3080	36 ³ / ₈ × 92 ⁷ / ₈	6080	12080	
4068	48 ³ / ₈ × 76 ⁷ / ₈	8068	16068	
40610	48 ³ / ₈ × 78 ⁷ / ₈	80610	160610	
4080	48 ³ / ₈ × 92 ⁷ / ₈	8080	16080	




Panels - Operating

Operating Panels

Panel - Operating

Note:

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors is configurable in iQ+. Product ID label is located on top edge of operating panel. French/Traditional = AFRS. Contemporary = APAT.



Exterior color options:
Interior species/finish/color options:
Glass options (See Logo Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® Triple- Pane
Low-E4® SmartSun™	Low-E4® Smart- Sun HeatLock	Low-E4® Smart- Sun Triple-Pane
Low-E4® Passive Sun	Low-E4® Sun Heat- Lock	Low-E4® Enhanced Triple-Pane
Low-E4® Sun	Low-E4 [®] HeatLock Tempered	Low-E4® Smart- Sun Enhanced Tri- ple-Pane
Low-E4® Tempered	Obscure	Low-E4® Enhanced Triple-Pane Heat- Lock
Low-E4® SmartSun Tempered	Cascade	Low-E4® Smart- Sun Enhanced Tri- ple-Pane HeatLock
Low-E4® Passive Sun Tempered	Fern	
Low-E4® Sun Tempered	Reed	

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- Unit or frame size (AFRS/APAT XXXX or frame W x H dimensions)
- 2. Description of part (Operating Panel)
- 3. Type (French 4 $^{11}/_{16}$, 8" or 12", Contemporary 2 $^{3}/_{4}$)
- 4. Handing (Right, Left)
- 5. Exterior color of panel
- 6. Interior wood species of panel
- 7. Interior finish/color of panel
- 8. Glazing/Grille type

2-Panel, 4-Panel, and Stationary

Panels - Operating

Glass Stops

Stops - Top / Bottom / Side

Note:

Stops (top, bottom and side) are made to order.

* Actual wood is sapele, a non-endangered species of mahogany, grown in Africa, with color and characteristics similar to American mahoganies.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Top, Bottom, Side)
- 4. Type (Ovolo, Contemporary)
- 5. Manufacturing Date

Interior species/finish/color options









Panels - Operating

Panel Parts - Operating





	Order No.
5 1/4	0017312

Screw - Tandem Roller Ref. page 13			
	Description	Order No.	
	#6 X 1 PFHSMS TYPE A Z&Y	0013399	

Cap Ref. page 13	
Note: Order by description, specifying color (beige, white) and frame height.	
	Order No.
	By description

Plug - Roller Hole Ref. page 13

2-Panel, 4-Panel, and Stationary

Panels - Operating



Wedge Ref. page 13	
Note: Used on operating and stationary panels.	
Osed on operating and stationary panels.	Order No.
LULULULULUL	0069295



Panels - Operating

Astragal with Screws - 4 Panel

Astragal with Screws - 4 Panel / Interior Ref. page 13

Note:

Astragal is made to order.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Unit or frame size (ABFRS/ABPAT XXXX or frame W x H dimensions)
- 2. Description of part (Astragal Interior)
- 3. Interior wood species of panel
- 4. Interior finish/color of panel

Astragal with Screws - 4 Panel / Exterior Ref. page 13

Note:

Astragal is made to order.

To order, state:

Product ID (from product label, see Service Guide 9051877)


OR

- 1. Unit or frame size (ABFRS/ABPAT XXXX or frame W x H dimensions)
- 2. Description of part (Astragal Exterior)
- 3. Exterior color/finish of panel

Weatherstrip - Operating / Astragal / Outside Ref. page 13				
	Length	Order No.		
	96″	0614913		
	120″	0614916		

Screw - Astragal			
Note: Screw used in multi	inle locations		
Screw used in main	pie locations.		
1 1/4		Description	Order No.
	+	#7 X 1 1/4 PFHSMS TYPE AB SS	0027959

Panels - Stationary/Sidelight





Panels - Stationary/Sidelight

Stationary Panel Size Table

Note:

Stationary Panel is measured outside edge to outside edge of frame.

Unobstructed Glass is dimension from outside edge to outside edge of visible glass only.

Actual Glass is dimension of outside edge to outside edge of glass, including glass that is not visible.

Frenc	h				
Туре	Panel	SP1	Stationary Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
	AFRS2668		31 ³ / ₁₆ × 76 ⁷ / ₈	21 ¹³ / ₁₆ × 64 ³ / ₁₆	22 ¹³ / ₁₆ × 65 ³ / ₁₆
	AFRS26610		31 ³ / ₁₆ × 78 ⁷ / ₈	21 ¹³ / ₁₆ × 66 ³ / ₁₆	22 ¹³ / ₁₆ × 67 ³ / ₁₆
	AFRS2680	SP1	31 ³ / ₁₆ × 92 ⁷ / ₈	21 ¹³ / ₁₆ × 80 ³ / ₁₆	22 ¹³ / ₁₆ × 81 ³ / ₁₆
	AFRS3068		37 ³ / ₁₆ × 76 ⁷ / ₈	27 ¹³ / ₁₆ × 64 ³ / ₁₆	28 ¹³ / ₁₆ × 65 ³ / ₁₆
	AFRS30610		37 ³ / ₁₆ × 78 ⁷ / ₈	27 ¹³ / ₁₆ × 66 ³ / ₁₆	28 ¹³ / ₁₆ × 67 ³ / ₁₆
	AFRS3080		37 ³ / ₁₆ × 92 ⁷ / ₈	27 ¹³ / ₁₆ × 80 ³ / ₁₆	28 ¹³ / ₁₆ × 81 ³ / ₁₆
	AFRS4068		49 ³ / ₁₆ × 76 ⁷ / ₈	30 ¹³ / ₁₆ × 64 ³ / ₁₆	40 ¹³ / ₁₆ × 65 ³ / ₁₆
	AFRS40610		49 ³ / ₁₆ × 78 ⁷ / ₈	30 ¹³ / ₁₆ × 66 ³ / ₁₆	40 ¹³ / ₁₆ × 67 ³ / ₁₆
	AFRS4080		49 ³ / ₁₆ × 92 ⁷ / ₈	30 ¹³ / ₁₆ × 80 ³ / ₁₆	40 ¹³ / ₁₆ × 81 ³ / ₁₆
		4 ¹¹ / ₁₆ " stiles, 4 ¹¹ / ₁₆ " top rail & 8" bottom rail			
			Stationary Panel	Unobstructed Glass	Actual Glass
	Panel	SP2	(w x h)	(w x h)	(w x h)
	AFRS2668		31 ³ / ₁₆ × 76 ⁷ / ₈	21 ¹³ / ₁₆ × 60 ³ / ₁₆	$22^{13}/_{16} \times 61^{3}/_{16}$
F	AFRS26610		31 ³ / ₁₆ × 78 ⁷ / ₈	21 ¹³ / ₁₆ × 62 ³ / ₁₆	$22^{13}/_{16} \times 63^{3}/_{16}$
R	AFRS2680	SP2	31 ³ / ₁₆ × 92 ⁷ / ₈	21 ¹³ / ₁₆ × 76 ³ / ₁₆	$22^{13}/_{16} \times 77^{3}/_{16}$
	AFRS3068		$37^{3}/_{16} \times 76^{7}/_{8}$	$27^{13}/_{16} \times 60^{3}/_{16}$	$28^{13}/_{16} \times 61^{3}/_{16}$
Ε	AFRS30610		37 ³ / ₁₆ × 78 ⁷ / ₈	27 ¹³ / ₁₆ × 62 ³ / ₁₆	$28^{13}/_{16} \times 63^{3}/_{16}$
N	AFRS3080		$37^{3}/_{16} \times 92^{7}/_{8}$	$27^{13}/_{16} \times 76^{3}/_{16}$	$28^{13}/_{16} \times 77^{3}/_{16}$
C	AFRS4068		49 ³ / ₁₆ × 76 ⁷ / ₈	30 ¹³ / ₁₆ × 60 ³ / ₁₆	$40^{13}/_{16} \times 61^{3}/_{16}$
Н	AFRS40610		49 ³ / ₁₆ × 78 ⁷ / ₈	30 ¹³ / ₁₆ × 62 ³ / ₁₆	$40^{13}/_{16} \times 63^{3}/_{16}$
	AFRS4080		49 ³ / ₁₆ × 92 ⁷ / ₈	30 ¹³ / ₁₆ × 76 ³ / ₁₆	$40^{13}/_{16} \times 77^{3}/_{16}$
		4 ¹¹ / ₁₆ " stiles, 4 ¹¹ / ₁₆ " top rail & 12" bottom rail			
	Panel	SP4	Stationary Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
	AFRS2668		30 ³ / ₈ × 76 ⁷ / ₈	21 ¹³ / ₁₆ × 67 ¹ / ₂	22 ¹³ / ₁₆ × 68 ¹ / ₂
	AFRS26610		30 ³ / ₈ × 78 ⁷ / ₈	21 ¹³ / ₁₆ × 69 ¹ / ₂	22 ¹³ / ₁₆ × 70 ¹ / ₂
	AFRS2680	SP4	30 ³ / ₈ × 92 ⁷ / ₈	21 ¹³ / ₁₆ × 83 ¹ / ₂	22 ¹³ / ₁₆ × 84 ¹ / ₂
	AFRS3068		36 ³ / ₈ × 76 ⁷ / ₈	27 ¹³ / ₁₆ × 67 ¹ / ₂	27 ¹³ / ₁₆ × 68 ¹ / ₂
	AFRS30610		36 ³ / ₈ × 78 ⁷ / ₈	27 ¹³ / ₁₆ × 69 ¹ / ₂	27 ¹³ / ₁₆ × 70 ¹ / ₂
	AFRS3080		36 ³ / ₈ × 92 ⁷ / ₈	27 ¹³ / ₁₆ × 83 ¹ / ₂	27 ¹³ / ₁₆ × 84 ¹ / ₂
	AFRS4068		48 ³ / ₈ × 76 ⁷ / ₈	39 ¹³ / ₁₆ × 67 ¹ / ₂	39 ¹³ / ₁₆ × 68 ¹ / ₂
	AFRS40610		48 ³ / ₈ × 78 ⁷ / ₈	39 ¹³ / ₁₆ × 69 ¹ / ₂	39 ¹³ / ₁₆ × 70 ¹ / ₂
	AFRS4080		48 ³ / ₈ × 92 ⁷ / ₈	39 ¹³ / ₁₆ × 83 ¹ / ₂	39 ¹³ / ₁₆ × 84 ¹ / ₂
		4 11/16 " stiles & rails			

2-Panel, 4-Panel, and Stationary

Panels - Stationary/Sidelight

Conte	Contemporary					
Туре	Panel	SP3	Stationary Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)	
С	APAT2668		30 ³ / ₈ × 76 ⁷ / ₈	24 ⁷ / ₈ × 71 ³ / ₈	$25^{7}/_{8} \times 72^{3}/_{8}$	
0	APAT26610		30 ³ / ₈ × 78 ⁷ / ₈	24 ⁷ / ₈ × 73 ³ / ₈	25 ⁷ / ₈ × 74 ³ / ₈	
N	APAT2680	SP3	30 ³ / ₈ × 92 ⁷ / ₈	24 ⁷ / ₈ × 87 ³ / ₈	$25^{7}/_{8} \times 88^{3}/_{8}$	
T	APAT3068		36 ³ / ₈ × 76 ⁷ / ₈	30 ⁷ / ₈ × 71 ³ / ₈	31 ⁷ / ₈ × 72 ³ / ₈	
<u> </u>	APAT30610		36 ³ / ₈ × 78 ⁷ / ₈	30 ⁷ / ₈ × 73 ³ / ₈	31 ⁷ / ₈ × 74 ³ / ₈	
E	APAT3080		36 ³ / ₈ × 92 ⁷ / ₈	30 ⁷ / ₈ × 87 ³ / ₈	31 ⁷ / ₈ × 88 ³ / ₈	
M	APAT4068		48 ³ / ₈ × 76 ⁷ / ₈	42 ⁷ / ₈ × 71 ³ / ₈	43 ⁷ / ₈ × 72 ³ / ₈	
Р	APAT40610		48 ³ / ₈ × 78 ⁷ / ₈	42 ⁷ / ₈ × 73 ³ / ₈	43 ⁷ / ₈ × 74 ³ / ₈	
0	APAT4080		48 ³ / ₈ × 92 ⁷ / ₈	42 ⁷ / ₈ × 87 ³ / ₈	43 ⁷ / ₈ × 88 ³ / ₈	
R		2 ¾" stiles & rails				
A						
R						
Υ						

Panel Usage Chart				
Panel	Operating Panel (w x h)	Used on 2-Panel Unit	Used on 4-Panel Unit	
2668	30 ³ / ₈ × 76 ⁷ / ₈	5068	10068	
26610	30 ³ / ₈ × 78 ⁷ / ₈	50610	100610	
2680	30 ³ / ₈ × 92 ⁷ / ₈	5080	10080	
3068	36 ³ / ₈ × 76 ⁷ / ₈	6068	12068	
30610	36 ³ / ₈ × 78 ⁷ / ₈	60610	120610	
3080	36 ³ / ₈ × 92 ⁷ / ₈	6080	12080	
4068	48 ³ / ₈ × 76 ⁷ / ₈	8068	16068	
40610	48 ³ / ₈ × 78 ⁷ / ₈	80610	160610	
4080	48 ³ / ₈ × 92 ⁷ / ₈	8080	16080	



Panels - Stationary/Sidelight

Sidelight Panel Size Table

Note:

Sidelight Panel is measured outside edge to outside edge of frame.

Unobstructed Glass is dimension from outside edge to outside edge of visible glass only.

Actual Glass is dimension of outside edge to outside edge of glass, including glass that is not visible.

Frenc	h				
Туре	Panel	SP1	Sidelight Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
	AFRS2668		30 ³ / ₈ × 76 ⁷ / ₈	21 × 64 ³ / ₁₆	22 × 65 ³ / ₁₆
	AFRS26610		30 ³ / ₈ × 78 ⁷ / ₈	21 × 66 ³ / ₁₆	$22 \times 67^{3}/_{16}$
	AFRS2680	SP1	30 ³ / ₈ × 92 ⁷ / ₈	21 × 80 ³ / ₁₆	22 × 81 ³ / ₁₆
	AFRS3068		36 ³ / ₈ × 76 ⁷ / ₈	27 × 64 ³ / ₁₆	$28 \times 65 ^{3}/_{16}$
	AFRS30610		36 ³ / ₈ × 78 ⁷ / ₈	27 × 66 ³ / ₁₆	$28 \times 67^{3}/_{16}$
	AFRS3080		36 ³ / ₈ × 92 ⁷ / ₈	27 × 80 ³ / ₁₆	28 × 81 ³ / ₁₆
	AFRS4068		48 ³ / ₈ × 76 ⁷ / ₈	30 × 64 ³ / ₁₆	$40 \times 65 ^{3}/_{16}$
	AFRS40610		48 ³ / ₈ × 78 ⁷ / ₈	30 × 66 ³ / ₁₆	40 × 67 ³ / ₁₆
	AFRS4080		48 ³ / ₈ × 92 ⁷ / ₈	30 × 80 ³ / ₁₆	$40 \times 81^{3}/_{16}$
		4 ¹¹ / ₁₆ " stiles, 4 ¹¹ / ₁₆ " top rail & 8" bottom rail			
			Sidelight Panel	Unobstructed Glass	Actual Glass
	Panel	SP2	(w x h)	(w x h)	(w x h)
	AFRS2668		30 ³ / ₈ × 76 ⁷ / ₈	21 × 60 ³ / ₁₆	$22 \times 61 ^{3}/_{16}$
F	AFRS26610		30 ³ / ₈ × 78 ⁷ / ₈	21 × 62 ³ / ₁₆	$22\times63^{3}/_{16}$
R	AFRS2680	SP2	30 ³ / ₈ × 92 ⁷ / ₈	21 × 76 ³ / ₁₆	22 × 77 ³ / ₁₆
	AFRS3068		36 ³ / ₈ × 76 ⁷ / ₈	27 × 60 ³ / ₁₆	$28 \times 61 ^{3}/_{16}$
Ε	AFRS30610		$36^{3}/_{8} \times 78^{7}/_{8}$	27 × 62 ³ / ₁₆	$28 \times 63^{3}/_{16}$
N	AFRS3080		36 ³ / ₈ × 92 ⁷ / ₈	$27 \times 76 ^{3}/_{16}$	$28 \times 77^{3}/_{16}$
C	AFRS4068		48 ³ / ₈ × 76 ⁷ / ₈	30 × 60 ³ / ₁₆	$40 \times 61 ^{3}/_{16}$
Н	AFRS40610		48 ³ / ₈ × 78 ⁷ / ₈	30 × 62 ³ / ₁₆	$40 \times 63^{3}/_{16}$
	AFRS4080		48 ³ / ₈ × 92 ⁷ / ₈	$30 \times 76 ^{3}/_{16}$	$40 \times 77^{3}/_{16}$
		4 ¹¹ / ₁₆ " stiles, 4 ¹¹ / ₁₆ " top rail & 12" bottom rail			
	Panel	SP4	Sidelight Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)
	AFRS2668	• • •	30 ³ / ₈ × 76 ⁷ / ₈	21 × 67 ¹ / ₂	22 × 68 ½
	AFRS26610		30 ³ / ₈ × 78 ⁷ / ₈	21 × 69 ¹ / ₂	22 × 70 ½
	AFRS2680	SP4	30 ³ / ₈ × 92 ⁷ / ₈	21 × 83 ¹ / ₂	22 × 84 ¹ / ₂
	AFRS3068		36 ³ / ₈ × 76 ⁷ / ₈	27 × 67 ¹ / ₂	27 × 68 ½
	AFRS30610		36 ³ / ₈ × 78 ⁷ / ₈	27 × 69 ¹ / ₂	27 × 70 ¹ / ₂
	AFRS3080		36 ³ / ₈ × 92 ⁷ / ₈	27 × 83 ¹ / ₂	27 × 84 ¹ / ₂
	AFRS4068		48 ³ / ₈ × 76 ⁷ / ₈	39 × 67 ¹ / ₂	39 × 68 ¹ / ₂
	AFRS40610		48 ³ / ₈ × 78 ⁷ / ₈	39 × 69 ¹ / ₂	39 × 70 ½
	AFRS4080		48 ³ / ₈ × 92 ⁷ / ₈	39 × 83 ¹ / ₂	39 × 84 ½
		4 11/16 " stiles & rails	J U	2	2

2-Panel, 4-Panel, and Stationary

Panels - Stationary/Sidelight

Conte	Contemporary						
Туре	Panel	SP3	Sidelight Panel (w x h)	Unobstructed Glass (w x h)	Actual Glass (w x h)		
С	APAT2668		$30^{3}/_{8} \times 76^{7}/_{8}$	24 ⁷ / ₈ × 71 ³ / ₈	$25^{7}/_{8} \times 72^{3}/_{8}$		
0	APAT26610		30 ³ / ₈ × 78 ⁷ / ₈	24 ⁷ / ₈ × 73 ³ / ₈	25 ⁷ / ₈ × 74 ³ / ₈		
N	APAT2680	SP3	30 ³ / ₈ × 92 ⁷ / ₈	24 ⁷ / ₈ × 87 ³ / ₈	$25^{7}/_{8} \times 88^{3}/_{8}$		
	APAT3068		36 ³ / ₈ × 76 ⁷ / ₈	30 ⁷ / ₈ × 71 ³ / ₈	31 ⁷ / ₈ × 72 ³ / ₈		
<u> </u>	APAT30610		36 ³ / ₈ × 78 ⁷ / ₈	30 ⁷ / ₈ × 73 ³ / ₈	$31^{7}/_{8} \times 74^{3}/_{8}$		
E	APAT3080		36 ³ / ₈ × 92 ⁷ / ₈	30 ⁷ / ₈ × 87 ³ / ₈	31 ⁷ / ₈ × 88 ³ / ₈		
M	APAT4068		48 ³ / ₈ × 76 ⁷ / ₈	42 ⁷ / ₈ × 71 ³ / ₈	$43^{7}/_{8} \times 72^{3}/_{8}$		
Р	APAT40610		48 ³ / ₈ × 78 ⁷ / ₈	42 ⁷ / ₈ × 73 ³ / ₈	43 ⁷ / ₈ × 74 ³ / ₈		
0	APAT4080		48 ³ / ₈ × 92 ⁷ / ₈	42 ⁷ / ₈ × 87 ³ / ₈	$43^{7}/_{8} \times 88^{3}/_{8}$		
R		2 3/4" stiles & rails					
_							
Α							
R							
Υ							




Panels - Stationary/Sidelight

Stationary/Sidelight Panels

Panel - Stationary/Sidelight

Note

Tempered safety glass is standard on patio doors. Replacement panel for standard and custom-sized doors is configurable in iQ+. Product ID label is located on top edge of operating panel. French/Traditional = AFRS. Contemporary = APAT.



Exterior color options:
Interior species/finish/color options:
Glass options (See Logo Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® Triple- Pane
Low-E4® SmartSun™	Low-E4® Smart- Sun HeatLock	Low-E4® Smart- Sun Triple-Pane
Low-E4® Passive Sun	Low-E4® Sun Heat- Lock	Low-E4® Enhanced Triple-Pane
Low-E4 [®] Sun	Low-E4® HeatLock Tempered	Low-E4® Smart- Sun Enhanced Tri- ple-Pane
Low-E4® Tempered	Obscure	Low-E4® Enhanced Triple-Pane Heat- Lock
Low-E4® SmartSun Tempered	Cascade	Low-E4® Smart- Sun Enhanced Tri- ple-Pane HeatLock
Low-E4® Passive Sun Tempered	Fern	
Low-E4® Sun Tem- pered	Reed	

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- Unit or frame size (AFRS/APAT XXXX or frame W x H dimensions)
- 2. Description of part (Stationary/Sidelight Panel)
- 3. Type (French 4 $^{11}/_{16}$, 8" or 12", Contemporary 2 $^{3}/_{4}$)
- 4. Handing (Right, Left)
- 5. Exterior color of panel
- 6. Interior wood species of panel
- 7. Interior finish/color of panel
- 8. Glazing/Grille type

2-Panel, 4-Panel, and Stationary

Panels - Stationary/Sidelight

Glass Stops

Stops - Top / Bottom / Side

Note:

Stops (top, bottom and side) are made to order.

* Actual wood is sapele, a non-endangered species of mahogany, grown in Africa, with color and characteristics similar to American mahoganies.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Glass Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Top, Bottom, Side)
- 4. Type (Ovolo, Contemporary)
- 5. Manufacturing Date

Interior species/finish/color options







Panels - Stationary/Sidelight

Panel Parts - Stationary

Support Block Retainer	Ref. page 21	
		Order No.
		0071197

Screw - Support	Block Retai	ner	
Note: Screw used in mult	tiple locations.		
1 1/.		Description	Order No.
annuninun (+	#7 X 1 1/4 PFHSMS TYPE AB SS	0027959


Glass

Glass

Glass

Note:

Replacement glass is made to order and can be configured through iQ+. Current glazings replace previous vintage glazings. Product ID label is located on the head jamb. Glass ships with sealant and spacers.



Exterior color options: Interior species/finish/color options:

Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® SmartSun HeatLock
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Triple- Pane
Low-E4® Passive Sun	Low-E4® Sun Heat- Lock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun Enhanced Triple- Pane
Low-E4® SmartSun Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat- Lock
Low-E4® Passive Sun Tempered	Fern	Low-E4® Smart-Sun Enhanced Triple- Pane HeatLock
Low-E4® Sun Tem- pered	Reed	Рапе неацоск

To order, state:

Product ID (from product label, see Service Guide 9051877)

- Unit or frame size (AFRS/APAT XXXX or frame W x H dimensions)
- 2. Description of part (Low-E4® Glass)
- 3. Glazing/Grille type
- 4. Glass Stop Type (Ovolo, Contemporary)
- 5. Manufacturing Date



Glass

Glass Stops

Stops - Top / Bottom / Side

Note:

Stops (top, bottom and side) are made to order.

* Actual wood is sapele, a non-endangered species of mahogany, grown in Africa, with color and characteristics similar to American mahoganies.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Top, Bottom, Side)
- 4. Type (Ovolo, Contemporary)
- 5. Manufacturing Date

Interior species/finish/color options





2-Panel, 4-Panel, and Stationary

Glass

Glass Parts		
Glazing Tape		
	Color	Order No.
	Gray	33751RL
Silicone Bed Glazing		1
	Color	Order No.
	Dove Gray	9164412
Spacer		
	Size	Order No.
	3 x ¹ / ₄ x ¹ / ₁₆	9152146



Interlock Weatherstrip

Interlock Interlock / Operating Ref. page 13 Used on operating panels. Order by description, specifying unit height. Unit No. **Unit Height** AFRS/APAT68 80" AFRS/APAT610 82" AFRS/APAT80 96" Interlock / Stationary Ref. page 21 Used on stationary panels. Order by description, specifying unit height and exterior color. Unit No. **Unit Height** AFRS/APAT68 80" AFRS/APAT610 82" AFRS/APAT80 96"

Weatherstrip Ref. page 21						
Note: Used on stationary panel.						
71		Color	Size	Order No.		
		Black	25' (300″)	9174913		

Weatherstrip Ref. page 21			
Note: Used on stationary panel.			
Oseu on stationary paner.	Color	Size	Order No.
	White	96″	9117400
	Beige	90	9117182

Interlock Plug		
Note:		
	LS	SR
9152265 LS 9152266 SR	By description	By description

2-Panel, 4-Panel, and Stationary

Interlock Weatherstrip

(*) Anodized finishes.								
Color	2604	2605*	Color	2604	2605*			
Canvas	0011694	0K18319	Dark Bronze	0049454	0K20948			
Prairie Grass	0011697		Red Rock	0011698	0K18321			
Pebble Tan	0611948		Dove Gray	0011695	0K18320			
Chocolate Chip	9105811		Black	0011693	0K17658			
Cocoa Bean	0011696		Champagne*	9096574				
Shim Ref. page 13								
				Size	Order No.			
0 0 0 0	С			White	0011415			

Screw - Stationary Interlock



Insect Screens

Insect Screen Graphic - Top Hung Gliding

Note:

Available through iQ+ as a configured item. Charcoal fiberglass screen mesh or aluminum screen mesh.



Top Hung Gliding

Top Hung Insect Screen

2-Panel, 4-Panel, and Stationary

Insect Screens

Top Hung I	nsect Screen Hardware - 2-Panel			
Note:				
Handle - Insect Screen / 2 Panel				
	Package Includes:	Order No.		
	(1) Handle (?) ????″ screws	By description		
Strike - Insect	t Screen / 2 Panel			
	Package Includes:	Order No.		
	(1) Strike (?) ????" screws	By description		

Insect Screen Roller (xxxx to Present)						
	Note:	Upper	Lower			
	Need two (2) per insect screen.	0604908	By description			
Upper						
Lower						



Insect Screens

Insect Screen Graphic - Concealed (Retractable)

Note:

Available through iQ+ as a configured item. Charcoal fiberglass screen mesh.



Retractable

Concealed (Retractable) Insect Screen

2-Panel, 4-Panel, and Stationary

Grilles

Grille Options

Note

Replacement sash with permanently applied grilles and finelight grilles can be configured in iQ. Replacement removable interior grilles can be configured in iQ. Removable grilles are only available in 7/8" profile.

Types



Full Divided Light

Give any window an authentic look with full divided light grilles that are permanently applied to the interior and exterior of your window with a spacer between the glass.



Simulated Divided Light

An economical solution with traditional beauty, our Simulated Divided Light features fixed exterior and interior grilles without an internal spacer.



Removable Interior Wood Grilles


Our removable wood grilles are installed on the interior surface. They are available with an optional surround and an optional permanently applied exterior grille.




Finelight™ Grilles-Between-the-Glass

Aluminum grilles conveniently placed between two panes of glass make the glass easy to clean inside and out.

Profiles




Patterns





Hardware - Tribeca®

Note: See Accessory Guide 0005414. Multi-point lock/latch receiver and fasteners not included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set.



- 1. Interior Handle
- 2. Exterior Handle
- 3. #8 x 2 11/16" Oval Head Bolt
- 4. Latch Lever
- 5. <u>#10-16 X 1-3/4", PH W/#8 Oval</u> Head, Type AB Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel

Metro Collection Tribeca for Gliding Doors - 2-Panel Trim Set

Trim Set Hardware - Tribeca® / Interior and Exterior				
	Panels	Stone	White	Black
	2	2565696	2565694	9184666
	4	2565697	2565695	9184667
Trim Set Hardware - Tribeca® / Interior				
	Panels	Stone	White	Black
	2	2562078	2562076	9184664
	4	2562079	2562077	9184665
Trim Set Hardware - Tribeca® / Exterior				
	Panels	Stone	White	Black
	2	2562034	2562032	9184662
	4	2562035	2562033	9184663

E-Series Gliding Patio Doors (October 2016 to Present) 2-Panel, 4-Panel, and Stationary

Hardware

Handle - Tribeca® / Interior Ref. No. 1 page 38		
Note:	Finish	Order No.
Handles are sold assembled with escutcheon plates.	Stone	2573603
	White	2573602
	Black	9184677
Handle - Tribeca® / Exterior Ref. No. 2 page 38		
Note:	Finish	Order No.
Handles are sold assembled with escutcheon plates.	Stone	2573605
	White	2573604
	Black	9184678
Thumb Latch/Latch Lever - Tribeca® / Interior Lock Ref No.4 page 38		
Note:	Finish	Order No.
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	Stone	2573611
	White	2573609
	Black	9184679




Lock Assembly with Keys - Tribeca®

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks in quantities needed.

See Accessory Guide 0005196. See Installation Video.



	Lock Assembly		Keyed	l Alike
Finish	Left	Right	Left	Right
Stone	2573069	2573079	9056179	9056181
White	2573068	2573078	9056178	9056180
Black	9184674	9184675	9184693	9184694

Lock Assembly with Keys - Tribeca® / Exterior/ Keyed Alike Right-Hand and Left-Hand				
Note:	Finish	Order No.		
Contains 1 right hand and 1 left hand assembly	Stone	9056204		
	White	9056205		
	Black	9184695		

Key Cylinder - Tribeca®

Note:


Tribeca® lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package for Exteri	or Lock - Tribeca® (Pair)			
		Length	Finish	Order No.
	2 1/4"	Stone	2573648	
V		2 1/4"	White	2573647

Lock Housing		
Note:	Stone	White
Replace with entire exterior lock assembly.		/A

Hardware - Anvers®

Note: See Accessory Guide 0005414. Multi-point lock/latch receiver and fasteners not included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set.



- 1. Handle RH Interior/LH Exterior
- 2. Handle LH Interior/RH Exterior
- 3. #8 x 2" Oval Head Threaded Bolt
- 4. Latch Lever
- 5. #8 x 1 3/4" Oval Head Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel

Anvers® Gliding Patio Door Hardware - 2-Panel Trim Set

Trim Set Hardware - Anvers® / Interior and Exterior See Illustration page 41				
	Panels	Finish	Order No.	
	2	Bright Brass	2565539	
		Oil Rubbed Bronze	2565543	
		Satin Nickel	2565541	
	4	Bright Brass	2565540	
		Oil Rubbed Bronze	2565544	
		Satin Nickel	2565542	



Trim Set Hardware - Anvers® / Interior See Illustration page 41				
	Panels	Finish	Order No.	
	2	Bright Brass	2562092	
		Oil Rubbed Bronze	2562103	
		Satin Nickel	2562109	
	4	Bright Brass	2562093	
		Oil Rubbed Bronze	2562112	
		Satin Nickel	2562118	

Trim Set Hardware - Anvers® / Exterior See Illustration page 41			
	Panels	Finish	Order No.
	2	Bright Brass	2562048
		Oil Rubbed Bronze	2562066
		Satin Nickel	2562072
	4	Bright Brass	2562049
		Oil Rubbed Bronze	2562067
		Satin Nickel	2562073

Handle - Anvers® Ref. No. 1 & 2 page 41				
Note: Handles are sold assembled with escutcheon plates.	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior	
	Bright Brass	2573219	2573220	
	Oil Rubbed Bronze	2573221	2573222	
	Satin Nickel	2573223	2573224	

Thumb Latch / Latch Lever - Anvers® / Interior Lock Ref. No. 4 page 41					
Note:	Finish	Order No.			
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	Bright Brass	2573239			
	Oil Rubbed Bronze	2573240			
	Satin Nickel	2573241			

Screw Package - Trim Set / Anvers®

Note:

Screw package is included in the shared hardware section page 63.

2-Panel, 4-Panel, and Stationary

Hardware


Lock Assembly with Keys - Anvers®

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock As	Lock Assembly		l Alike
Finish	Left	Right	Left	Right
Bright Brass	2573269	2573090	9056172	9056175
Oil Rubbed Bronze	2573270	2573091	9056173	9056176
Satin Nickel	2573271	2573092	9056174	9056177

Lock Assembly with Keys - Anvers® / Exterior/ Keyed Alike Right-Hand and Left-Hand			
Note:	Finish	Order No.	
Contains 1 right hand and 1 left hand assembly	Bright Brass	9056201	
	Oil Rubbed Bronze	9056202	
	Satin Nickel	9056203	

Key Cylinder - Anvers®

Note:

Anvers® lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package - Anvers® / Exterior Lock

Note:


Bolt package is included in the lock parts / current section page 65.

Lock Housing - Anvers® / Exterior		
Note:	Finish	Order No.
Replace with complete exterior lock assembly.	Bright Brass	N/A
	Oil Rubbed Bronze	
	Satin Nickel	



Hardware - Newbury®

Note: See <u>Accessory Guide 0005414</u>. <u>Multi-point lock/latch receiver</u> and fasteners **not** included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set.



- 1. Handle RH Interior/LH Exterior
- 2. Handle LH Interior/RH Exterior
- 3. #8 x 2" Oval Head Threaded Bolt
- 4. Latch Lever
- 5. #8 x 1 3/4" Oval Head Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel
- 9. **Mounting Stud**

Newbury® Gliding Patio Door Hardware - Panel Trim Set

Trim Set Hardware - Newbury® / Interior and Exterior			
	Panels	Finish	Order No.
	2	Antique Brass	2565686
		Brushed Chrome	2579748
		Chrome	2565688
		H.P. Brass	2565684
		Oil Rubbed Bronze	2579744
		Satin Nickel	2579435
			I.
	4	Antique Brass	2565687
		Brushed Chrome	2579749
		Chrome	2565689
		H.P. Brass	2565685
		Oil Rubbed Bronze	2579745
		Satin Nickel	2579436

E-Series Gliding Patio Doors (October 2016 to Present) 2-Panel, 4-Panel, and Stationary

Hardware

Frim Set Hardware - Newbury® / Interior			
	Panels	Finish	Order No.
	2	Antique Brass	2562082
		Brushed Chrome	N/A
		Chrome	N/A
		H.P. Brass	2562080
		Oil Rubbed Bronze	2562088
		Satin Nickel	2562090
	4	Antique Brass	2562081
		Brushed Chrome	N/A
		Chrome	N/A
		H.P. Brass	2562083
		Oil Rubbed Bronze	2562089
		Satin Nickel	2562091

Trim Set Hardware - Newbury® / 2-Panel / Exterior			
	Panels	Finish	Order No.
	2	Antique Brass	2562036
		Brushed Chrome	N/A
		Chrome	N/A
		H.P. Brass	2562038
		Oil Rubbed Bronze	2562044
		Satin Nickel	2562046
	4	Antique Brass	2562037
		Brushed Chrome	N/A
		Chrome	N/A
		H.P. Brass	2562039
		Oil Rubbed Bronze	2562045
		Satin Nickel	2562047

Handle - Newbury® Ref. No. 1 and 2 page 44			
	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior
	Antique Brass	2573593	2573596
	Brushed Chrome	N/A	2579944
	Chrome	N/A	2573595
	H.P. Brass	2573594	2573597
	Oil Rubbed Bronze	2579941	2579943
	Satin Nickel	2579433	2579434



Thumb Latch / Latch Lever - Newbury® / Inside Lock Ref. No. 4 page 44		
Note:	Finish	Order No.
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	Antique Brass	2573599
	Brushed Chrome	2579950
	Chrome	2573598
	H.P. Brass	2573601
	Oil Rubbed Bronze	2579949
	Satin Nickel	2579425

Screw Package - Trim Set / Newbury®

Note:

Screw package is included in the shared hardware section page 63.

2-Panel, 4-Panel, and Stationary

Hardware


Lock Assembly with Keys - Newbury®

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock Assembly		Keyed	l Alike
Finish	Left	Right	Left	Right
Antique Brass	2573071	2573081	9056152	9056158
Brushed Chrome	2573075	2573085	9056153	9056159
Chrome	2573072	2573082	9056154	9056160
H.P. Brass	2573070	2573080	9056155	9056161
Oil Rubbed Bronze	2573074	2573084	9056156	9056162
Satin Nickel	2573073	2573083	9056157	9056163

Lock Assembly with Keys - Newbury®/ Exterior/ Keyed Alike Right-Hand and Left-Hand			
Note:	Finish	Order No.	
Contains 1 right hand and 1 left hand assembly	Antique Brass	9056206	
	Brushed Chrome	9056207	
	Chrome	9056208	
	H.P. Brass	9056209	
	Oil Rubbed Bronze	9056210	
	Satin Nickel	9056211	

Key Cylinder - Newbury®

Note

Newbury® lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package - Newbury® / Exterior Lock

Note:


Bolt package is included in the shared lock parts section page 65.

Note:	Finish	Order No
Replace with complete exterior lock assembly.	Antique Brass	N/A
	Brushed Chrome	
	Chrome	
	H.P. Brass	
	Oil Rubbed Bronze	
	Satin Nickel	



Hardware - Covington™

Note: See <u>Accessory Guide 0005414</u>. <u>Multi-point lock/latch receiver</u> and fasteners **not** included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set. Newbury is warranty replacement for items N/A.



Note:

Interior/Exterior handles and thumb latch come assembled.

- 1. Handle RH Interior/LH Exterior
- 2. Handle LH Interior/RH Exterior/
- 3. #8 x 2" Oval Head Threaded Bolt
- 4. Lever Latch
- 5. #8 x 1 3/4" Oval Head Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel
- 8. Cover Plate (Not used with E Series Doors)
- 9. Mounting Stud

Covington™ Gliding Patio Door Hardware - 2-Panel Trim Set

Trim Set Hardware - Covington™ / Interior and Exterior See Illustration page 48			
	Panels	Finish	Order No.
	2	Antique Brass	2565563
		Bright Brass	2565561
		Oil Rubbed Bronze	2565567
	4	Antique Brass	2565564
		Bright Brass	2565562
		Oil Rubbed Bronze	2565568

2-Panel, 4-Panel, and Stationary

Hardware

Trim Set Hardware - Covington™ / Interior See Illustration page 4	<u>48</u>		
	Panels	Finish	Order No.
	2	Antique Brass	N/A
		Bright Brass	N/A
		Oil Rubbed Bronze	N/A
	4	Antique Brass	N/A
		Bright Brass	N/A
		Oil Rubbed Bronze	N/A

Trim Set Hardware - Covington™ / Exterior See Illustration page 48					
	Panels	Finish	Order No.		
	2	Antique Brass	N/A		
		Bright Brass	N/A		
		Oil Rubbed Bronze	N/A		
	4	Antique Brass	N/A		
		Bright Brass	N/A		
		Oil Rubbed Bronze	N/A		

Handle - Covington™ Ref. No. 1& 2 page 48			
Note: Handles are sold assembled with escutcheon plates.	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior
	Antique Brass	2573233	2573234
	Bright Brass	2573235	2573236
	Oil Rubbed Bronze	N/A	2573238

Thumb Latch / Latch Lever - Covington™ / Interior Lock Ref No. 4 page 48					
Note:	Finish	Order No.			
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	Antique Brass	2573246			
	Bright Brass	2573247			
	Oil Rubbed Bronze	2573248			

Screw Package - Trim Set / Covington™

Note

Screw package is included in the shared hardware section page 63.




Lock Assembly with Keys - Covington™

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock As	sembly	Keyed	Alike
Finish	Left	Right	Left	Right
Antique Brass	2573276	2573097	9056149	9056146
Bright Brass	2573277	2573098	9056150	9056147
Oil Rubbed Bronze	2573278	2573099	9056151	9056148

Lock Assembly with Keys - Covington™ / Exterior/ Keyed Alike Right-Hand and Left-Hand				
Note:	Finish	Order No.		
Contains 1 right hand and 1 left hand assembly	Antique Brass	9056198		
	Bright Brass	9056199		
	Oil Rubbed Bronze	9056200		

Bolt Package - Covington™ / Exterior Lock


Note:

Bolt package is included in the shared lock parts section page 65.

Lock Housing - Covington™ / Exterior		
Note:	Finish	Order No.
Replace with complete exterior lock assembly.	Antique Brass	N/A
	Bright Brass	
	Oil Rubbed Bronze	

Hardware - Whitmore®

Note: See Accessory Guide 0005414. Multi-point lock/latch receiver and fasteners not included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set. Newbury is warranty replacement for items N/A.



- 1. Handle RH Interior/LH Exterior
- 2. Handle LH Interior/RH Exterior
- 3. #8 x 2" Oval Head Threaded Bolt
- 4. Latch Lever
- 5. #8 x 1 3/4" Oval Head Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel
- 8. Cover Plate (Not used with E Series Doors)
- 9. **Mounting Stud**

Whitmore® Gliding Patio Door Hardware - 2-Panel Trim Set

Trim Set Hardware - Whitmore® / Interior and Exterior					
	Panels	Finish	Order No.		
	2	Antique Brass	2565549		
		Bright Brass	2565545		
		Oil Rubbed Bronze	2565551		
		Satin Nickel	2565547		
	4	Antique Brass	2565550		
		Bright Brass	2565546		
		Oil Rubbed Bronze	2565552		
		Satin Nickel	2565548		



Trim Set Hardware - Whitmore® / Interior				
	Panels	Finish	Order No.	
	2	Antique Brass	N/A	
		Bright Brass	N/A	
		Oil Rubbed Bronze	N/A	
		Satin Nickel	N/A	
	4	Antique Brass	N/A	
		Bright Brass	N/A	
		Oil Rubbed Bronze	N/A	
		Satin Nickel	N/A	

Trim Set Hardware - Whitmore® / Exterior				
	Panels	Finish	Order No.	
	2	Antique Brass	N/A	
		Bright Brass	N/A	
		Oil Rubbed Bronze	N/A	
		Satin Nickel	N/A	
	4	Antique Brass	N/A	
		Bright Brass	N/A	
		Oil Rubbed Bronze	N/A	
		Satin Nickel	N/A	

Handle - Whitmore® Ref. No. 1 & 2 page 51				
Note: Handles are sold assembled with escutcheon plates.	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior	
	Antique Brass	N/A	2573226	
	Bright Brass	2573227	N/A	
	Oil Rubbed Bronze	2573229	2573230	
	Satin Nickel	2573231	2573232	

Thumb Latch / Latch Lever - Whitmore® / Interior Lock Ref. No. 4	page 51	
Note:	Finish	Order No.
Ships with fasteners. See Latch Lever Replacement Video.	Antique Brass	2573242
	Bright Brass	2573243
	Oil Rubbed Bronze	2573244
	Satin Nickel	2573245

Screw Package - Trim Set / Whitmore®

Note:

Screw package is included in the shared hardware section page 63.

2-Panel, 4-Panel, and Stationary

Hardware


Lock Assembly with Keys - Whitmore® / Exterior

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock Assembly		Keyed	l Alike
Finish	Left	Right	Left	Right
Antique Brass	2573272	2573093	9056164	9056168
Bright Brass	2573273	2573094	9056165	9056169
Oil Rubbed Bronze	2573274	2573095	9056166	9056170
Satin Nickel	2573275	2573096	9056167	9056171

Lock Assembly with Keys - Whitmore® / Exterior/ Keyed Alike Right-Hand and Left-Hand			
Note:	Finish	Order No.	
Contains 1 right hand and 1 left hand assembly	Antique Brass	9056212	
	Bright Brass	9056213	
	Oil Rubbed Bronze	9056214	
	Satin Nickel	9056215	

Key Cylinder - Whitmore®

Note:

Whitmore® lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package - Whitmore® / Exterior Lock

Note:

Bolt package is included in the shared lock parts section page 65.


Lock Housing - Whitmore® / Exterior		
Note:	Finish	Order No.
Replace with complete exterior lock assembly.	Antique Brass	N/A
	Bright Brass	
	Oil Rubbed Bronze	
	Satin Nickel	



Hardware - Encino®

Note:

See Accessory Guide 0005414. Multi-point lock/latch receiver and fasteners not included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set.



- 1. Handle RH Interior/LH Exterior
- 2. Handle LH Interior/RH Exterior
- 3. #8 x 2" Oval Head Threaded Bolt
- 4. Lever Latch
- 5. #8 x 1 3/4" Oval Head Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel
- 8. Cover Plate (Not used with E Series Doors)
- 9. Mounting Stud

Encino® Gliding Patio Door Hardware - 2-Panel Trim Set

Trim Set Hardware - Encino® / Interior and Exterior			
	Panels	Finish	Order No.
	2	Distressed Bronze	2565553
		Distressed Nickel	2565555
	4	Distressed Bronze	2565554
		Distressed Nickel	2565556

2-Panel, 4-Panel, and Stationary

Hardware

Trim Set Hardware - Encino® / Interior			
	Panels	Finish	Order No.
	2	Distressed Bronze	2562113
		Distressed Nickel	2562117
	4	Distressed Bronze	2562104
		Distressed Nickel	2562108
Trim Set Hardware - Encino® / Exterior			•
	Panels	Finish	Order No.
	2	Distressed Bronze	2562058
		Distressed Nickel	2562062
	4	Distressed Bronze	2562059
		Distressed Nickel	2562063

Handle - Encino® Ref. No. 1 & 2 page 54			
Note: Handles are sold assembled with escutcheon plates.	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior
	Distressed Bronze	2573161	2573162
	Distressed Nickel	2573163	2573164

Thumb Latch / Latch Lever - Encino® / Interior Lock Ref. No. 4 page 54		
Note:	Finish	Order No.
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	Distressed Bronze	2573169
	Distressed Nickel	2573170

Screw Package - Trim Set / Encino®

Note

Screw package is included in the shared hardware section page 63.




Lock Assembly with Keys - Encino®

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock As	sembly	Keyed	l Alike
Finish	Left	Right	Left	Right
Distressed Bronze	2573189	2573086	9056182	9056184
Distressed Nickel	2573190	2573087	9056183	9056185

Lock Assembly with Keys - Encino® / Exterior / Keyed Alike Right Hand and Left Hand		
Note:	Finish	Order No.
Contains 1 right hand and 1 left hand assembly	Distressed Bronze	9056216
	Distressed Nickel	9056217

Key Cylinder - Encino®

Note

Encino® lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package - Encino® / Exterior Lock

Note:


Bolt package is included in the shared lock parts section page 65.

Lock Housing - Encino® / Exterior		
Note:	Finish	Order No.
Replace with complete exterior lock assembly.	Distressed Bronze	N/A
	Distressed Nickel	

Hardware - Yuma®

Note:

See <u>Accessory Guide 0005414</u>. <u>Multi-point lock/latch receiver</u> and fasteners **not** included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set.



Yuma® Gliding Patio Do	oor Hardware - 2	2-Panel Trim Set
------------------------	------------------	------------------

Trim Set Hardware - Yuma® / Interior and Exterior			
	Panels	Finish	Order No.
	2	Distressed Bronze	2565557
		Distressed Nickel	2565559
	4	Distressed Bronze	2565558
		Distressed Nickel	2565560



Trim Set Hardware - Yuma® / Interior See Illustration page 57			
	Panels	Finish	Order No.
	2	Distressed Bronze	2562115
		Distressed Nickel	2562119
	4	Distressed Bronze	2562106
		Distressed Nickel	2562110
Trim Set Hardware - Yuma® / Exterior See Illustration page 57			
	Panels	Finish	Order No.
	2	Distressed Bronze	2562060
		Distressed Nickel	2562064
	4	Distressed Bronze	2562061

Handle - Yuma® Ref. No. 1& 2 page 57			
Note: Handles are sold assembled with escutcheon plates.	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior
	Distressed Bronze	2573165	2573166
	Distressed Nickel	2573167	2573168

Thumb Latch / Latch Lever - Yuma® / Interior Lock Ref. No. 4 page	<u> 57</u>	
Note:	Finish	Order No.
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	Distressed Bronze	2573171
	Distressed Nickel	2573172

Screw Package - Trim Set / Yuma®

Note:

Screw package is included in the shared hardware section page 63.

2-Panel, 4-Panel, and Stationary

Hardware


Lock Assembly with Keys - Yuma®

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock As	ssembly	Keyed	l Alike
Finish	Left	Right	Left	Right
Distressed Bronze	2573193	2573088	9056188	9056186
Distressed Nickel	2573194	2573089	9056189	9056187

Lock Assembly with Keys - Yuma® / Exterior/ Keyed Alike Right-Hand and Left-Hand			
Note:	Finish	Order No.	
Contains 1 right hand and 1 left hand assembly	Distressed Bronze	9056218	
	Distressed Nickel	9056219	

Key Cylinder - Yuma®

Note:

Yuma® lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package - Yuma® / Exterior Lock

Note:


Bolt package is included in the shared lock parts section page 63.

Lock Housing - Yuma® / Exterior		
Note:	Finish	Order No.
Replace with complete exterior lock assembly.	Distressed Bronze	N/A
	Distressed Nickel	



Hardware - Albany

Note: See <u>Accessory Guide 0005414</u>. <u>Multi-point lock/latch receiver</u> and fasteners **not** included in trim set and will ship with panel. Consider ordering a new reachout lock/latch receiver kit when replacing your trim set.



- 1. Handle RH Interior/LH Exterior
- 2. Handle LH Interior/RH Exterior
- 3. #8 x 2" Oval Head Threaded Bolt
- 4. Latch Lever
- 5. #8 x1 3/4" Screw
- 6. Multi-Point Lock Assembly 2-panel
- 7. Multi-Point Latch Receiver 2-panel
- 8. Cover Plate (Not used with E Series Doors)
- 9. Mounting Stud

Albany Gliding Patio Door Hardware - 2-Panel Trim Set

Trim Set Hardware - Albany / Interior and Exterior			
	Panels	Finish	Order No.
	2	White	9007538
		Stone	9007539
		Gold Dust	N/A
		Black	9007541
	4	White	9007542
		Stone	9007543
		Gold Dust	N/A
		Black	9007545

2-Panel, 4-Panel, and Stationary

Hardware

Trim Set Hardware - Albany / Interior			
	Panels	Finish	Order No.
	2	White	9007554
		Stone	9007556
		Gold Dust	N/A
		Black	9007560
	4	White	9007555
		Stone	9007557
		Gold Dust	N/A
		Black	9007561

Trim Set Hardware - Albany / Exterior			
	Panels	Finish	Order No.
	2 White Stone	White	9007562
		Stone	9007564
		Gold Dust	N/A
		Black	9007568
	4	White	9007563
		Stone	9007565
		Gold Dust	N/A
	22	Black	9007569

Handle - Albany Ref. No. 1 & 2 page 60				
Note: Handles are sold assembled with escutcheon plates.	Finish	Left Interior/ Right Exterior	Right Interior/ Left Exterior	
	White	9018914	9018915	
	Stone	9018916	9018917	
	Gold Dust	9018918	9018919	
	Black	9018920	9018921	

Thumb Latch / Latch Lever - Albany / Inside Lock Ref. No. 4 page 6	<u>80</u>	
Note:	Finish	Order No.
Ships with fasteners. See <u>Latch Lever Replacement Video</u> .	White	9018922
	Stone	9018923
	Gold Dust	N/A
	Black	9018925

Screw Package - Trim Set / Albany

Note:

Screw package is included in the shared hardware section page 63.




Lock Assembly with Keys - Albany/ Exterior

Note:

Lock assemblies will have two (2) cut keys and two (2) 2 1/4" bolts page 65.

Order keyed alike exterior locks with the number of locks need.

See Accessory Guide 0005196. See Installation Video.



	Lock Assembly		Keyed	l Alike
Finish	Left	Right	Left	Right
White	9018898	9018902	9056190	9056194
Stone	9018899	9018903	9056191	9056195
Gold Dust	9018900	9018904	9056192	9056196
Black	9018901	9018905	9056193	9056197

Lock Assembly with Keys - Albany / Exterior/ Keyed Alike Right-Hand and Left-Hand				
Note:	Finish	Order No.		
Contains 1 right hand and 1 left hand assembly	White	9056220		
	Stone	9056221		
	Gold Dust	9056222		
	Black	9056223		

Key Cylinder - Albany

Note:

Albany lock assembly uses a 6 pin replacement cylinder are found on page 65.

Bolt Package - Yuma® / Exterior Lock

Note:

Bolt package is included in the shared lock parts section page 63.

Lock Housing - Albany / Exterior		
Note:	Finish	Order No.
Replace with complete exterior lock assembly.	White	N/A
	Stone	
	Gold Dust	
	Black	

2-Panel, 4-Panel, and Stationary


Hardware

Shared Trim Set Parts

Screw Package - Trim Set / Newbury, Anvers, Covington, Whitmore, Yuma, Encino, Albany

Note:

Newbury style shown. See <u>Accessory Guide 0005414</u> for fastener detail as fastener quantities and sizes are unique for multi-point lock used with E-Series Gliding Doors and some fasteners are **not** used. See unique **Tribeca trim set screw package**.




Ref. No.	Package includes:	Finish	Order No.	
1	(8) Screws, #10 -16 x 1 3/4" PH #8 oval head type AB	Stone (Albany)	9056232	
2	(4) Screws, #8 - 32 UNC x 2 PH #10 oval head mach	White (Albany)	9056233	
3	(4) Mounting studs (1) Screw, 3" Security (not shown)	Antique Brass	2579762	
	(2) Screws, Machine (not shown)	Bright Brass	2579761	
		Polished Chrome Brushed Chrome	N/A	
			Satin Nickel	2579391
		Distressed Nickel	2573180	
		Oil Rubbed Bronze Distressed Bronze	2579765	
		Gold Dust (Albany)	N/A	
		Black (Albany)	9019314	



Screw Package - Trim Set / Tribeca® Ref. No.3,5 & 9 page 38

Note:

See <u>Accessory Guide 0005414</u> for fastener detail as fastener quantities and sizes are unique for multi-point lock used with E-Series Gliding Doors and some fasteners are **not** used.



Ref. No.	Package includes:	Finish	Order No.
1	(2) Screws, #10 x 1 3/4" oval head wood	Stone	2573468
3	(2) Screws, #8 - 32 UNC x 2 11/16″ PH oval HD mach (1) Screw, 3″ Security (not shown)	White	2573467
	(2) Screws, Machine (not shown)	Black	9184676

2-Panel, 4-Panel, and Stationary

Hardware

Lock Parts Lock Cylinder with Keys - 6-Pin Bright Brass Chrome

Oil Rubbed

Note:

Remove C ring and cylinder tab prior to installation. Glass dates from panel do not always represent the vintage of the lock assembly or the replacement key cylinder needed. Finish on exterior facing surface and may not match color of lock housing. Housing finish shown for identification purposes. The key used on a 6 pin cylinder will have 6 valleys/ grooves.

See Service Guide 0005130.


	Housing Finish	Cylinder Finish	Order No.
	White	Brushed Chrome	OBD
	Stone	Brushed Chrome	OBD
	Antique Brass	Brushed Brass	OBD
	Bright Brass	Brushed Brass	OBD
	Polished Chrome	Brushed Chrome	OBD
	Brushed Chrome	Brushed Chrome	OBD
	Satin Nickel	Brushed Chrome	OBD
	Oil Rubbed Bronze	Oil Rubbed Bronze	OBD
	Distressed Bronze	Oil Rubbed Bronze	OBD
	Distressed Nickel	Brushed Chrome	OBD
	Gold Dust	Brushed Chrome	OBD
-	Black	Oil Rubbed Bronze	OBD


Key - Reachout Lock / Blank		
		Order No.
		2573561

Note: Use for all trim sets but Tribeca®			
	Description	Finish	Order No.
	2 1/4" x #10	Polished Chrome	2573641
TANANANANANA		Antique Brass	2573550
150000000000000000000000000000000000000		Bright Brass	2573541
		Oil Rubbed Bronze Distressed Bronze	2579947
		Brushed Chrome	2579948
		Satin Nickel	2579423
		Distressed Nickel	2573158
		Gold Dust	9019315
		Black	9019316



Lock / Keeper - Multi-Point





E-Series Gliding Patio Doors (October 2016 to Present) 2-Panel, 4-Panel, and Stationary

Hardware

Lock with Screws - Auxiliary Security		
Note: See Service Guide 9139832. See individual screws/fast	teners.	
	Finish	Order No.
	Stone	1997220
	White	1997301
	Polished Chrome	2565707
	Antique Brass	2565718
	Bright Brass	2565710
	Oil Rubbed Bronze	2579955
	Brushed Chrome	2579956
•	Satin Nickel	2579426
	Distressed Bronze	2573187
	Distressed Nickel	2573188
	Black	9007625
	Gold Dust	9007624

Grommet - Auxiliary Security Lock		
	Order No.	
	9056272	




Fasteners			
Note: Fasteners not shown available	by description.		
Screw - Security Lock			
	Description	Finish	Order No.
	#8 x 2″	White	1997299
		Brass	2573644
		Antique Brass	2573552
		Chrome	2573643

Description	Order No.
#8-32 x 1 1/8" PH FL MACH	9006393

Screw - Multi Point Lock Receiver / 3" Security		
COM.	Description	Order No.
(*) Department of the second o	#10 x 3, PH FL, Wood	By description
(*) Managaman		

Frames





Frames

Frame Only

Note:

Replacement frame for standard and custom-sized doors is configurable in iQ+.

To order, state:

- 1. Frame/Unit Size
- 2. Description of part (Frame)
- 3. Handing (Stationary, LS, SR, 4-Panel)
- 4. Type (Rigid vinyl w/integral Vinyl Drip Cap, Rigid vinyl w/receiver for Aluminum Drip Cap, Exterior Trim Instal Flange, No Flange)
- 5. Exterior color of frame
- 6. Interior wood species of frame
- 7. Interior finish/color of frame
- 8. Quantity
- 9. Product ID (from product label, see Service Guide 9051877)

2-Panel, 4-Panel, and Stationary

Frames

Stops

Stops Ref. page 69

Note:

Stops (head, sill, side) are made to order.

* Actual wood is sapele, a non-endangered species of mahogany, grown in Africa, with color and characteristics similar to American mahoganies.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Head, Sill, Operating Jamb, Stationaray Jamb)
- 4. Manufacturing Date

Interior species/finish/color options







Frames

Stop - Parting Ref. page 69

Note

Replacement parting stop for standard and custom-sized doors is available by description.

To order, state:

- 1. Frame/Unit Size width/height
- 2. Description of part (Parting Stop)
- 3. Type (Head, Side)
- 4. Exterior color of unit
- 5. Product ID (from product label, see Service Guide 9051877)

Screw - Parting Stop Ref. page 69		
	Description	Order No.
	#7 X 1 1/4 PFHSMS TYPE AB SS	0027959

E-Series Gliding Patio Doors (October 2016 to Present) 2-Panel, 4-Panel, and Stationary

Frames

Weatherstrip				
Note:				
Some replacement compone	ents may not be shown in graphic.			
Weatherstrip - Parting S	itop Ref. page 69			
Note:				
Used on head parting stop a	and side parting stop.			
		Color	Size	Order No.
		Gray		9174912
		Black	25' (300")	9174913
Weatherstrip - Interlock	Plug			
			LS	SR
THE STATE OF THE S			By description	By description
9152265 9152266 IS SR				
Screw - Weatherstrip In	terlock Plug			
	Description			Order No.
	#6 X 1"			0003592



Frames

Sills

Sill

Note:

Replacement sills are available by description. See iQ+ for latest/greatest specifications.

To order, state:

- 1. Frame/Unit width size
- 2. Description of part (Sill)
- 3. Handing (RH, LH, 4-Panel)
- 4. Color (Bronze, Gray)
- 5. Quantity
- 6. Product ID (from product label, see Service Guide 9051877)

Cap - Wear / 2/4-Panel Ref. page 69

Note:

Cut to size.



Unit No.	Length	Order No.
All	108″	0013745

Sill Trim / Oak Ref. page 69

Note:

Replacement sill trim is available by description.

To order, state:

- 1. Frame/Unit width size
- 2. Description of part (Sill trim)
- 3. Quantity
- 4. Product ID (from product label, see Service Guide 9051877)

Screw - Sill Trim / Oak Ref. page 69				
	Description	Order No.		
	#7 X 1 1/4 PFHSMS TYPE AB SS	0027959		

E-Series Gliding Patio Doors (October 2016 to Present) 2-Panel, 4-Panel, and Stationary

Frames

Filler / Block						
Support Filler/Block with Screws - Stationary Ref. page 69						
			Bronze		Gray	
			76″	96″	76″	96″
			9142639	9142640	9142637	9142638



Frames

Frame Parts				
Fastener				
	S	ize Order No.		
	3″	000CFS3		
1	6″	000CFS6		
	34"	00CFS34		
*	55″	00CFS55		
	96″	00CFS96		

Head Bumper - 2- and	-Panel		
	Note:	Color	Order No.
	5 x 1 ⁷ / ₈	Gray	9006374
Head Bumper - 3-Pane			
	Note:	Color	Order No.
	7 x 1 ⁷ / ₈	Gray	9152264
Fastener - Head Bump	r		<u>'</u>
		Color	Order No.
AND	10 x12 1-1/2"	Gray	9002320