
## What's in This Section

Clad Specialty Fixed Windows	<b>a</b> g	e 3
Part Illustrations		3
Parts Illustration - Standard Windows		3
Parts Illustration - Sash Glazed Windows		4
Unit Sizes		5
Unit Sizes		5
Product Labels		5
Unit Shapes		6
Grilles		8
Interior and Exterior Grilles		8
Grille Profiles - Wood		9
Grille Profiles - Aluminum		10
Grille Profiles - Fibrex™		10
Standard Grille Patterns		
Grille Surrounds		
Grille Parts	• • • •	13
Frames		15
Frame Assembly		
Frame Types - Thin		
Frame Types - Thick		
Clad Options - Aluminum		
Clad Options - Vinyl		
Reglazing Kits		
Replacement Sash - Sash Glazed Units		
Extension Jambs		
Frame Parts		
Joining Components Mullion Covers - Exterior		
Mullion Covers - Extends		
		40
Interior Casing		41
Casing Profiles		41
Casing Parts		43
Installation Components		45
Installation Parts		45




## **Parts Illustration**





### **Parts Illustration**



Unit viewed from exterior

#### **Unit Sizes**

#### Unit Sizes

**Standard Sizes** Standard sizes are available to complement Andersen® 400 Series and 200 Series products.


#### **Custom Sizes**

Custom sizes are available.

#### **Product Labels**

Clad fixed windows have an identification logo etched on the bottom right corner of the glass as viewed from the interior. This identification logo contains a "P Number". The "P Number" is located directly below the Andersen<sup>®</sup> or KML by Andersen<sup>™</sup> logo. "P Numbers" include both the Production Number and Line Item Number separated by an exclamation mark.

When ordering replacement parts, please provide the "P Number" and a brief description of the product and part required to ensure the replacement part(s) match the specifications of the original product. If unable to locate the "P Number" contact the appropriate Andersen<sup>®</sup> distributor.






#### **Unit Sizes**

## **Unit Shapes**

#### Note:


Andersen Complementary Specialty Fixed Windows are available in a variety of shapes and sizes. Size limitations will vary depending on shape.



6 - Andersen® Complementary Clad Specialty Fixed Windows (2001 to Present)

Standard and Sash Glazed Windows

### **Unit Sizes**








#### Grilles

#### **Interior and Exterior Grilles**










Permanent Exterior Removable Interior



## Note:


Replacement interior and exterior grilles are made to order.

All grille configurations are available with interiors and exteriors to match interiors and exteriors of windows.

To order, state:

- 1. Description of Part (interior or exterior and type of grille)
- 2. Quantity
- 3. P number (from product label, see <u>page 5</u>)


Standard and Sash Glazed Windows





Divided Light Bars		Chamfer Style	Roman Ogee Style	
	<sup>3</sup> /4"	PF1780		
	<sup>7</sup> /8"	PF1781	PF1861	
	1 <sup>1</sup> /8"	PF1782	PF1862	
	1 <sup>1</sup> / <sub>2</sub> "	PF1953		
Anderser	2 <sup>1</sup> /4" n <sup>®</sup> Compleme	PF1783	Fixed Windows - Aluminum Gr	ille Profiles
rille Profiles - Fit Note:	n <sup>®</sup> Compleme brex™	entary Clad Specialty	Fixed Windows - Aluminum Gr	
rille Profiles - Fil Note:	n <sup>®</sup> Compleme brex™	entary Clad Specialty		
rille Profiles - Fik Note: Fibrex™ divided light ba	n <sup>®</sup> Compleme brex™	entary Clad Specialty		
rille Profiles - Fik Note: Fibrex™ divided light ba	n <sup>®</sup> Compleme brex™ ars are for inte	rior and exterior use. A Chamfer Style		
rille Profiles - Fil Note: Fibrex™ divided light ba	n <sup>®</sup> Compleme brex™ ars are for inter <sup>3</sup> /₄"	rior and exterior use. A Chamfer Style PF1623		

Standard and Sash Glazed Windows





## Grilles

## **Grille Surrounds**

#### Note:

All grille surrounds available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Grille Surround - Lineal & Curved			
	Note:	ACP Order No.	AW Order No.
	Used with PF1205 glazing stop.	PF1759	

Grille Surround - Lineal & Curved			
	Note:	ACP Order No.	AW Order No.
	Used with PF1206 glazing stop.	PF1632	

Grille Surround - Lineal & Curved			
	Note:	ACP Order No.	AW Order No.
	Used with PF1206 glazing stop with trim stop.	PF1760	

Grille Surround - Lineal & Curved			
	Note:	ACP Order No.	AW Order No.
	Used with PF2177 glazing stop on AKTT frames.	PF2176	

Grille Surround - Lineal & Curved (October 2001 to May 2012)				
	Note:	ACP Order No.	AW Order No.	
	Used with PF1205 glazing stop.	S-138		

Standard and Sash Glazed Windows

Grille Parts			
Plunger Pin - Surround			
		ACP Order No.	AW Order No.
OF2 Dra	Note: Used with #305 grommet in S-138, PF1759, PF1632, and PF1760 surrounds.	310	

Grommet - Plunger Pin			
		ACP Order No.	AW Order No.
	<b>Note:</b> Used with #310 plunger pin.	305	

Surround Clip			
		ACP Order No.	AW Order No.
	<b>Note:</b> Used with grille surround PF2176.	1364	

End Clip - Grilles (September	r 2007 to Present)			
		Color	ACP Order No.	AW Order No.
		White	105444	
		Terratone™	105445	
		Sandtone	105446	9050872
		Forest Green	105447	


Grille Pin (Prior to September 2	007)		
<i>c</i>		ACP Order No.	AW Order No.



Metal Clip - Recessed / Grille	(1995 to November 2004)	
	ACP Orde	r No. AW Order No.
TO		

Pin - Metal Clip / Grilles (1995 to November 2004)				
		ACP Order No.	AW Order No.	
	<b>Note:</b> Used with recessed metal clip.			
	Osed with recessed metal clip.			

Standard and Sash Glazed Windows




## Frames

#### Frame Assembly - Sash Glazed Windows / Transom

#### Note:


Sash glazed units use AKVT4 or AKVT6 frames. AKVT4 frame shown.




Standard and Sash Glazed Windows

Frames


#### Frames




#### Frame Type - AKS (July 2009 to Present)





# Andersen w






Standard and Sash Glazed Windows









## Frames




## Frame Type - AKRT (July 2009 to Present) 5 <sup>7</sup>/8" Note: 4 <sup>9</sup>/<sub>16</sub>" Fixed windows with thin AKRT frames compliment: - 400 Series Woodwright® double-hung windows - 400 Series Tilt-Wash double-hung windows - 400 Series gliding windows - 400 Series Frenchwood® gliding patio doors - 400 Series Frenchwood® hinged patio door - inswing - 400 Series Frenchwood® hinged patio door - outswing - 200 Series hinged patio doors - inswing Curved Jamb - 200 Series Perma-Sheild® gliding patio door - 200 Series Narroline® gliding patio door - 200 Series gliding windows for 4 9/16" wall - 200 Series Tilt-Wash double-hung windows for 4 9/16" wall Lineal Jamb


Standard and Sash Glazed Windows






# Andersen w







Standard and Sash Glazed Windows












### Frames

## **Reglazing Kits**



#### Kit Includes:

Glass unit.

Interior glazing stops and permanent grilles are optional and must be ordered separately. Glazing stops and grilles have tape applied.

**Note:** Reglazing kits are made to order.

To order, state:

- 1. Description of Part (reglazing kit)
- 2. Quantity
- 3. P number (from product label, see page 5)

Replacement Sash - Sash Glazed Units	
	Note: Replacement sash are made to order. To order, state: 1. Description of Part (replacement sash) 2. Quantity 3. P number (from product label, see <u>page 5</u> )

Standard and Sash Glazed Windows

#### Frames

Frames

## **Glazing Stops - Interior**

Note:

All interior glazing stops available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Glazing Stop - Thin Frame / Lineal and Curved Ref. No. 4 & 5 page 15						
	Note:	ACP Order No.	AW Order No.			
	Used on all thin frame types.	PF1205				
Glazing Stop - AKG / Lineal an	Glazing Stop - AKG / Lineal and Curved Ref. No. 4 & 5 page 15					
	Note:	ACP Order No.	AW Order No.			
	Used on AKG frames with insulating	PF1206				
	laminated glass.					
		<u> </u>				
Glazing Stop - Thick Frame / L	ineal and Curved Ref. No. 4 & 5 page 15					
	Note:	ACP Order No.	AW Order No.			
	Used on all thick frame types.	PF2173				
Clasing Stop Thick Froms / C	wills 9 Summer and / Lineal and Summed		_			
Glazing Stop - Thick Frame / G	irille & Surround / Lineal and Curved R	ef. No. 4 & 5 page 18 ACP Order No.	AW Order No.			
	Note: Used on all thick frames when removable	PF2177	Aw Order No.			
	grille and surround are required.	PF21//				
Trim Stop - 1" / Lineal and Cur	ved Ref. No. 8 page 15, <u>16</u> & <u>17</u>					
		ACP Order No.	AW Order No.			
	Note: Used on AKTT with decorative insulating	PF2172				
	art glass and is optional on all others.					
Trim Stop - 1 <sup>1</sup> / <sub>4</sub> " / Lineal and C	urved Ref. No. 8 page 15, 16 & 17					
	Note:	ACP Order No.	AW Order No.			
	Used on AKTT with dual pane glass and sash	PF2174				
	glazed units and is optional on all others.					
	I					
Trim Stop - 1 <sup>7</sup> / <sub>8</sub> " Lineal and Cu	rved Ref. No. 8 page 15, 16 & 17					
	Note:	ACP Order No.	AW Order No.			
	Used on AKTT with single pane glass and	PF2175				

Used on AKTT with single pane glass and

is optional on all others.

Andersen w

Glazing Stop - Sash / 1/2" / Lineal Ref. No. 5 page 16 & 17			
_	Note:	ACP Order No.	AW Order No.
	Used on sash glazed unit with decorative insulating art glass.	PF1008	

Glazing Stop - Sash / 1/2" / Curved Ref. No. 4 page 16 & 17			
	Note:	ACP Order No.	AW Order No.
	Used on sash glazed unit with decorative insulating art glass.	PF1016	

Glazing Stop - Sash / <sup>5</sup> / <sub>8</sub> " / Lineal and Curved Ref. No. 4 & 5 page 16 & <u>17</u>				
	Note:	ACP Order No.	AW Order No.	
	Used on sash glazed unit with dual pane glass.	PF1755		

Glazing Stop - Sash / 1 <sup>3</sup> / <sub>16</sub> " / Lineal and Curved Ref. No. 4 & 5 page 16 & 17			
	Note:	ACP Order No.	AW Order No.
	Used on sash glazed unit with single pane glass.	PF1011	

Glazing Trim Stop - Lineal and	d Curved	(October 2006 to July 2009)		
			ACP Order No.	AW Order No.
			PF1868	

Add-On Trim Stop - Lineal and	Curved (October 2006 to July 2009)		
		ACP Order No.	AW Order No.
		PF1790	

#### Frames

## Extension Jambs - AKR, AKS & AKRT

#### Note:

Extension Jambs - <sup>11</sup> / <sub>16</sub> " / Lineal and Curved				
	Note:	ACP Order No.	AW Order No.	
	Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF2065		

Extension Jambs - 2" / Lineal and Curved					
	Note:	ACP Order No.	AW Order No.		
	Used for 6 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF1237			

Extension Jambs - 2 <sup>9</sup> / <sub>16</sub> " / Lineal and Curved			
		ACP Order No.	AW Order No.
	Note: Used for 7 <sup>1</sup> / <sub>8</sub> " wall thickness.	PF2067	



## Frames

## Extension Jambs - AKW & AKWT

#### Note:

Extension Jamb - 1 <sup>5</sup> / <sub>16</sub> " / Lineal and Curved			
Note:	ACP Order No.	AW Order No.	
		PF2003	

Extension Jamb - 2" / Lineal and Curved			
	Note:	ACP Order No.	AW Order No.
	Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF1237	

Extension Jamb - 3 <sup>5</sup> /16" / Lineal and Curved			
	Nata	ACP Order No.	AW Order No.
	Note: Used for 6 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF2004	

Extension Jamb - 3 <sup>7</sup> / <sup>8</sup> " / Lineal and Curved			
		ACP Order No.	AW Order No.
	<b>Note:</b> Used for 7 <sup>1</sup> / <sub>8</sub> " wall thickness.	PF2005	

#### Frames

## **Extension Jambs - AKTT**

#### Note:

Extension Jambs - 1 <sup>23</sup> / <sub>32</sub> " / Lineal			
	Neter	ACP Order No.	AW Order No.
	Note: Used for 4 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF2164	

Extension Jambs - 1 <sup>23</sup> / <sub>32</sub> " / Curved			
		ACP Order No.	AW Order No.
	Note: Used for 4 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF1577	

Extension Jambs - 2 <sup>13</sup> / <sub>32</sub> " / Lineal			
	Note:	ACP Order No.	AW Order No.
	Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF2165	

Extension Jambs - 2 <sup>13</sup> / <sub>32</sub> " / Curved			
	Note:	ACP Order No.	AW Order No.
	Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF1616	

Extension Jambs - 3 <sup>23</sup> / <sub>32</sub> " / Lineal			
	Neter	ACP Order No.	AW Order No.
	Note: Used for 6 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF2166	

Extension Jambs - 3 <sup>23</sup> / <sub>32</sub> " / Curved			
		ACP Order No.	AW Order No.
	Note: Used for 6 9/16" wall thickness.	PF1618	

# Andersen w

Extension Jambs - 4 <sup>9</sup> / <sub>32</sub> " / Lineal			
	Note:	ACP Order No.	AW Order No.
	Used for 7 <sup>1</sup> / <sub>8</sub> " wall thickness.	PF2167	

Extension Jambs - 4 <sup>9</sup> / <sub>32</sub> " / Curved				
		ACP Order No.	AW Order No.	
	Note: Used for 7 <sup>1</sup> /8" wall thickness.	PF1649		

Drywall Return - Wide - Lineal and Curved			
	ACP Order No.	AW Order No.	
	PF2008		

Drywall Return - Narrow - Lineal and	nd Curved	
	ACP Order No.	AW Order No.
	PF2908	

#### Frames

## Extension Jambs - AKVT4

#### Note:

Extension Jambs - <sup>11</sup> / <sub>16</sub> " / Lineal			
	Note:	ACP Order No.	AW Order No.
	Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF2168	

Extension Jambs - <sup>11</sup> / <sub>16</sub> " / Curved			
	Neter	ACP Order No.	AW Order No.
	Note: Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF2065	

Extension Jambs - 2" / Lineal				
	Noto	ACP Order No.	AW Order No.	
	Note: Used for 6 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF2169		

Extension Jambs - 2" / Curved				
	Nata	ACP Order No.	AW Order No.	
	Note: Used for 6 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF1237		

Extension Jambs - 2 <sup>9</sup> /16" / Lineal				
	Note:	ACP Order No.	AW Order No.	
	Used for 7 <sup>1</sup> / <sub>8</sub> " wall thickness.	PF2170		

Extension Jambs - 2 <sup>9</sup> / <sub>16</sub> " / Curved				
	Note:	ACP Order No.	AW Order No.	
	Used for 7 <sup>1</sup> / <sub>8</sub> " wall thickness.	PF2067		



## Frames

## **Extension Jambs - DG**

#### Note:

Extension Jambs - 3/4" / Lineal and Curved			
	Noto	ACP Order No.	AW Order No.
	Note: Used for 5 <sup>1</sup> / <sub>4</sub> " wall thickness.	PF1614	

Extension Jambs - 2 <sup>1</sup> / <sub>16</sub> " / Lineal and Curved			
	Noto	ACP Order No.	AW Order No.
	Note: Used for 6 <sup>9</sup> / <sub>16</sub> " wall thickness.	PF1615	

Extension Jambs - 2 <sup>5</sup> / <sub>8</sub> " / Lineal and Curved				
		ACP Order No.	AW Order No.	
	Note: Used for 7 <sup>1</sup> / <sup>8</sup> " wall thickness.	PF1647		

Frame Parts			
Brickmould - Thin Frame	e / Aluminum / Lineal & Curved (August 2008 to	Present)	
	Nata	ACP Order No.	AW Order No.
	<b>Note:</b> Available in 21 standard and any custom color.	PF2088	

Sill Nose - Thin Frame / Exterior / Aluminum					
	Note:	ACP Order No.	AW Order No.		
	Available in 21 standard and any custom color.	PF2089			

End Cap - Sill Nose / Vinyl						
_	Note:	Orientation	Color	ACP Order No.	AW Order No.	
	Used with PF2089.	Left	White	113010		
	Custom colors		Sandtone	113012		
	available. Left hand shown.		Terratone	113014		
	nanu snown.		Forest Green	113016		
		Right	White	113011		
			Sandtone	113013		
			Terratone	113015		
			Forest Green	113017		

Subsill Cladding - AKS / Aluminum				
	Note:	ACP Order No.	AW Order No.	
	Available in 21 standard and any custom color.	PF2071		

Filler Block - Subsill / Ak	(S		
		ACP Order No.	AW Order No.
		PF2078	

# Andersen w

Frame Expander - 5" / Aluminum					
	Note:	ACP Order No.	AW Order No.		
<u>}</u>	Available in 21 standard and any custom color.	PF2007			

Brickmould - DG / Aluminum / Lineal & Curved (October 2001 to July 2009)						
	Note:	ACP Order No.	AW Order No.			
	Available in 21 standard and any custom color.	KM34BM				

Sill Nose - DG / Exterior / Aluminum (October 2001 to July 2009)					
	Note:	ACP Order No.	AW Order No.		
	Available in 21 standard and any custom color.	PF1038			

## **Joining Components**

## **Mullion Covers - Exterior**

#### Note:

All exterior mullion covers are available in 21 standard and any custom color. Custom width mullion covers available.

Mullion Cover - Exterior / Direct Mullion / Aluminum			
	Note:	ACP Order No.	AW Order No.
57	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2072	

Mullion Cover - Exterior / <sup>1</sup> / <sub>16</sub> " Mullion / Aluminum			
	Note:	ACP Order No.	AW Order No.
Image: State of the state of t	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2112	

Mullion Cover - Exterior / <sup>5</sup> / <sub>32</sub> " Mullion / Aluminum				
	Note:	ACP Order No.	AW Order No.	
	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2113		

Mullion Cover - Exterior / 3/8" Mullion / Aluminum				
	Note:	ACP Order No.	AW Order No.	
	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2073		

Mullion Cover - Exterior / 1/2" Mullion / Aluminum			
	Note:	ACP Order No.	AW Order No.
	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2074	

Mullion Cover - Exterior / ¾" Mullion / Aluminum			
	Note:	ACP Order No.	AW Order No.
	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2075	



## **Joining Components**

Mullion Cover - Exterior / 2" Mullion / Aluminum			
	Note:	ACP Order No.	AW Order No.
<u>}</u>	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2076	

Mullion Cover - Exterior / 3 1/2" Mullion / Aluminum				
	Neter	ACP Order No.	AW Order No.	
<u>}</u>	Note: Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2077		

Drip Cap - Aluminum				
	Note:	ACP Order No.	AW Order No.	
	Used on AKR, AKW, AKE, AKS and AKG frame types.	PF2070		

Mullion Cover - DG / Exterior / Direct Mullion / Aluminum			
	N /	ACP Order No.	AW Order No.
	<b>Note:</b> Used on DG frames.	PMC73	

Mullion Cover - DG / Exterior / <sup>1</sup> / <sub>16</sub> " Mullion / Aluminum			
	Note:	ACP Order No.	AW Order No.
	Used on DG frames.	PF1652	

Mullion Cover - DG / Exterior / <sup>5</sup> / <sub>32</sub> " Mullion / Aluminum			
		ACP Order No.	AW Order No.
	Note: Used on DG frames.	PF1653	

Standard and Sash Glazed Windows

## **Joining Components**

Mullion Cover - DG / Exterior / ¾" Mullion / Aluminum			
		ACP Order No.	AW Order No.
	<b>Note:</b> Used on DG frames.	PF1069	

Mullion Cover - DG / Exterior / 1/2" Mullion / Aluminum			
		ACP Order No.	AW Order No.
	<b>Note:</b> Used on DG frames.	PF1654	

Mullion Cover - DG / Exterior / ¾" Mullion / Aluminum			
	Neter	ACP Order No.	AW Order No.
F J	Note: Used on DG frames.	PF1250	

Mullion Cover - DG / Exterior / 2" Mullion / Aluminum				
	Neter	ACP Order No.	AW Order No.	
	Note: Used on DG frames.	PF1070		

Mullion Cover - DG / Exterior / 3 <sup>1</sup> / <sub>2</sub> " Mullion / Aluminum				
	Neter	ACP Order No.	AW Order No.	
	Note: Used on DG frames.	PF1251		

Drip Cap - DG / Aluminum			
		ACP Order No.	AW Order No.
	<b>Note:</b> Used on DG frames.	KMC25	



## **Joining Components**

## **Mullion Covers - Interior**

#### Note:

All interior mullion covers available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white. Custom width mullion covers available.

Mullion Cover - Interior / Direct Mullion / Vertical / Lineal & Curved					
	Note:	ACP Order No.	AW Order No.		
	Used on AKR, AKW, AKE, AKS, AKG and DG	WMC14			
	frame types.				

Mullion Cover - Interior / Direct Mullion / Horizontal / Lineal & Curved						
	Note:	ACP Order No.	AW Order No.			
	Used on AKR, AKW, AKE, AKS, AKG and	WMC38				
<u></u>	DG frame types.					

Mullion Cover - Interior / 3/8" Mullion / Vertical / Lineal & Curved					
	Note:	ACP Order No.	AW Order No.		
	Used on AKR, AKW, AKE, AKS, AKG and	PF2037			
	DG frame types.				

Mullion Cover - Interior / 3/8" Mullion / Horizontal / Lineal & Curved						
	Note:	ACP Order No.	AW Order No.			
	Used on AKR, AKW, AKE, AKS, AKG and	PF1974				
	DG frame types.					

Mullion Cover - Interior / 2" Mullion / Vertical / Lineal & Curved					
	Note:	ACP Order No.	AW Order No.		
	Used on AKR, AKW, AKE, AKS, AKG and	PF2034			
	DG frame types.				


Mullion Cover - Interior / 2" Mullion / Horizontal / Lineal & Curved					
	Note:	ACP Order No.	AW Order No.		
	Used on AKR, AKW, AKE, AKS, AKG and	PF2012			
	DG frame types.				

### **Interior Casing**

#### **Casing Profiles**


#### Note:

Interior casings are available in both lineal & curved and in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.



Andersen w

**Interior Casing** 



## **Interior Casing**

Casing Part						
	3" × 3"	× <sup>27</sup> / <sub>32</sub> "	3⁵⁄8" × 3⁵	/8" × <sup>27</sup> /32"	4" × 4"	× <sup>27</sup> / <sub>32</sub> "
Species	ACP Order No.	AW Order No.	ACP Order No.	AW Order No.	ACP Order No.	AW Order No.
Pine	105		111		981	
Oak	113		534		982	
Mahogany	103706		103708		103710	
Maple	104224		104225		104226	
	45%" × 45	⁄8" × <sup>27</sup> /32"				
Species	ACP Order No.	AW Order No.				
Pine	1304					
Oak	1305					
Mahogany	103712					
Maple	104227					

Keystone						
	2 <sup>7</sup> / <sub>8</sub> " × 2 <sup>7</sup> / <sub>8</sub>	⁄8" × <sup>27</sup> /32"	3¾" × 33	<sup>3</sup> / <sub>4</sub> " × <sup>27</sup> / <sub>32</sub> "	4½" × 4½	⁄2" × <sup>27</sup> /32"
Species	ACP Order No.	AW Order No.	ACP Order No.	AW Order No.	ACP Order No.	AW Order No.
Pine	2148		642		2152	
Oak	2149		190		2153	
Mahogany	103698		103700		103702	
Maple	104220		104221		104222	

## Interior Casing

Plinth Block - Arch					
~		<b>2</b> <sup>7</sup> /8"	× 4"	<b>3</b> <sup>7</sup> /8"	× 5 <sup>1</sup> /4"
	Species	ACP Order No.	AW Order No.	ACP Order No.	AW Order No.
	Maple	107003	9050776	107005	9050778
	Oak	107002	9050775	107004	9050777
	Mahogany	109825		109827	
	Douglas Fir	109821		109823	
	Cherry	109817		109819	
	Oneny	100017		100010	

Plinth Block					
$\langle$		<b>2</b> <sup>7</sup> / <sub>8</sub> "	× 2 <sup>7</sup> /8"	<b>3</b> <sup>7</sup> /8"	× 3 <sup>7</sup> /8"
	Species	ACP Order No.	AW Order No.	ACP Order No.	AW Order No.
	Maple	106999	9050772	107001	9050774
	Oak	106998	9050771	107000	9050773
	Mahogany	109824		109826	
	Douglas Fir	109820		109822	
	Cherry	109816		109818	

## **Installation Components**

Installation Parts		
Installation Clips - 6"		
	ACP Order No.	AW Order No.
(e)	112736	
••••		

Installation Flange - Foldable / Lineal Ref. No. 7 page 15, 16 & 17			
	Note:	ACP Order No.	AW Order No.
	Used on all thick and thin AK frames.	PF2079	

Installation Flange - Flexible Ref. No. 6 page 15, 16 & 17			
	Notor	ACP Order No.	AW Order No.
	Note: Used on all thick and thin AK frames.	PF2080	

Installation Flange - DG / Foldable / Lineal			
	Noto	ACP Order No.	AW Order No.
0	Note: Used on DG frames.	PF2081	

Installation Flange - DG / Flexible			
		ACP Order No.	AW Order No.
	Note: Used on DG frames.	PF1886	



## Installation Components

Gasket - Nail Flange / 90º Corner		
	ACP Order No.	AW Order No.
	113018	

Gasket - Nail Flange / Non 90° Corner			
	ACP Order No.	AW Order No.	
	113203		

Drip Cap - Aluminum			
	ACP Order No.	AW Order No.	
	PF2352		

Drip Cap - Flexible				
	Note:	Color	ACP Order No.	AW Order No.
	Can be provided in any	White	103252	
	length up to 18 ft.	Beige	103253	

Notes