



# What's in This Section


indard windows	raye
Parts Illustration	3
Parts Illustration	3
Colors - Exterior	
Colors/Species/Finishes - Interior	5
Unit Sizes	6
Standard and Custom Window Sizes	6
E-Series Product Label	6
Unit Size Chart - Standard Windows	7
Product History	8
Product History	8
Sash	
Sash Size Table	
Sash Graphic / Active	
Sash Graphic / Inactive	
Sash Graphic / Detail	
Sash	13
Sash Parts	14
Weatherstrip	14
Glass	15
Glass	15
Glass Stops	16
Glass Parts	17
Insect Screens	18
Insect Screen	18
Insect Screen - Standard Screens	19
Insect Screen Parts	20
Grilles	21
Grilles	21
Grille Options	
Interior Grille Parts	23
Hardware	24
Operator	24
Hinge - Piano	
Operator Cover	
Handles	26
Locks and Lock Components	27



	Optional Hardware	29
	Fasteners	30
Frame	es	31
	Frame - Side Jambs	31
	Frame - Head Jamb and Sill	32
	Frame	33
	Stops	34
	Weatherstrip	35
	Frame Parts	35

# **Standard Windows**

# **Parts Illustration**




Unit viewed from exterior.



# **Parts Illustration**



# **Parts Illustration**





# **Unit Sizes**

# Standard and Custom Window Sizes

### Note:

E-Series French Casement Windows are available in standard sizes (see standard size charts, <u>page 6</u>). Replacement parts for some standard windows can be ordered using the numbers listed in this catalog. Many replacement parts for standard windows are made to order. These items are ordered using the Product ID found on the identification label and a description of the part needed. See <u>Service Guide 9051877</u>.

E-Series French Casement Windows are also available in custom sizes in 1/8" increments between the smallest and the largest standard sizes. Most replacement parts for custom-sized windows are made to order and can be ordered with the Product ID found on the identification label and a description of the part needed. See Service Guide 9051877.

# **E-Series Product Label**

### Note:

Every E-Series French Casement Window will have an identification label **or** glass etching containing a unique Product ID. The Product ID on E-Series French Casement Windows will be located at the top of the window frame or etched into the glass. See <u>Service Guide 9051877</u>. The Product ID may be up to 14 digits long (excluding hyphens), depending on the age of the unit. Replacement parts will also get their own unique Product ID. When ordering replacement parts, providing the Product ID ensures that replacement parts match the specifications.

# **Unit Sizes**

### Unit Size Chart - Standard Windows Note: F.S. refers to overall outside-to-outside frame. R.O. refers to rough opening. V.G. refers to visible glass. See latest Size Grid. **French Casement Window Sizes** 3' 4 1/2" 4'0 1/2" 4'8 1/2" 5' 0 1/2" 3'4" 4' 0" 5'0" 4'8" 13 <sup>7</sup>/8" 1' 5 7/8" 1' 9 7/8" 1' 11 <sup>7</sup>/8" 1/8 1/2 Vent Layout as Viewed From Exterior 3' 0" 2'5 FCMT5030 FCMT4030 FCMT4830 1/8" 3'4" 2 9 **Left Sash Opens First** (Standard Configuration) FCMT4034 FCMT4834 FCMT5034 3' 5 7/8" NOTES † These units meet or exceed the following dimensions: Clear Opening Area 5.7 sq. ft., Clear Opening Width 20", Clear Opening Height 24" and 44" maximum FCMT4040 † FCMT4840 † FCMT5040 † floor to sill height (with standard 6' 10 1/2" structural mull header height). Local codes may differ. Verify egress 3'11 7/8" requirements with your local building code official Piano hinges and step jamb are standard on all French casement units. FCMT3446 † FCMT4046 † FCMT4846 † FCMT5046 † 1/8 4'5

E-Series French Casement Standard Window Unit Sizes

FCMT5050 †

-2

FCMT3450 † FCMT4050 †

FCMT4850 †



# **Product History**

# **Product History**

2022 White Oak introduced

2022 Stormwatch® (not shown in catalog) discontinued. See <u>Bulletin 80-21</u> for more detail.

# **E-Series French Casement Windows (2014 to Present)**

Standard Windows

# Sash


# Sash Size Table

### Note


Sash shown is Venting French Casement. Overall Sash is measured outside edge to outside edge of sash frame (does **not** include astragal).

Sash Size	Sash Size Table					
Uı	nit No.	Sash Dimensions (w x h)	Visible Glass Dimensions (w x h)	Graphic		
	FCAX3430	18 <sup>1</sup> / <sub>2</sub> × 34 <sup>1</sup> / <sub>2</sub>	13 <sup>7</sup> / <sub>8</sub> × 29 <sup>7</sup> / <sub>8</sub>			
	FCAX3434	18 <sup>1</sup> / <sub>2</sub> × 38 <sup>1</sup> / <sub>2</sub>	13 <sup>7</sup> / <sub>8</sub> × 33 <sup>7</sup> / <sub>8</sub>			
34	FCAX3440	18 <sup>1</sup> / <sub>2</sub> × 46 <sup>1</sup> / <sub>2</sub>	13 <sup>7</sup> / <sub>8</sub> × 41 <sup>7</sup> / <sub>8</sub>			
	FCAX3446	18 <sup>1</sup> / <sub>2</sub> × 52 <sup>1</sup> / <sub>2</sub>	13 <sup>7</sup> / <sub>8</sub> × 47 <sup>7</sup> / <sub>8</sub>			
	FCAX3450	18 <sup>1</sup> / <sub>2</sub> × 58 <sup>1</sup> / <sub>2</sub>	13 <sup>7</sup> / <sub>8</sub> × 53 <sup>7</sup> / <sub>8</sub>			
	FCAX4030	22 <sup>1</sup> / <sub>2</sub> × 34 <sup>1</sup> / <sub>2</sub>	17 <sup>7</sup> / <sub>8</sub> × 29 <sup>7</sup> / <sub>8</sub>			
	FCAX4034	22 <sup>1</sup> / <sub>2</sub> × 38 <sup>1</sup> / <sub>2</sub>	17 <sup>7</sup> / <sub>8</sub> × 33 <sup>7</sup> / <sub>8</sub>			
40	FCAX4040	22 <sup>1</sup> / <sub>2</sub> × 46 <sup>1</sup> / <sub>2</sub>	17 <sup>7</sup> / <sub>8</sub> × 41 <sup>7</sup> / <sub>8</sub>			
	FCAX4046	22 <sup>1</sup> / <sub>2</sub> × 52 <sup>1</sup> / <sub>2</sub>	$17^{7}/_{8} \times 47^{7}/_{8}$			
	FCAX4050	22 <sup>1</sup> / <sub>2</sub> × 58 <sup>1</sup> / <sub>2</sub>	$17^{7}/_{8} \times 53^{7}/_{8}$			
	FCAX4830	26 <sup>1</sup> / <sub>2</sub> × 34 <sup>1</sup> / <sub>2</sub>	$21^{7}/_{8} \times 29^{7}/_{8}$			
	FCAX4834	26 <sup>1</sup> / <sub>2</sub> × 38 <sup>1</sup> / <sub>2</sub>	$21^{7}/_{8} \times 33^{7}/_{8}$			
48	FCAX4840	26 <sup>1</sup> / <sub>2</sub> × 46 <sup>1</sup> / <sub>2</sub>	$21^{7}/_{8} \times 41^{7}/_{8}$			
	FCAX4846	26 <sup>1</sup> / <sub>2</sub> × 52 <sup>1</sup> / <sub>2</sub>	$21^{7}/_{8} \times 47^{7}/_{8}$			
	FCAX4850	26 <sup>1</sup> / <sub>2</sub> × 58 <sup>1</sup> / <sub>2</sub>	$21^{7}/_{8} \times 53^{7}/_{8}$			
	FCAX5030	28 <sup>1</sup> / <sub>2</sub> × 34 <sup>1</sup> / <sub>2</sub>	23 <sup>7</sup> / <sub>8</sub> × 29 <sup>7</sup> / <sub>8</sub>			
	FCAX5034	28 <sup>1</sup> / <sub>2</sub> × 38 <sup>1</sup> / <sub>2</sub>	23 <sup>7</sup> / <sub>8</sub> × 33 <sup>7</sup> / <sub>8</sub>			
50	FCAX5040	28 <sup>1</sup> / <sub>2</sub> × 46 <sup>1</sup> / <sub>2</sub>	23 <sup>7</sup> / <sub>8</sub> × 41 <sup>7</sup> / <sub>8</sub>			
	FCAX5046	28 <sup>1</sup> / <sub>2</sub> × 52 <sup>1</sup> / <sub>2</sub>	23 <sup>7</sup> / <sub>8</sub> × 47 <sup>7</sup> / <sub>8</sub>			
	FCAX5050	28 <sup>1</sup> / <sub>2</sub> × 58 <sup>1</sup> / <sub>2</sub>	23 <sup>7</sup> / <sub>8</sub> × 53 <sup>7</sup> / <sub>8</sub>			






Sash viewed from interior








### Sash

### Note:

Replacement sash for windows are made to order and can be configured through iQ+. Current glazings replace previous vintage glazings. Product ID label is located on the head jamb.



Exterior color options:
Interior species/finish/color options:
Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® SmartSun HeatLock
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Triple- Pane
Low-E4® Passive Sun	Low-E4® Sun Heat- Lock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun Enhanced Triple- Pane
Low-E4® SmartSun Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat- Lock
Low-E4® Passive Sun <b>Tempered</b>	Fern	Low-E4® Smart-Sun Enhanced Triple- Pane Heatl ock
Low-E4® Sun Tempered	Reed	Pane HeatLock

To order, state:

**Product ID (from product label, see Service Guide 9051877)** *OR* 

- 1. Unit or frame size (FCAX XXXX or frame W x H dimensions)
- 2. Description of part (Active Sash, Inactive Sash)
- 3. Sash handing (Right, Left, or Stationary)
- 4. Exterior color of sash to be replaced
- 5. Interior wood species/finish/color of sash to be replaced
- 6. Glazing/Grille type
- 7. Glass Stop Type (Ovolo, Contemporary)
- 8. Manufacturing Date





# Sash Parts

# Astragal

### Note:

Replacement astragals for active and in-active sash are made to order.





In-Active

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Unit or frame size (FCAX XXXX or frame W x H dimensions)
- 2. Description of part (Active Astragal, In-Active Astragal)
- 3. Sash handing (Right, Left)
- 4. Interior/Exterior wood species/finish/color of astragal to be replaced

Astragal Screw (Active Astragal)		
	Description	Order No.
1/2	#4 X 1/2 PFHSMS Type AB 18-8 SS	0009884

Weatherstrip			
Weatherstrip			
	Color	Size	Order No.
	White	10 ft (120")	9103912
	Black	1011 (120 )	9103913
32	White	25 ft (300")	9103816
0	Black	20 11 (300 )	9103817


# **Glass**

### Glass

# Glass

### Note:

Replacement glass is made to order and can be configured through iQ+. Current glazings replace previous vintage glazings. Product ID label is located on the head jamb. Glass ships with sealant and spacers. See Accessory Guide 9176386.



Exterior color options: Interior species/finish/color options:

### Glass options (See Logo/Etching Examples):

Low-E4®	Low-E4® HeatLock	Low-E4® SmartSun HeatLock
Low-E4® SmartSun™	Low-E4® Smart-Sun HeatLock	Low-E4® Triple- Pane
Low-E4® Passive Sun	Low-E4® Sun Heat- Lock	Low-E4® Smart-Sun Triple-Pane
Low-E4® Sun 3	Low-E4® HeatLock Tempered	Low-E4® Enhanced Triple-Pane
Low-E4® Tempered	Dual Pane Clear	Low-E4® Smart-Sun Enhanced Triple- Pane
Low-E4® SmartSun Tempered	Cascade	Low-E4® Enhanced Triple-Pane Heat- Lock
Low-E4® Passive Sun <b>Tempered</b>	Fern	Low-E4® Smart-Sun Enhanced Triple-
Low-E4® Sun Tem- pered	Reed	Pane HeatLock

To order, state:

Product ID (from product label, see Service Guide 9051877)

- 1. Unit or frame size (FCAX XXXX or frame W x H dimensions)
- 2. Description of part (Glass)
- 3. Glazing/Grille type
- 4. Glass Stop Type (Ovolo, Contemporary)
- 5. Manufacturing Date



# **Glass**

# **Glass Stops**

# Stops - Top / Bottom / Side

### Note:

Stops (top, bottom and side) are made to order.

To order, state:

Product ID (from product label, see Service Guide 9051877)

ΩR

- 1. Description of Part/Size (Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Top, Bottom, Side)
- 4. Type (Ovolo, Contemporary)
- 5. Manufacturing Date

# Interior species/finish/color options



# PAINTED OPTIONS White Birch Bark Primed (for paints) Canvas Sandtone Terratone Forest Green Dark Bronze Dove Gray Prairie Grass Red Rock Cocoa Bean Painted options available with pine and maple only.

Black

# E-Series French Casement Windows (2014 to Present) Standard Windows

# Glass

Glass Parts			
Glazing Tape			
Note: See <u>Accessory Guid</u>	9064542.		
		Color	Order No.
		Gray	33751RL
Sealant			
		Color	Order No.
		Dove Gray	9164412
Spacer			
		Size	Order No.
		3 x <sup>1</sup> / <sub>4</sub> x <sup>1</sup> / <sub>16</sub>	9152146



# **Insect Screens**

# Insect Screen Note: Retractable and standard screens available in fiberglass, aluminum and TruScene® material. Replacement insect screens can be configured in iQ+. **Color/finish options Species/finish/color options** WOOD SPECIES FACTORY-FINISHED INTERIORS 0ak Clear Coat Autumn Oak Cherry **Golden Hickory** Gold Bronze Mixed Grain Vertical Grain Hickory Espresso Russet Mocha **Douglas Fir Douglas Fir** White Oak White Black **Standard Screen Retractable Screen**

# **E-Series French Casement Windows (2014 to Present)**

Standard Windows

# **Insect Screens**

# Insect Screen - Standard Screens

Insect Scree	Insect Screen - Standard Screens				
Lini	t No	Dimensions			
Uni	t No.	(w x h)	Graphic		
	FCAX3430	36 <sup>13</sup> / <sub>32</sub> X 31 <sup>19</sup> / <sub>32</sub>			
	FCAX3434	$36^{13}/_{32}\mathrm{X}\ 35^{19}/_{32}$			
34	FCAX3440	$36^{13}/_{32} \times 43^{19}/_{32}$			
	FCAX3446	$36^{13}/_{32} \times 49^{19}/_{32}$			
	FCAX3450	$36^{13}/_{32} \times 55^{19}/_{32}$			
	FCAX4030	44 $^{13}/_{32}$ X 31 $^{19}/_{32}$			
	FCAX4034	44 $^{13}/_{32}$ X 35 $^{19}/_{32}$			
40	FCAX4040	44 <sup>13</sup> / <sub>32</sub> X 43 <sup>19</sup> / <sub>32</sub>			
	FCAX4046	44 <sup>13</sup> / <sub>32</sub> X 49 <sup>19</sup> / <sub>32</sub>			
	FCAX4050	44 <sup>13</sup> / <sub>32</sub> X 55 <sup>19</sup> / <sub>32</sub>			
	FCAX4830	$52^{13}/_{32}$ X $31^{19}/_{32}$			
	FCAX4834	$52^{13}/_{32} \times 35^{19}/_{32}$			
48	FCAX4840	52 <sup>13</sup> / <sub>32</sub> X 43 <sup>19</sup> / <sub>32</sub>			
	FCAX4846	52 <sup>13</sup> / <sub>32</sub> X 49 <sup>19</sup> / <sub>32</sub>			
	FCAX4850	52 <sup>13</sup> / <sub>32</sub> X 55 <sup>19</sup> / <sub>32</sub>			
	FCAX5030	56 <sup>13</sup> / <sub>32</sub> X 31 <sup>19</sup> / <sub>32</sub>			
	FCAX5034	56 <sup>13</sup> / <sub>32</sub> X 35 <sup>19</sup> / <sub>32</sub>			
50	FCAX5040	56 <sup>13</sup> / <sub>32</sub> X 43 <sup>19</sup> / <sub>32</sub>			
	FCAX5046	56 <sup>13</sup> / <sub>32</sub> X 49 <sup>19</sup> / <sub>32</sub>			
	FCAX5050	56 <sup>13</sup> / <sub>32</sub> X 55 <sup>19</sup> / <sub>32</sub>			




# **Insect Screens**

Insect Screen Parts	
Grommet	
Note: Used with standard and woo	
	Order No.
9/16	0009220

# **E-Series French Casement Windows (2014 to Present)**

Standard Windows

# **Grilles**





### **Grilles**

# **Grille Options**

### Note:

Replacement sash with permanently applied grilles and finelight grilles can be configured in iQ+. Replacement removable interior grilles can be configured in iQ+. Removable grilles are only available in 7/8" profile.

### Types



### Full Divided Light

Give any window an authentic look with full divided light grilles that are permanently applied to the interior and exterior of your window with a spacer between the glass.



Simulated Divided Light

An economical solution with traditional beauty, our Simulated Divided Light features fixed exterior and interior grilles without an internal spacer.



Removable Interior Wood Grilles

Our removable wood grilles are installed on the interior surface. They are available with an optional surround and an optional permanently applied exterior grille.




Finelight™ Grilles-Between-the-Glass

Aluminum grilles conveniently placed between two panes of glass make the glass easy to clean inside and out.


# **Profiles**




### **Patterns**



# **Grilles**







# Hinge - Piano

# Hinge - Piano

### Note:

Secures to sash and frame.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Unit height
- 2. Description of part (Piano Hinge 2")
- 3. Hinge color (Black, Stainless Steel)

	Screw - Piano Hinge		
Ī		Description	Order No.
		#7 X 1 1/4 SS	0027959

Screw - Piano Hinge (Frame)			
	Description	Order No.	
	#7 X 5/8 SS	0015331	

# **Operator Cover**

# **Operator Cover**

# Note:

Handed as the unit is handed unless piano hinges are used. Piano hinges are "standard" on French Casement units.



	Orde	r No.
Color	LH RH (Piano)	RH LH (Piano)
Black	9105294	9105295
Gold	9105292	9105293
Bronze	9105290	9105291
White	9105288	9105289
Antique Brass	9105306	9105307
Bright Brass	9105296	9105297
Satin (Brushed) Chrome	9105302	9105303
Bright (Polished) Chrome	9105304	9105305
Bronze	9105290	9105291
Oil Rubbed Bronze	9105298	9105299
Pewter	9105300	9105301



Handles			
Folding Handle (Crank)			
		Finish	Order No.
		Black	0007663
		Gold	0007662
		Bronze	0007661
		White	0007660
		Antique Brass	0007669
<b>3</b> <sup>23</sup> / <sub>32</sub>		Bright Brass	0007664
		Satin Chrome	0007667
		Bright Chrome	0007668
		Oil Rubbed Bronze	0007665
Tro-		Pewter	0007666
Handle Assembly			
	Finish	Standard	
	Black	0013784	
	Brass	0013785	
	Bronze	0013786	
	White	0013788	
	Antique Brass	0013782	
	Bright Chrome	0013783	
6	Satin Chrome	0013787	
Temporary Handle - Operat	or		
			Order No.
			0007896
11/ <sub>16</sub> CONSTRUCTION CRANK			
<b>3</b> <sup>23</sup> / <sub>32</sub> —			

# **Locks and Lock Components Lock Gear** Note: Unit width $\leq$ 48" uses 8 $\frac{5}{8}$ lock extension (9167996). Unit width >48" uses 10 $\frac{5}{8}$ lock extension (9167997). Length (Horizontal) Order No. Type **6** <sup>13</sup>/<sub>32</sub> **6** <sup>13</sup>/<sub>32</sub> Upper Gear 9167991 **6** <sup>13</sup>/<sub>32</sub> **6** <sup>13</sup>/<sub>32</sub> **9** <sup>1</sup>/<sub>16</sub> Lower Gear 9167990 6 <sup>7</sup>/<sub>8</sub> 9167996 Extension **8** <sup>7</sup>/<sub>8</sub> 9167997 Length

Screw - Lock			
	Description	Туре	Order No.
<b>41111111111111</b>	4.2 x 35 Self-Drilling	Stile Screw	9183988
4111111111111 <del> </del>	4.0 x 32MM Self-Drilling	Rail Screw	0205690



Cover - Groove	Cover - Groove		
	Туре	Order No.	
	Short	0208537	
Lock Linkage			
Note: Need to specify unit height	and Product ID.		
		Order No.	
		By description	

Note: Secures to inactive sash.		
	Top (Astragal) Bottom (Astragal) Sill	Center Astragal)
	9170370	9167988

Temporary Handle - Lock		
r- <b>1</b> 1/8-7		Order No.
<b>4</b> 5/ <sub>16</sub> nown and constant of the constant o		0008949

# E-Series French Casement Windows (2014 to Present)

Standard Windows

# **Hardware**

# **Optional Hardware**

Sleeve Magnet			
	Note:	Finish	Order No.
	Used with Verilock.	White	0015968
		Brown	0015967




# **Fasteners**

Screw - Sash Limiter		
	Description	Order No.
	#8 X 3/4 PPHSMS Type AB 18-8 SS	0033736


Screw - Sill Stop		
	Description	Order No.
	#8 X 2 1/8 PFHSMS Type AB Z & Y	9105309

# **Frames**





# **Frames**



# **E-Series French Casement Windows (2014 to Present)**

Standard Windows

# **Frames**

# **Frame** Note: Replacement frames are made to order and can be configured through iQ+. Replacement frames ship with hardware. To order, state: Product ID (from product label, see Service Guide 9051877) 1. Description of Part/Size (FCAX XXXX or frame W X H dimensions) 2. Colors/Species/Finish 3. Manufacturing Date **Exterior color/finish options** Interior species/finish/color options WOOD SPECIES FACTORY-FINISHED INTERIORS Clear Coat Wheat Pine Maple Autumn Oak Cherry Mahogany ' Golden Hickory Honey Cinnamon Mixed Grain Vertical Grain Hickory Russet Mocha Espresso Douglas Fir Walnut White Oak PAINTED OPTIONS White Birch Bark Primed (for paint) Canvas Sandtone Terratone Forest Green Dark Bronze Dove Grav **ANNODIZED FINISHES Prairie Grass Red Rock** Black



### **Frames**

# Stops

# Stops - Head / Sill / Side

### Note:

Stops (head, sill and side) are made to order.

To order, state:

Product ID (from product label, see Service Guide 9051877)

OR

- 1. Description of Part/Size (Stop)
- 2. Color/Species/Finish
- 3. Location/Handing (Head, Sill, Lock Jamb, Hinge Jamb, LH, RH)
- 4. Manufacturing Date

# Interior species/finish/color options





Black

# E-Series French Casement Windows (2014 to Present) Standard Windows

# **Frames**

Weatherstrip Weatherstrip		
Troumorourp	Size	Order No.
	10 ft (120	″) 9103914
	25 ft (300	″) 9103915
42		

Frame Parts Fastener		
	Size	Order No.
	3″	000CFS3
1	6″	000CFS6
	34"	00CFS34
#	55″	00CFS55
	96″	00CFS96

Strike		
	Туре	Order No.
	Head (Astragal Side) Sill	9170370
	Head (Hinge Side)	9170371

Screw - Strike			
		Finish	Order No.
		Unfinished	0205692



# **Frames**