

Table of Awning Window Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96


Window Dimension	1'-5 1/2"	1'-11 1/2"	2'-5 1/2"	2'-11 1/2"	3'-5 1/2"	3'-11 1/2"
	(445)	(597)	(749)	(902)	(1054)	(1207)
Minimum Rough Opening	1'-6"	2'-0"	2'-6"	3'-0"	3'-6"	4'-0"
	(457)	(610)	(762)	(914)	(1067)	(1219)
Unobstructed Glass	11 1/4"	17 1/4"	23 1/4"	29 1/4"	35 1/4"	41 1/4"
	(286)	(438)	(591)	(743)	(895)	(1048)

CUSTOM WIDTHS – 17 1/2" to 47 1/2"						
1'-5 1/2"	1'-6"	1'-11 1/2"	2'-0"	2'-5 1/2"	2'-6"	2'-11 1/2"
(445)	(457)	(597)	(610)	(749)	(762)	(902)
11 1/4"	17 1/4"	17 1/2"	20 1/2"	26 1/2"	30 1/2"	35 1/2"
(286)	(438)	(438)	(520)	(626)	(743)	(871)
1616	2016	2616	3016	3616	4016	
1620	2020	2620	3020	3620	4020	
1626	2026	2626	3026	3626	4026	
1630	2030	2630	3030	3630	4030	

- "Window Dimension" always refers to outside frame to frame dimension.
- "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- Dimensions in parentheses are in millimeters.



Custom-size windows are available in 1/8" (3) increments.



Venting Stationary


Choose venting or stationary. **Awning windows must be installed to vent as shown and should not be rotated and used as a hopper.**

Custom Sizes & Specifications



100 Series custom-size windows are available in 1/8" (3) increments between minimum and maximum widths and heights shown. Some restrictions apply.

Awning Windows



Single

Clear Opening	Width = window width - 5.694" (145) Depth = 8.000" (203)	Minimum R.O.	Width = window width + 1/2" (13) Height = window height + 1/2" (13)
Vent Opening	Width = window width - 5.694" (145) Depth = 8.000" (203)	Unobstr. Glass	Width = window width - 6.250" (159) Height = window height - 6.250" (159)

• Awning windows do not meet clear opening area of 5.7 sq.ft. or 0.53 m², clear opening width of 20" (508) and clear opening height of 24" (610).

- Dimensions in parentheses are in millimeters.
- **Clear Opening** formulas provide dimensions for determining area available for egress. **Vent Opening** formulas provide dimensions for determining area available for passage of air. **Minimum R.O.** (minimum rough opening) formulas provide minimum rough opening width and height dimensions. **Unobstr. Glass** (unobstructed glass) formulas provide dimensions for determining area available for passage of light.