



Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen



Scale: 3/8" (10) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22


Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen




Line Types	
	Perimeter of head jamb
	Sill tracks
	Panel and jamb outline
	Rough opening


IMPORTANT
For more detailed information pertaining to product application. See the Heritage Multi-Slide Site Prep Guide.




A 2 Panel
2 Track System




B 2 Panel (Unit Height ≤ 9'-11 3/8")
2 Track System



C 3 Panel (Unit Height ≤ 9'-11 3/8")
2 Track System



D 4 Panel (Unit Height ≤ 9'-11 3/8")
2 Track System



E 5 Panel (Unit Height ≤ 9'-11 3/8")
2 Track System

Scale: 3/8" (10) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22


Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen




Line Types	
-----	Perimeter of head jamb
-----	Sill tracks
-----	Panel and jamb outline
-----	Rough opening


IMPORTANT
For more detailed information pertaining to product application. See the Heritage Multi-Slide Site Prep Guide.




A 2 Panel
3 1 Track System




B 4 Panel (Unit Height ≤ 9'-11 3/8")
3 2 Track System



C 6 Panel (Unit Height ≤ 9'-11 3/8")
3 3 Track System



D 8 Panel (Unit Height ≤ 9'-11 3/8")
3 4 Track System



E 10 Panel (Unit Height ≤ 9'-11 3/8")
3 5 Track System

Scale: 3/8" (10) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22









Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen



IMPORTANT

For more detailed information pertaining to product application. See the Heritage Multi-Slide Site Prep Guide.



Scale: 1 1/2" (38) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22









Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen



IMPORTANT

For more detailed information pertaining to product application. See the Heritage Multi-Slide Site Prep Guide.



Scale: 1 1/2" (38) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22





Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen



IMPORTANT

For more detailed information pertaining to product application. See the [Heritage Multi-Slide Site Prep Guide](#).



Scale: 1 1/2" (38) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22







Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen



IMPORTANT

For more detailed information pertaining to product application. See the Heritage Multi-Slide Site Prep Guide.



Scale: 1 1/2" (38) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.

Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22


Heritage

Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen




IMPORTANT


For more detailed information pertaining to product application. See the [Heritage Multi-Slide Site Prep Guide](#).




A Lock Jamb
8 4 Track System



C Pocket
8 4 Track System



B Lock Jamb
8 5 Track System



D Pocket
8 5 Track System

Scale: 1 1/2" (38) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.


Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 08/28/22

Heritage


Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen




A
9 Panel Interlock




B
9 Astragal



C
9 Flat Raised Threshold



E
9 Boxed Raised Threshold



D
9 Handle Height

Scale: 3" (76) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.


Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.


Date: 08/28/22

Heritage


Multi-Slide Door - Thermally Improved
Pocketing - Aluminum - No Screen



A
10 1" Finelight (Contoured)



B
10 1 1/8" Full Divided Light (Contoured)



C
10 2 1/4" Full Divided Light (Flat Grille)

Scale: 6" (152) = 1' (305)

Notes:

Details have been optimized for use in architectural software and do not match manufacturing specifications.
Dimensions in parentheses are in millimeters.

Andersen Windows, Inc. reserves the right to change drawing specifications without notice.

Date: 08/28/22